Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.

ED STATES DEPARTMENT OF AGRICULTURE
WASHINGTON 25, D. C.

Official Business

POSTAGE AND FEES PAID
U. S. DEPARTMENT OF AGRICULTURE

Reserve
1967
A2C78

VOL. 9 INDEX 1959

LIBRARY
CURRENT SERIAL RECORD
★ MAY 11 1960 ★
U. S. DEPARTMENT OF AGRICULTURE

Cooperative ECONOMIC INSECT REPORT

Issued by

PLANT PEST CONTROL DIVISION

AGRICULTURAL RESEARCH SERVICE

UNITED STATES DEPARTMENT OF AGRICULTURE

AGRICULTURAL RESEARCH SERVICE

PLANT PEST CONTROL DIVISION

SURVEY AND DETECTION OPERATIONS

The Cooperative Economic Insect Report is issued weekly as a service to American Agriculture. Its contents are compiled from information supplied by cooperating State, Federal, and industrial entomologists and other agricultural workers. In releasing this material the Division serves as a clearing house and does not assume responsibility for accuracy of the material.

Reports and inquiries pertaining to this release should be mailed to:

Survey and Detection Operations
Plant Pest Control Division
Agricultural Research Service
United States Department of Agriculture
Washington 25, D. C.

COOPERATIVE ECONOMIC INSECT REPORT

VOLUME 9 1959 INDEX

SPECIAL REPORTS

Beet leafhopper - conditions in Utah, western Colorado, southern Nevada, southeast California and central Arizona, 1959 169; conditions in the southern Great Plains and adjacent areas, 1959 283; second statement of conditions in Utah, western Colorado, southern Nevada, central Arizona and southeastern California, 1959 310; survey in southwestern Kansas, 1959 310; survey in eastern Washington, spring 1959 333

Boll weevil - hibernation survey, northeast Louisiana, fall 1958 4; hibernation counts, Mississippi, fall 1958 31; summary of hibernation surveys, fall 1958 67; winter survival surveys, Louisiana 193; survival surveys spring 1959, Georgia 237; survival survey, spring 1959, South Carolina, North Carolina and Virginia 260; summary of survival surveys spring 1959 261; survival surveys in Tennessee and Arkansas, 1959 312; hibernation surveys in Texas, Tennessee, Missouri, Louisiana, Mississippi and North and South Carolina, fall 1959 1061

Cooperative Survey Entomologists 525

Corn insect survey in Iowa, fall 1959 978

Diptera - changes in family names 908

European corn borer - status, 1958 53; estimates of damage to grain corn in U. S., 1958 319

Forest insect conditions in the U. S., 1958 422

Grasshoppers - adult survey, fall 1958, following 44; cooperative rangeland control during 1959 season 979

Hawaiian insect notes 559, 664, 816, 1034

Hessian fly - conditions in Illinois for 1959 882; stubble survey in Missouri, 1959 841

Illustrated keys - imported fire ant and closely related species 221; means of recognizing larvae of Japanese beetle and European chafer 973; recognition of species of Musca 988

Insect detection memorandum 145

Important pests for 1958 526-528

Insects not known to occur in the U. S. - 15, 27, 43, 81, 101, 125, 163, 209, 227, 275, 321, 367, 397, 473, 529, 593, 693, 765, 817, 837, 925, 943, 957, 971, 989, 1001, 1013, 1025, 1035, 1045, 1053

Interceptions of special interest at U. S. ports of entry - 663, 742, 908, 940, 1000, 1064

Japanese beetle - summary of survey and control outside regulated areas, 1931-1959 937

Light trap collections - 10, 22, 32, 52, 66, 88, 109, 134, 155, 172, 195, 220, 240, 265, 290, 318, 339, 363, 395, 420,470, 496, 524, 557, 590, 613, 637, 661, 689, 716, 740, 761, 787, 814, 834, 853, 872, 890, 907, 923, 941, 956, 969, 987, 1000, 1011, 1024, 1033, 1044, 1052, 1060

Maps, distribution - alfalfa weevil 106; European corn borer 62; Mormon crickets 894; spotted alfalfa aphid 233; southwestern corn borer 190; hemlock sawfly 262 (also see status of some important insects in the U. S.)

Maps, general - chinch bug survey, 1958 48; European corn borer abundance 60, 61; gypsy moth control 953; Japanese beetle 153, 936; Neodiprion pratti defoliation in Maryland, Virginia and North Carolina 919; pink bollworm control 1020; some introduced insect pests reported since 1900 248

Meadow spittlebug - infestation and damage to alfalfa and clover in Indiana, 1959 855; adult survey in Illinois, 1959 878; survey in Ohio, 1959 948

Musca autumnalis - a new pest of cattle in the U. S. 719

Picture story number 120 - keeping an eye out for insects, following 882

Potato aphid - survey in New Jersey, February-March 1959 259

Potato psyllid - surveys on overwintering host 215, 284; surveys in summer breeding area - first survey 384; second survey 459; third survey 512; fourth survey 576; fifth survey 625

Pumpkin caterpillar in Florida; first report for Western Hemisphere 1012

Some of the more important insects reported since 1900 247

Southern potato wireworm survey, Charleston County, S. C. 649

Status of some important insects in the U. S. - 185, 341, 445, 497, 691, 721, 760, 763, 857

State clearing offices 39

Summary of insect conditions, 1958- Alabama 291; Arkansas 180; California 789; Colorado 11; Florida 364; Georgia 177; Idaho 139; Kansas 111; Louisiana 35; Maryland 91; Minnesota 268; Missouri 201; Montana 23; Nebraska 114; Nevada 266; New Jersey 89; North Carolina 173; North Dakota 118; Ohio 224; Pennsylvania 245; Rhode Island 156; South Dakota 121; Texas 33; Virginia 95; West Virginia 99; Wisconsin 241

Summary of insect conditions in some countries in the Near East, South Asia and Africa, 1958 - Afghanistan 74; Ethiopia 79; Iran 70; Iraq 69; Libya 79; Pakistan 75; Tunisia 77

Survey methods - clover aphid 110; balsam gall midge 159; addendum to balsam gall midge 208; fly baits and traps 207; a portable field cage for insects 297; grain aphids 665; armyworms, cutworms, barley thrips 942; beet webworm, sweetclover weevil 970

COMMON NAMES

Achemon sphinx (Pholus achemon) 730
Ailanthus webworm (Atteva aurea) 849, 886
Alaska spruce beetle (Dendroctonus borealis) 424, 431
Alder flea beetle (Altica ambiens) 143, 314, 465, 737, 782
Alfalfa caterpillar (Colias philodice eurytheme) 11, 91, 114, 120, 198, 282, 305, 329, 377, 454, 482, 556, 573, 599, 622, 673, 701, 747, 789, 799, 823, 843, 863, 879, 889, 896, 914, 931, 948, 978
Alfalfa looper (Autographa californica) 23, 135, 137, 140, 406, 573, 599, 650, 793
Alfalfa plant bug (Adelphocoris lineolatus) 114, 119, 123, 242, 728, 815, 897
Alfalfa webworm (Loxostege commixtalis) 87, 114, 823
Alfalfa weevil (Hypera postica) 3, 11, 23, 69, 71, 75, 85, 89, 91, 95, 99, 106, 114, 119, 129, 133, 139, 140, 150, 155 156, 167, 173, 174, 177, 178, 189, 214, 220, 224, 232, 245, 256, 266, 280, 305, 328, 330, 350, 376, 405, 453, 469, 479, 495, 507, 523, 538, 555, 556, 572, 599, 621, 645, 660, 701, 715, 773, 789, 847, 897, 980, 1030
Alkali bee (Nomia melanderi) 139, 144, 268, 522, 588, 659, 714, 760, 812, 870
Almond nut borer (Eurytoma amygdali) 72
American cockroach (Periplaneta americana) 78, 98
American dog tick (Dermacentor variabilis) 94, 158, 244, 264, 272, 316, 392, 523
American plum borer (Euzophera semifuneralis) 950, 981
Angoumois grain moth (Sitotroga cerealella) 35, 38, 79, 94, 113, 197, 226, 295, 588, 833, 929, 1009, 1051
Ants 80, 91, 94, 98, 177, 239
Aphids 19, 35, 37, 47, 70, 71, 73, 77, 79, 80, 89, 90, 93, 96, 97, 112, 120, 123, 170, 179, 193, 238, 242, 255, 257, 260, 267, 282, 285, 286, 287, 289, 292, 307, 311, 313, 331, 335, 336, 352, 354, 358, 360, 380, 383, 386, 387, 391, 408, 411, 416, 457, 462, 465, 489, 492, 510, 516, 520, 543, 546, 556, 581, 609, 629, 633, 654, 660, 675, 678, 688, 709, 715, 732, 741, 758, 780, 784, 786, 791, 792, 793, 804, 807, 884, 901, 954, 966, 1050
Apple and thorn skeletonizer (Anthophila pariana) 141
Apple aphid (Aphis pomi) 13, 24, 74, 77, 89, 96, 112, 136, 174, 205, 224, 235, 242, 263, 267, 292, 330, 352, 380, 408, 483, 509, 541, 574, 589, 602, 623, 660, 675, 774, 791, 792
Apple blossom weevil (Anthonomus pomorum) 925
Apple curculio (Tachypterellus quadrigibbus) 270
Apple grain aphid (Rhopalosiphum fitchii) 31, 47, 65, 85, 95, 105, 129, 149, 167, 191, 197, 213, 231, 234, 242, 330, 345, 372, 419, 789, 930, 961, 977, 993, 1005, 1017, 1029, 1041, 1049
Apple leafhopper (Empoasca maligna) 623
Apple leaf skeletonizer (Psorosina hammondi) 886
Apple leaf trumpet miner (Tischeria malifoliella) 199
Apple maggot (Rhagoletis pomonella) 89, 92, 120, 156, 224, 225, 242, 270, 541, 624, 636, 647, 660, 675, 688, 703, 729, 749, 801, 825, 836, 864, 881, 898, 932, 981, 1006, 1042
Apple seed chalcid (Torymus druparum) 749
Apple thrips (Thrips imaginis) 663
Apple twig borer (Amphicerus bicaudatus) 389
Arborvitae weevil (Phyllobius intrusus) 158, 552
Argentine ant (Iridomyrmex humilis) 219, 561, 760, 816
Argus tortoise beetle (Chelymorpha cassidea) 627, 650
Army cutworm (Chorizagrotis auxiliaris) 11, 23, 111, 113, 119, 192, 196, 282, 304, 351, 372, 406, 929
Armyworm (Pseudaletia unipuncta) 33, 35, 75, 89, 91, 95, 112, 113, 114, 116, 119, 122, 156, 173, 174, 177, 178, 181, 196, 201, 202, 203, 241, 245, 255, 266, 269, 279, 304, 326, 346, 372, 401, 451, 478, 503, 523, 524, 533, 570, 597, 620, 643, 671, 699, 777, 789, 793, 798, 823, 880, 895, 929, 942, 993
Armyworms 570, 671
Artichoke plume moth (Platyptilia carduidactyla) 487, 604, 793
Ash borer (Podosesia syringae fraxini) 935
Ash-gray blister beetle (Epicauta fabricii) 120, 522, 540, 572, 635
Ash plant bug (Neoborus amoenus) 24, 464, 632, 783
Asiatic garden beetle (Autoserica castanea) 93, 157, 445, 635, 656, 687, 813, 906, 947
Asiatic oak weevil (Cyrtepistomus castaneus) 93, 99, 684, 833, 849, 954
Asiatic rice borer (Chilo suppressalis) 1064
Asparagus beetle (Crioceris asparagi) 24, 92, 141, 157, 293, 334, 627, 865
Asparagus miner (Melanagromyza simplex) 412
Avocado red mite (Oligonychus yothersi) 19
Azalea bark scale (Eriococcus azaleae) 93, 157, 685
Azalea caterpillar (Datana major) 294, 868, 904, 921, 954
Azalea lace bug (Stephanitis pyrioides) 90, 294, 492, 904, 921
Azalea leaf miner (Gracilaria azaleella) 93, 390, 660
Azalea whitefly (Pealius azaleae) 390, 492

B

Bagworm (Thyridopteryx ephemeraeformis) 35, 90, 93, 97, 113, 117, 180, 200, 226, 287, 415, 444, 458, 465, 492, 519, 552, 584, 608, 631, 655, 660, 683, 711, 736, 757, 783, 849, 935, 952, 984
Balsam gall midge (Dasyneura balsamicola) 159, 208
Balsam twig aphid (Mindarus abietinus) 157, 550
Balsam woolly aphid (Chermes piceae) 138, 173, 176, 423, 424, 426, 438, 608
Baluchistan melon fly (Myiopardalis pardalina) 70, 71
Banded cucumber beetle (Diabrotica balteata) 50, 485, 646, 706, 749, 773, 777, 828, 847, 882, 995
Banded woollybear (Isia isabella) 939, 998
Bark beetles 217, 286, 358, 422, 424, 425, 426, 583, 711
Barnacle scale (Ceroplastes cirripediformis) 675, 1022
Basswood leaf roller (Pantographa limata) 830
Bean aphid (Aphis fabae) 71, 89, 137, 242, 356, 383, 412, 544, 577, 649, 677, 792
Bean leaf beetle (Cerotoma trifurcata) 34, 92, 96, 120, 174, 179, 181, 199, 204, 260, 270, 285, 293, 311, 333, 351, 378, 383, 411, 455, 460, 487, 508, 514, 540, 544, 577, 600, 646, 702, 749, 773, 800, 825, 844, 864, 877, 897, 932
Bean thrips (Hercothrips fasciatus) 792, 825
Bean weevil (Acanthoscelides obtectus) 955
Bed bug (Cimex lectularius) 25, 75, 78, 80, 177, 226, 1023, 1051
Bee flies 201
Beech blight aphid (Prociphilus imbricator) 831, 868
Beet armyworm (Laphygma exigua) 33, 71, 75, 78, 79, 107, 137, 266, 267, 386, 413, 459, 486, 542, 582, 597, 607, 629, 649, 654, 681, 705, 709, 734, 754, 780, 789, 793, 799, 807, 823, 829, 843, 847, 863, 867, 883, 899, 917, 949, 950, 964, 982, 996, 1007
Beet leafhopper (Circulifer tenellus) 12, 13, 20, 34, 137, 139, 141, 169, 193, 259, 266, 267, 283, 310, 333, 412, 513, 604, 650, 678, 731, 751, 786, 827
Beet webworm (Loxostege sticticalis) 12, 23, 114, 117, 121, 122, 123, 141, 270, 377, 454, 487, 507, 513, 544, 556, 577, 604, 627, 650, 677, 777, 793, 805, 896, 917, 970
Big-eyed bugs 289, 522
Billbugs 177, 255, 374, 403, 478, 569, 598

Birch leaf miner (Fenusa pusilla) 89, 90, 157, 226, 272, 360, 390, 417, 492, 518, 524, 551, 633
Birch skeletonizer (Bucculatrix canadensisella) 684
Black alfalfa leaf beetle (Colaspidema atrum) 943
Black blister beetle (Epicauta pennsylvanica) 120, 800, 824
Black carpenter ant (Camponotus herculeanus pennsylvanicus) 158, 226
Black carpet beetle (Attagenus piceus) 121, 158, 226, 589
Black cherry aphid (Myzus cerasi) 24, 141, 156, 225, 267, 352, 380, 408, 484, 495, 510, 542, 575, 675
Black cherry fruit fly (Rhagoletis fausta) 24, 141, 524
Black cutworm (Agrotis ypsilon) 34, 77, 93, 96, 115, 173, 174, 295, 589, 597, 618, 833, 862, 917, 931, 964, 993, 995, 1000
Black flies 94, 143, 158, 246, 493, 553, 658, 714, 966, 998
Black-headed budworm (Acleris variana) 424, 434
Black-headed fireworm (Rhopobota naevana) 243, 704, 933
Black Hills beetle (Dendroctonus ponderosae) 425, 429
Black horse fly (Tabanus atratus) 869
Black margined aphid (Monellia costalis) 198, 556, 852, 950, 1006
Black peach aphid (Anuraphis persicae-niger) 136, 602
Black pecan aphid (Melanocallis caryaefoliae) 34, 37, 292, 575, 794, 950
Black pine leaf scale (Aspidiotus californicus) 584, 655, 952
Black scale (Saissetia oleae) 73, 77, 542, 575, 603, 648, 676, 730, 750, 790, 954, 1056
Black turpentine beetle (Dendroctonus terebrans) 99, 180, 183, 199, 293, 426, 430, 549, 682, 736, 849, 902, 918, 952
Black vine weevil (Brachyrhinus sulcatus) 158, 312
Black widow spider (Latrodectus mactans) 25, 94, 871, 955, 967, 998, 1010, 1051
Blister beetles 603, 728
Bloodsucking conenose (Triatoma sanguisuga) 738
Blow flies 316
Blueberry maggot (Rhagoletis pomonella) 603, 704
Body louse (Pediculus humanus humanus) 75
Boll weevil (Anthonomus grandis) 21, 31, 34, 37, 66, 67, 97, 176, 177, 179, 180, 182, 183, 184, 193, 199, 205, 216, 217, 227, 237, 260, 261, 267, 291, 294, 312, 335, 358, 386, 387, 413, 462, 489, 515, 545, 580, 606, 628, 636, 653, 679, 707, 733, 753, 779, 806, 828, 848, 866, 884, 901, 1061
Bollworm (Heliothis zea) 335, 358, 524, 793, 815, 884, 889, 901, 934, 951
Bollworms 176, 177, 179, 180, 183, 217, 267, 291, 294, 335, 387, 413, 463, 495, 516, 636
Bombyliids 119
Boxelder bug (Leptocoris trivittatus) 94, 177, 246, 715, 968, 986, 998, 1009
Boxelder twig borer (Proteoteras willingana) 25
Boxwood leaf miner (Monarthropalpus buxi) 93, 108, 152, 157, 218, 237, 315, 336, 390, 417, 493, 552
Boxwood psyllid (Psylla buxi) 93, 390
Braconids 296
Brazilian cotton borer (Eutinobothrus brasiliensis) 15
Brinjal borer (Leucinodes orbonalis) 76, 715
Brinjal leaf roller (Eublemma olivacea) 76
Bronzed cutworm (Nephelodes emmedonia) 280, 347, 373, 394, 403, 419, 523, 836
Brown-banded roach (Supella supellectilium) 78, 90, 94, 98, 124, 171, 177, 226, 794, 940, 999, 1009
Brown chafer (Serica brunnea) 1025
Brown cotton leafworm (Acontia dacia) 463, 629, 867
Brown dog tick (Rhipicephalus sanguineus) 35, 94, 98, 154, 177, 200, 226, 688, 785, 811, 869, 889, 905, 922, 939, 955, 967, 1023
Brown-headed ash sawfly (Tomostethus multicinctus) 609, 794
Brown spider beetle (Ptinus clavipes) 133, 155, 245
Brown stink bug (Euschistus servus) 179, 225, 289, 292, 373, 771, 824
Brown wheat mite (Petrobia latens) 9, 11, 33, 65, 111, 167, 197, 213, 280, 304, 325, 345, 373, 469, 537, 599, 678, 993
Buck moth (Hemileuca maia) 955
Buckthorn aphid (Aphis abbreviata) 826
Bud moths 379
Buffalo treehopper (Stictocephala bubalus) 381, 542
Bulb mite (Rhizoglyphus echinopus) 792
Burrowing nematode (Radopholus similis) 49, 803

C

Cabbage aphid (Brevicoryne brassicae) 71, 107, 120, 131, 157, 168, 177, 179, 193, 236, 243, 260, 289, 293, 333, 355, 385, 411, 460, 487, 513, 706, 777, 792, 827, 847, 916
Cabbage bug (Eurydema oleraceum) 81
Cabbage butterfly (Pieris brassicae) 76
Cabbage curculio (Ceutorhynchus rapae) 97, 311, 459, 487
Cabbage leaf miner (Phytomyza rufipes) 1007
Cabbage looper (Trichoplusia ni) 12, 33, 34, 37, 89, 92, 96, 135, 137, 157, 175, 178, 179, 183, 199, 225, 243, 293, 294, 329, 355, 365, 411, 413, 460, 463, 513, 548, 582, 654, 677, 680, 709, 729, 734, 751, 754, 780, 793, 801, 804, 807, 827, 829, 836, 843, 847, 852, 865, 867, 879, 883, 884, 889, 896, 900, 916, 924, 933, 934, 950, 964, 982, 995, 1007, 1043, 1050
Cabbage maggot (Hylemya brassicae) 157, 175, 285, 311, 334, 385, 411, 460, 487, 513, 544, 604, 626, 793, 883
Cabbage seedpod weevil (Ceutorhynchus assimilis) 141, 793
Cabbage webworm (Hellula rogatalis) 900
Cadelle (Tenebroides mauritanicus) 25, 79, 94, 118, 121, 200, 239, 295, 589, 851, 1059
Calico scale (Lecanium cerasorum) 794
California oakworm (Phryganidia californica) 86, 551, 584, 794
California pear-slug (Pristiphora californica) 353, 381
California prionus (Prionus californicus) 131, 234
California red scale (Aonidiella aurantii) 77, 215, 258, 602, 775, 790, 1008, 1056
California tortoise-shell (Nymphalis californica) 491, 685, 737, 966
Camel crickets 124
Camellia scale (Lepidosaphes camelliae) 294, 365
Cankerworms 113, 407, 416, 456
Carpenter bees 288
Carpenterworm (Prionoxystus robiniae) 24, 511, 794, 1021
Carpet beetles 91, 124, 177, 338
Carrot rust fly (Psila rosae) 137
Carrot weevil (Listronotus oregonensis) 89, 90, 245, 246, 334, 382, 805
Casemaking clothes moth (Tinea pellionella) 158, 295
Catalpa sphinx (Ceratomia catalpae) 492, 612, 757, 867, 920, 935
Catfacing insects 178, 283, 308, 332, 353, 408, 510, 647, 845
Cat flea (Ctenocephalides felis) 100, 158, 180, 811
Cattle biting louse (Bovicola bovis) 295
Cattle grubs (Hypoderma spp.) 32, 87, 133, 154, 176, 218, 220, 268, 289
Cattle lice 5, 22, 32, 66, 94, 98, 100, 133, 154, 194, 196, 200, 263, 268, 967, 998, 1009, 1032, 1059

Cattle tail louse (Haematopinus quadripertusus) 851
Celery leaf tier (Udea rubigalis) 285, 983
Celery looper (Anagrapha falcifera) 626
Centipedes 94, 968
Cerambycids 757
Cereal leaf miner (Syringopais temperatella) 71, 873
Chaff scale (Paralatoria pergandii) 72, 648
Chain-spotted geometer (Cingilia catenaria) 156, 684, 803
Cherry casebearer (Coleophora pruniella) 408
Cherry fruit fly (Rhagoletis cingulata) 510, 589
Cherry fruitworm (Grapholitha packardi) 243, 511, 704
Chicken body louse (Menacanthus stramineus) 998
Chicken mite (Dermanyssus gallinae) 121, 634
Chiggers 759
Chinch bug (Blissus leucopterus) 3, 9, 19, 31, 47, 111, 116, 173, 174, 178, 181, 197, 201, 202, 203, 234, 255, 279, 303, 326, 347, 374, 403, 451, 478, 503, 535, 569, 598, 619, 643, 700, 747, 842, 861, 929, 947, 1029, 1049, 1056
Chinch bugs 47, 48, 173, 180, 184, 224, 478, 570, 823, 862
Chinese rose beetle (Adoretus sinicus) 693
Chinese wax scale (Ceroplastes sinensis) 72
Chironomids 889
Chrysanthemum aphid (Macrosiphoniella sanborni) 495
Chrysanthemum gall midge (Diarthronomyia chrysanthemi) 553, 813
Chrysomelids 758
Cicadas 267, 611, 660
Cigar casebearer (Coleophora occidentis) 381, 410
Cigarette beetle (Lasioderma serricorne) 94, 295, 659, 851
Citricola scale (Coccus pseudomagnoliarum) 730, 790, 1056
Citrus blackfly (Aleurocanthus woglumi) 4, 49, 73, 151, 235, 309, 458, 575, 663, 704, 802, 882, 940, 964, 1018, 1056
Citrus bud mite (Aceria sheldoni) 77, 485, 790
Citrus codling moth (Cryptophlebia leucotreta) 1064
Citrus flat mite (Brevipalpus lewisi) 192
Citrus leaf miner (Phyllocnistis citrella) 72
Citrus mealybug (Pseudococcus citri) 87, 730, 791
Citrus psylla (Diaphorina citri) 593
Citrus red mite (Panonychus citri) 9, 19, 72, 77, 86, 131, 192, 259, 333, 364, 382, 458, 511, 575, 602, 648, 676, 730, 750, 790, 802, 846, 882, 932, 1042
Citrus rust mite (Phyllocoptruta oleivora) 9, 19, 49, 72, 77, 86, 131, 192, 259, 333, 364, 382, 458, 511, 575, 648, 675, 676, 750, 790, 802, 846, 882, 933, 1042
Citrus thrips (Scirtothrips citri) 192, 235, 382, 485, 511, 730, 790, 963
Citrus whitefly (Dialeurodes citri) 382, 791, 916
Clear Lake gnat (Chaborus astictopus) 610
Clear-winged grasshopper (Camnula pellucida) 266
Clothes moths 35, 177
Clover aphid (Anuraphis bakeri) 110, 135, 204, 306, 375, 404, 453, 481, 506, 538, 571, 600, 612, 621, 645, 688, 701
Clover hayworm (Hypsopygia costalis) 823
Clover head caterpillar (Grapholitha interstinctana) 454, 506, 573
Clover head weevil (Tychius stephensi) 702
Clover leafhopper (Aceratagallia sanguinolenta) 191, 234, 350, 378, 645, 701, 1030
Clover leaf weevil (Hypera punctata) 3, 91, 112, 115, 129, 140, 174, 189, 198, 204, 214, 232, 256, 280, 291, 305, 328, 330, 350, 376, 405, 728, 789, 1018
Clover mites 13, 25, 72, 90, 94, 124, 144, 158, 177, 226, 245, 246, 272, 350, 789, 1052
Clover root borer (Hylastinus obscurus) 135, 224, 305, 507, 673
Clover root curculio (Sitona hispidula) 23, 91, 140, 156, 174, 204, 214, 256, 280, 306, 328, 330, 350, 377, 406, 480, 507, 572, 702, 773, 836, 931, 980, 994
Clover root weevil (Amnemus quadrituberculatus) 837
Clover seed chalcid (Bruchophagus gibbus) 11, 135, 156, 266, 572, 773, 789, 844, 897, 914
Clover seed weevil (Miccotrogus picirostris) 140, 673
Cluster fly (Pollenia rudis) 25, 158, 219, 226
Coccinelids 201, 246, 289
Cockroaches 35, 79, 80, 91, 98, 288
Codling moth (Carpocapsa pomonella) 13, 24, 70, 72, 74, 76, 77, 79, 89, 92, 96, 99, 112, 131, 135, 136, 141, 156, 179, 199, 205, 224, 242, 267, 270, 332, 351, 379, 407, 456, 469, 482, 495, 509, 523, 524, 540, 556, 574, 589, 601, 623, 647, 674, 688, 703, 729, 741, 749, 774, 791, 801, 815, 825, 836, 845, 864, 880, 915, 949
Collembola 356, 385, 386, 419
Colorado potato beetle (Leptinotarsa decemlineata) 24, 34, 37, 77, 92, 96, 99, 123, 135, 137, 142, 156, 175, 176, 179, 285, 289, 293, 310, 333, 354, 384, 394, 410, 459, 485, 512, 543, 576, 589, 603, 612, 624, 648, 705, 730, 751, 775
Columbian timber beetle (Corthylus columbianus) 152, 490
Common cattle grub (Hypoderma lineatum) 143, 176, 180, 200, 263, 287, 295, 337, 391, 954, 985, 997, 1022, 1032, 1051, 1059
Conchuela (Chlorochroa ligata) 34, 193, 266, 954
Confused flour beetle (Tribolium confusum) 35, 68, 171, 194, 238, 521, 851, 922, 1032
Convergent lady beetle (Hippodamia convergens) 154, 201, 296, 833, 1023, 1032, 1051
Cooley spruce gall aphid (Chermes cooleyi) 25, 272, 415, 550, 583, 631, 736, 783, 830, 849, 871, 983
Corn blotch leaf miner (Agromyza parvicornis) 503, 699
Corn earworm (Heliothis zea) 11, 12, 33, 34, 36, 89, 91, 92, 95, 96, 99, 112, 113, 116, 135, 137, 139, 140, 174, 177, 178, 181, 196, 199, 202, 203, 204, 224, 241, 245, 266, 291, 304, 326, 351, 364, 374, 402, 450, 477, 502, 534, 567, 589, 597, 619, 642, 670, 688, 698, 715, 725, 746, 770, 786, 789, 793, 797, 804, 815, 821, 836, 841, 852, 860, 865, 866, 871, 877, 883, 893, 904, 915, 929, 947, 978, 982, 1000, 1005, 1043, 1057
Corn flea beetle (Chaetocnema pulicaria) 33, 89, 91, 111, 112, 175, 201, 202, 279, 304, 347, 374, 403, 451, 478, 503, 536, 568, 598, 619, 643, 699
Corn leaf aphid (Rhopalosiphum maidis) 11, 12, 33, 36, 65, 71, 88, 91, 99, 105, 115, 121, 122, 129, 135, 156, 167, 181, 192, 197, 202, 203, 224, 232, 242, 270, 279, 292, 325, 345, 374, 402, 451, 469, 479, 503, 536, 568, 619, 636, 643, 671, 688, 699, 725, 746, 771, 786, 798, 822, 895, 929, 947, 961, 1005, 1017, 1029, 1041, 1049
Corn planthopper (Peregrinus maidis) 559
Corn root aphid (Anuraphis maidiradicis) 91, 202, 241
Corn root webworm (Crambus caliginosellus) 91, 568
Corn rootworms 114, 116, 118, 978
Corn sap beetle (Carpophilus dimidiatus) 913
Cotton aphid (Aphis gossypii) 34, 75, 97, 176, 179, 182, 199, 201, 206, 294, 335, 607, 735, 918, 929, 934, 951, 965
Cotton fleahopper (Psallus seriatus) 33, 34, 182, 199, 295, 607
Cotton leaf perforator (Bucculatrix thurberiella) 313, 413, 490, 548, 582, 629, 652, 681, 709, 754, 780, 794, 807, 829, 848, 866, 884, 889, 901, 918
Cotton leaf roller (Sylepta derogata) 957
Cotton leafworm (Alabama argillacea) 34, 199, 206, 295, 490, 517, 781, 808, 829, 835, 836, 848, 854, 866, 872, 883, 889, 890, 901, 918, 934, 951, 956, 965, 969, 983
Cotton leafworms 709

Cotton square borer (Strymon melinus) 34, 463, 607, 652, 734, 852, 996
Cotton stem borer (Sphenoptera gossypii) 76
Cottonwood borer (Plectrodera scalator) 656
Cottonwood leaf beetle (Chrysomela scripta complex) 25, 120, 490, 519, 656
Cottony-cushion scale (Icerya purchasi) 72, 73, 77, 78, 294, 364, 675, 685, 790, 899, 1043, 1056
Cottony maple scale (Pulvinaria innumerabilis) 123, 138, 143, 172, 272, 390, 809
Cowpea aphid (Aphis medicaginis) 74, 75, 78, 105, 189, 215, 234, 256, 281, 313, 358, 731
Cowpea curculio (Chalcodermus aeneus) 36, 94, 482, 544, 626, 748, 899
Cowpea weevil (Callosobruchus maculatus) 1050
Crab louse (Phthirus pubis) 70
Cranberry fruitworm (Acrobasis vaccinii) 243, 461, 704
Cranberry girdler (Crambus topiarius) 930
Crickets 94, 118, 515, 797, 833, 1034
Cross-striped cabbageworm (Evergestis rimosalis) 37, 706
Cucumber beetles 411, 495
Curculionids 167, 381, 409, 457
Currant aphid (Capitophorus ribis) 24
Currant borer (Ramosia tipuliformis) 21
Currant fruit fly (Epochra canadensis) 24, 602
Cutworms 34, 74, 75, 80, 91, 96, 97, 123, 140, 150, 167, 168, 173, 179, 206, 214, 215, 224, 232, 236, 256, 260, 266, 270, 285, 286, 293, 294, 303, 313, 329, 334, 335, 355, 365, 372, 386, 412, 413, 461, 463, 478, 486, 488, 490, 503, 514, 524, 535, 545, 555, 568, 589, 612, 620, 642, 707, 726, 789, 793, 801
Cyclamen mite (Steneotarsonemus pallidus) 66, 123, 137, 270, 678, 752, 792, 828, 901, 917, 1007

D

Darkling beetles 260, 286, 313
Dark mealworm (Tenebrio obscurus) 177
Date mite (Oligonychus pratensis) 111, 129, 325, 345, 373, 452, 504, 1029
Date scale (Parlatoria blanchardi) 79
Date stem borer (Oryctes elegans) 73
Deer flies 38, 266, 268, 361
Deodar weevil (Pissodes nemorensis) 152, 220, 294, 388
Dermestids 22, 25, 113, 118, 200, 226
Desert corn flea beetle (Chaetocnema ectypa) 266
Desert locust (Schistocerca gregaria) 69, 70, 74, 77, 78, 79, 80
Desert spider mite (Tetranychus desertorum) 179
Devastating grasshopper (Melanoplus devastator) 542
Diamondback moth (Plutella maculipennis) 12, 24, 37, 76, 96, 123, 131, 151, 168, 175, 179, 193, 220, 231, 236, 260, 293, 355, 513, 545, 677, 847
Dictyospermum scale (Chrysomphalus dictyospermi) 72, 73, 77
Differential grasshopper (Melanoplus differentialis) 118, 589, 636, 688
Dingy cutworm (Feltia subgothica) 202, 204
Dog flea (Ctenocephalides canis) 100, 158, 180, 905
Dog follicle mite (Demodex canis) 133, 176, 905
Dogwood borer (Thamnosphecia scitula) 90, 158, 810
Dogwood club-gall midge (Mycodiplosis alternata) 390
Dogwood twig borer (Oberea tripunctata) 158
Douglas-fir beetle (Dendroctonus pseudotsugae) 139, 143, 335, 424, 425, 428, 463
Douglas-fir engraver (Scolytus unispinosus) 286, 424, 432, 490, 549, 583,1021
Douglas-fir tussock moth (Hemerocampa pseudotsugata) 132, 143, 423, 425, 435, 607
Dried-fruit beetle (Carpophilus hemipterus) 4, 25, 215, 791
Drug-store beetle (Stegobium paniceum) 158, 226, 870
Durra stalk borer (Sesamia cretica) 69, 70, 78
Dusky sap beetle (Carpophilus lugubris) 92, 224, 568
Dusky stink bug (Euschistus tristigmus) 225

E

Ear tick (Otobius megnini) 200, 967
Earwigs 20, 22, 38, 521, 940, 1010
Eastern lubber grasshopper (Romalea microptera) 295, 586
Eastern spruce gall aphid (Chermes abietis) 157, 226, 272, 359, 550, 655, 736, 783, 786
Eastern subterranean termite (Reticulitermes flavipes) 89, 90, 94, 133, 155, 158, 177, 226, 272, 468, 612, 813
Eastern tent caterpillar (Malacosoma americanum) 37, 38, 90, 93, 98, 99, 157, 178, 180, 198, 226, 245, 246, 272, 283, 289, 294, 336, 364, 484, 509
Eggplant flea beetle (Epitrix fuscula) 175
Egyptian alfalfa weevil (Hypera brunneipennis) 305, 350, 789
Egyptian cottonworm (Prodenia litura) 78
Elm borer (Saperda tridentata) 465
Elm calligrapha (Calligrapha scalaris) 120, 200, 360, 608, 684, 737, 757
Elm lace bug (Corythucha ulmi) 243
Elm leaf aphid (Myzocallis ulmifolii) 25, 113, 200, 390, 712, 783
Elm leaf beetle (Galerucella xanthomelaena) 10, 38, 90, 93, 98, 113, 138, 143, 180, 183, 194, 196, 199, 218, 267, 287, 294, 360, 390, 416, 465, 492, 518, 550, 585, 608, 632, 656, 660, 684, 688, 712, 715, 737, 757, 783, 794, 810, 831, 850, 868, 920, 935, 1008
Elm leaf miner (Fenusa ulmi) 492, 551, 585
Elm sawfly (Cimbex americana) 120
Elm scurfy scale (Chionaspis americana) 954
Elm spanworm (Ennomos subsignarius) 173, 178, 180, 426, 440, 465
Elongate flea beetle (Systena elongata) 281
Engelmann spruce beetle (Dendroctonus engelmanni) 425, 427
Engelmann spruce weevil (Pissodes engelmanni) 550, 996
English grain aphid (Macrosiphum granarium) 3, 9, 11, 23, 71, 111, 116, 118, 120, 121, 122, 129, 135, 140, 149, 167, 192, 197, 203, 213, 232, 242, 255, 266, 269, 279, 304, 345, 371, 402, 452, 479, 504, 523, 537, 569, 672, 700, 747, 1029
Eriophyid mites 24, 881
Euonymus scale (Unaspis euonymi) 90, 93, 904, 966
European apple sawfly (Hoplocampa testudinea) 341, 509, 574, 801
European chafer (Amphimallon majalis) 100, 304, 371, 524, 570, 612, 687, 700, 715, 813, 880, 962, 973, 989, 1000
European cherry fruit fly (Rhagoletis cerasi) 1064
European corn borer (Pyrausta nubilalis) 9, 36, 53, 70, 71, 73, 77, 89, 91, 92, 95, 96, 99, 112, 113, 114, 116, 118, 119, 122, 145, 156, 167, 173, 174, 175, 178, 181, 189, 196, 201, 202, 203, 206, 213, 224, 231, 241, 245, 268, 279, 289, 291, 304, 319, 326, 333, 347, 373, 383, 402, 411, 450, 459, 477, 486, 502, 512, 523, 524, 534, 543, 555, 556, 566, 577, 589, 596, 603, 612, 618, 625, 636, 641, 660, 670, 676, 688, 697, 715, 726, 731, 745, 751, 769, 797, 804, 813, 815, 822, 827, 841, 846, 861, 865, 871, 879, 893, 913, 916, 921, 929, 933, 947, 961, 977, 1005, 1017
European earwig (Forficula auricularia) 24, 91, 94, 137, 144, 158, 246, 520, 589, 611, 671, 739, 771, 790, 792, 799, 833, 852
European elm scale (Gossyparia spuria) 25, 113, 117, 143, 390, 518, 556, 585, 715, 794, 810
European fruit lecanium (Lecanium corni) 24, 113, 225, 272, 361, 381, 390, 456, 511, 541, 602, 675, 790

European fruit scale (Aspidiotus ostreaeformis) 903
European pine sawfly (Neodiprion sertifer) 245, 246, 389, 523, 608, 682
European pine shoot moth (Rhyacionia buoliana) 93, 99, 158, 226, 243, 358, 388, 423, 426, 439, 465, 517, 583, 655, 711, 756, 867, 1043, 1044
European red mite (Panonychus ulmi) 70, 77, 89, 92, 112, 120, 136, 174, 177, 179, 224, 242, 289, 330, 352, 379, 408, 456, 457, 469, 483, 509, 556, 601, 660, 688, 729, 741, 786, 845, 981
Eye-spotted bud moth (Spilonota ocellana) 24, 141, 242, 270, 407, 456, 483, 509

F

Face fly (Musca autumnalis) 171, 634, 657, 686, 713, 719, 737, 741, 759, 784, 786, 810, 813, 832, 850, 869, 886, 904, 921, 988, 1009, 1022
Fall armyworm (Laphygma frugiperda) 11, 12, 33, 34, 36, 37, 89, 91, 95, 97, 112, 113, 115, 174, 178, 180, 181, 196, 199, 202, 203, 291, 293, 365, 379, 478, 533, 570, 622, 642, 671, 725, 746, 770, 798, 815, 823, 829, 836, 843, 861, 880, 883, 893, 913, 918, 929, 961, 977
Fall cankerworm (Alsophila pometaria) 542, 608, 1031, 1050
Fall webworm (Hyphantria cunea) 35, 37, 98, 117, 120, 124, 138, 143, 157, 177, 178, 180, 292, 294, 295, 364, 442, 511, 542, 575, 584, 602, 624, 636, 655, 659, 683, 698, 709, 711, 730, 736, 750, 757, 783, 802, 809, 825, 830, 845, 849, 867, 885, 903, 920, 935, 950, 984
False chinch bug (Nysius ericae) 329, 484, 489, 513, 542, 548, 700, 715, 771, 824, 836
False chinch bugs (Nysius spp.) 33, 34, 313, 335, 386, 995
False codling moth (Cryptophlebia leucotreta) 1064
False wireworms 280, 289
Fig borer (Batocera rufomaculata) 76
Fig scale (Lepidosaphes ficus) 790
Filbertworm (Melissopus latiferreanus) 729
Fir engraver (Scolytus ventralis) 32, 424, 432, 550
Flat grain beetle (Cryptolestes pusillus) 22, 35, 100, 118, 144, 171, 194, 200, 238, 288, 554, 589, 1009, 1059
Flatheaded apple tree borer (Chrysobothris femorata) 308, 915
Flatheaded borers 424, 954, 1043
Flea beetles 71, 80, 91, 92, 96, 175, 197, 214, 236, 243, 256, 259, 311, 325, 333, 354, 374, 381, 384, 403, 411, 460, 485, 488, 489, 513, 517, 524, 543, 547, 625, 751, 847, 924
Fleahoppers 286, 335, 358, 387, 414, 462, 489, 547, 581, 630, 654, 681, 710, 735, 755, 781, 808, 815
Fleas 35, 75, 80, 94, 98, 200, 226, 272, 688, 759, 832, 1032
Fletcher scale (Lecanium fletcheri) 157, 660
Flies 79, 80, 466, 493, 610, 635, 811, 851, 869, 887, 905
Florida red scale (Chrysomphalus aonidum) 9, 19, 49, 77, 86, 131, 192, 259, 333, 364, 382, 458, 511, 575, 648, 676, 750, 802, 846, 882, 932, 1042
Flower thrips (Frankliniella tritici) 488
Forage looper (Caenurgina erechtea) 351, 645, 823
Forbes scale (Aspidiotus forbesi) 92, 205, 353
Forest tent caterpillar (Malacosoma disstria) 38, 93, 99, 124, 141, 244, 246, 271, 272, 294
Fowl tick (Argas persicus) 967
Foxglove aphid (Myzus solani) 385, 1051
Fruit tree leaf roller (Archips argyrospila) 141, 242, 308, 351, 408, 442, 456, 483, 509, 601, 792
Fulgorids 382
Fuller rose beetle (Pantomorus godmani) 289, 585, 750, 791, 949
Furniture carpet beetle (Anthrenus flavipes) 226

G

Gall insects 35, 314, 997
Garden fleahopper (Halticus bracteatus) 173, 175, 455, 507, 512, 543, 601, 622, 626, 677, 702, 749, 752, 844, 865, 898, 900, 915
Garden springtail (Bourletiella hortensis) 89, 176, 410, 897
Garden symphylid (Scutigerella immaculata) 137, 246, 409, 412, 460, 578, 636, 678, 917
Garden webworm (Loxostege similalis) 34, 35, 36, 37, 181, 183, 201, 202, 204, 206, 217, 387, 463, 482, 728, 748, 823, 896, 917, 933, 964
German cockroach (Blattella germanica) 90, 94, 98, 155, 177, 226, 1009
Giant hornet (Vespa crabro germana) 52, 98, 177, 786, 869, 881
Golden-eye lacewing (Chrysopa oculata) 289, 296
Golden nematode (Heterodera rostochiensis) 10, 50, 310, 604, 705, 805, 964
Golden oak scale (Asterolecanium variolosum) 157, 794
Golden tortoise beetle (Metriona bicolor) 514, 578
Grain weevils 195
Granary weevil (Sitophilus granarius) 25, 79, 94, 118, 521, 554, 589, 634, 1059
Granulate cutworm (Feltia subterranea) 794, 823, 898, 917, 949, 951, 982, 997, 999, 1019
Grape berry moth (Paralobesia viteana) 205, 676, 750, 845, 899
Grape colaspis (Colaspis sp.) 181, 201
Grape erineum mite (Eriophyes vitis) 73
Grape flea beetle (Altica chalybea) 174, 292, 354, 636, 750
Grape leaf folder (Desmia funeralis) 174, 205, 484, 792
Grape leaf skeletonizer (Harrisina americana) 174, 866
Grape mealybug (Pseudococcus maritimus) 226, 382, 409, 484, 664, 676, 791, 981
Grape phylloxera (Phylloxera vitifoliae) 542, 791
Grape root borer (Vitacea polistiformis) 174, 205
Grape rootworm (Fidia viticida) 292
Grape scale (Aspidiotus uvae) 205, 576, 950
Grapevine aphid (Aphis illinoisensis) 292, 381
Grasshoppers 3, 11, 23, 33, 34, 36, 47, 69, 70, 78, 79, 80, 111, 114, 115, 118, 121, 129, 140, 179, 180, 181, 184, 189, 196, 204, 231, 242, 255, 266, 268, 279, 289, 292, 303, 326, 335, 351, 371, 386, 401, 449, 477, 501, 515, 523, 533, 547, 555, 556, 565, 582, 596, 607, 612, 617, 630, 641, 669, 697, 725, 741, 745, 753, 769, 781, 789, 792, 797, 805, 808, 815, 821, 828, 842, 880, 895, 978, 979, 1017, 1029, 1042
Grass sawfly (Pachynematus extensicornis) 330
Grass thrips (Anaphothrips obscurus) 536
Grassworms 947
Gray garden slug (Deroceras reticulatum) 365, 897, 1007, 1030
Great Basin tent caterpillar (Malacosoma fragile)* 24, 359, 425, 437, 491, 551, 608
Great Basin wireworm (Ctenicera pruinina noxia) 137, 346
Greater wax moth (Galleria mellonella) 986
Greedy scale (Aspidiotus camelliae) 73
Greenbug (Toxoptera graminum) 3, 9, 19, 31, 33, 35, 47, 65, 71, 85, 91, 105, 111, 129, 149, 167, 181, 191, 197, 203, 213, 231, 255, 279, 289, 291, 303, 325, 345, 371, 401, 452, 479, 504, 523, 536, 556, 569, 599, 612, 620, 893, 924, 930, 961, 977, 993, 1005, 1017, 1029, 1041, 1049
Green cloverworm (Plathypena scabra) 36, 90, 91, 95, 114, 174, 198, 204, 232, 256, 289, 292, 329, 377, 406, 482, 540, 573, 622, 646, 674, 702, 729, 749, 773, 800, 804, 824, 844, 862, 877, 896, 915, 931, 978
Green fruitworm (Lithophane antennata) 523
Greenhouse orthezia (Orthezia insignis) 559
Greenhouse thrips (Heliothrips haemorrhoidalis) 1018
Greenhouse whitefly (Trialeurodes vaporariorum) 882
Green June beetle (Cotinis nitida) 95, 174, 175, 224, 257, 289, 312, 635, 675, 703, 730
Green meadow locust (Chortophaga viridifasciata) 255, 488

*Carried in Vol. 9 as M. fragilis

Green peach aphid (Myzus persicae) 12, 20, 70, 89, 92, 93, 97, 107, 123, 135, 137, 138, 141, 142, 151, 169, 179, 193, 199, 215, 235, 236, 242, 260, 334, 352, 354, 357, 365, 380, 386, 409, 459, 486, 510, 515, 541, 543, 545, 574, 576, 579, 602, 603, 605, 624, 625, 627, 636, 660, 676, 678, 704, 707, 731, 732, 751, 753, 778, 792, 804, 805, 826, 899, 917, 932, 933, 949, 950, 981, 995, 1007, 1031, 1042
Green stink bug (Acrosternum hilare) 225, 624, 898
Green-striped mapleworm (Anisota rubicunda) 117
Ground beetles 94
Ground mealybug (Rhizoecus falcifer) 455, 793, 799, 954
Ground pearls 570
Gypsy moth (Porthetria dispar) 51, 73, 100, 145, 152, 157, 194, 416, 426, 440, 584, 586, 608, 684, 711, 809, 885, 953, 966, 1058

H

Hackberry engraver (Scolytus muticus) 519
Hackberry nipple gall (Pachypsylla celtidis-mamma) 113
Hag moth (Phobetron pithecium) 810, 830, 869
Hairy caterpillar (Euproctis signata) 76
Hairy chinch bug (Blissus leucopterus hirtus) 90, 621
Hall scale (Nilotaspis halli) 308, 456, 602, 704
Harlequin bug (Murgantia histrionica) 12, 175, 198, 215, 285, 289, 293, 355, 360, 378, 384, 411, 417, 460, 487, 494, 514, 545, 604, 626, 650, 660, 677, 685, 706, 731, 747, 752, 804, 964, 982, 1043, 1052
Harvest mites 967
Hawthorn lace bug (Corythucha cydoniae) 200
Head louse (Pediculus humanus capitis) 75
Hemispherical scale (Saissetia hemisphaerica) 965
Hemlock sawfly (Neodiprion tsugae) 262, 424
Hessian fly (Phytophaga destructor) 11, 23, 47, 77, 96, 111, 116, 203, 303, 373, 504, 537, 569, 589, 599, 620, 644, 672, 727, 771, 822, 841, 861, 893, 913, 961, 993, 1017, 1041
Hibiscus mealybug (Phenacoccus hirsutus) 1001
Hickory plant bug (Neolygus caryae) 225
Hickory shuckworm (Laspeyresia caryana) 19, 34, 179, 199, 258, 292, 309, 704, 775, 845, 864, 881, 916, 932, 981, 994, 1018, 1030
Hide beetle (Dermestes maculatus) 98
Hippoboscids 79
Hog louse (Haematopinus suis) 109, 467, 967, 1009
Holly leaf miner (Phytomyza ilicis) 315
Honey bee (Apis mellifera) 139, 158, 171, 177, 180, 245, 268, 288, 338, 393, 493, 524, 659, 794, 870, 906, 922, 968, 1009, 1044
Hop aphid (Phorodon humuli) 495, 545, 578
Horn fly (Siphona irritans) 38, 94, 100, 118, 121, 143, 180, 200, 268, 289, 295, 316, 337, 361, 392, 418, 466, 493, 521, 553, 555, 556, 587, 610, 634, 636, 657, 686, 713, 738, 741, 759, 785, 810, 832, 851, 869, 887, 905, 922, 954, 966, 985, 997, 1008, 1022
Hornworms (Protoparce spp.) 79, 173, 175, 176, 883
Horse bot fly (Gasterophilus intestinalis) 143, 985
Horse flies 35, 266, 268
Horse sucking louse (Haematopinus asini) 109
House centipede (Scutigera coleoptrata) 158
House cricket (Acheta domesticus) 76, 939
House fly (Musa domestica) 35, 38, 78, 94, 98, 100, 118, 143, 180, 200, 268, 553, 688, 784, 850, 886, 921, 985, 988, 1044

I

Imbricated snout beetle (Epicaerus imbricatus) 293, 354, 385
Imported cabbageworm (Pieris rapae) 24, 37, 92, 96, 142, 157, 175, 179, 225, 243, 285, 293, 311, 355, 411, 513, 544, 626, 650, 677, 706, 777, 793, 804, 827, 836, 847, 916, 982, 995
Imported currantworm (Nematus ribesii) 141
Imported fire ant (Solenopsis saevissima richteri) 35, 52, 88, 145, 155, 173, 180, 184, 201, 219, 221, 239, 288, 295, 317, 366, 393, 468, 494, 589, 609, 715, 889, 939, 998, 1010, 1024, 1060
Imported willow leaf beetle (Plagiodera versicolora) 157, 315, 551, 585, 684, 850
Indian-meal moth (Plodia interpunctella) 22, 35, 68, 94, 113, 121, 177, 200, 226, 288, 295, 554, 714, 851, 905, 955, 1023
Insidious flower bug (Orius insidiosus) 418, 419, 522, 554
Introduced pine sawfly (Diprion similis) 271, 631, 682, 902
Ips beetles (Ips spp.) 183, 424, 464
Iris borer (Macronoctua onusta) 466, 552, 556
Italian pear scale (Epidiaspis piricola) 791
Itch mite (Sarcoptes scabiei) 467

J

Jack-pine budworm (Choristoneura pinus) 244, 271, 426, 435, 549, 583, 631, 655, 711, 736
Jack-pine sawfly (Neodiprion pratti banksianae) 272
Japanese beetle (Popillia japonica) 90, 94, 95, 96, 99, 145, 153, 157, 174, 175, 176, 224, 273, 294, 338, 456, 466, 494, 519, 555, 574, 588, 589, 598, 601, 609, 611, 619, 624, 632, 635, 643, 659, 660, 676, 685, 687, 688, 702, 707, 714, 726, 758, 786, 812, 870, 888, 914, 922, 936, 937, 973
Jeffrey pine beetle (Dendroctonus jeffreyi) 424, 429, 736
Jerusalem cricket (Stenopelmatus fuscus) 25
Juniper scale (Diaspis carueli) 157, 226, 361, 904
Juniper webworm (Dichomeris marginella) 608
Jute hairy caterpillar (Diacrisia obliqua) 76
Jute semi-looper (Anomis bulifera) 76

K

Katydids 790
Khapra beetle (Trogoderma granarium) 5, 22, 52, 68, 79, 98, 139, 144, 154, 171, 194, 200, 219, 238, 264, 295, 316, 337, 392, 467, 493, 588, 610, 714, 742, 811, 887, 967, 1023, 1032, 1064
Koa seedworm (Cryptophlebia illepida) 559

L

Lace bugs 93, 360, 390, 520
Lacewings 588
Lady beetles 98, 184, 268, 494, 521, 523, 588, 611, 636, 688, 759, 939, 967, 998
Larch aphid (Cinara laricis) 157
Larch casebearer (Coleophora laricella) 143, 388, 415, 425, 441, 490, 756
Larch sawfly (Pristiphora erichsonii) 243, 271, 426, 441, 550, 683, 711, 736, 757, 782, 830, 997, 1010
Larder beetle (Dermestes lardarius) 98, 158, 226, 739
Large aspen tortrix (Archips conflictana) 442, 656
Larger elm leaf beetle (Monocesta coryli) 656, 810
Larger yellow ant (Lasius interjectus) 922
Leaf crumpler (Acrobasis indigenella) 174
Leaf-footed bug (Leptoglossus phyllopus) 198, 292, 354, 511, 512, 543, 864, 898, 934

Leaf-footed bugs
486
Leaf galls
90, 200
Leafhoppers 3, 24, 80, 85, 181, 205, 218, 236, 257, 282, 307, 325, 337, 457, 509, 539, 545, 551, 660, 688, 729, 741, 783, 786, 791, 801, 815, 825, 845, 882, 916, 921
Leaf miners 224, 577, 630, 643, 671, 777, 897
Leaf rollers 76, 117, 356, 385, 412, 423, 487, 492, 749, 932
Leaf tiers
518
Lespedeza webworm (Tetralopha scortealis) 173, 174
Lesser appleworm (Grapholitha prunivora) 575
Lesser bulb fly (Eumerus tuberculatus) 142
Lesser clover leaf weevil (Hypera nigrirostris) 74, 115, 178, 189, 204, 224, 232, 256, 291, 305, 328, 350, 376, 454, 480, 507, 572, 702, 728, 773
Lesser cornstalk borer (Elasmopalpus lignosellus) 33, 178, 198, 304, 495, 535, 577, 618, 623, 627, 674, 698, 748, 777, 801, 804, 824, 898, 900
Lesser grain borer (Rhyzopertha dominica) 35, 79, 113, 195, 200, 219, 239, 264, 1032, 1059
Lesser peach tree borer (Synanthedon pictipes) 34, 37, 89, 178, 225, 292, 380, 409, 457, 484, 541, 574, 647, 845, 864, 898, 963, 1022
Lice
79, 100
Lilac leaf miner (Gracilaria syringella) 25, 784, 938
Lima-bean pod borer (Etiella zinckenella) 10, 705, 793, 900, 964
Linden looper (Erannis tiliaria) 491, 518
Little house fly (Fannia canicularis) 158
Liver-fluke snail (Fossaria ollula) 559, 1034
Locust borer (Megacyllene robiniae) 656, 783
Locust leaf miner (Chalepus dorsalis) 93, 100, 157, 294, 389, 490, 632, 684, 712, 737, 758, 886, 903, 984, 1021
Locust twig borer (Ecdytolopha insiticiana) 294, 314, 736, 1022
Lodgepole needle miner (Recurvaria milleri) 424, 830, 1050
Lodgepole-pine beetle (Dendroctonus murrayanae) 431
Lodgepole sawfly (Neodiprion burkei) 996
Lone star tick (Amblyomma americanum) 392, 467, 610, 811, 887, 955
Long-tailed mealybug (Pseudococcus adonidum) 774, 791
Loopers 36, 423, 707
Lucerne-flea (Sminthurus viridis) 71
Lygus bugs 23, 34, 140, 168, 205, 257, 266, 267, 270, 282, 285, 307, 329, 378, 455, 481, 547, 555, 556, 688, 715, 815, 994

M

Magnolia scale (Neolecanium cornuparvum) 38
Maize and jawar borer (Chilo zonellus) 75, 1053
Mango mealybug (Drosicha stebbingi) 76
Maple bladder-gall mite (Vasates quadripedes) 143, 158, 226, 272, 360, 389, 491
Maple callus borer (Sylvora acerni) 518
Maple leaf cutter (Paraclemensia acerifoliella) 444, 782
Maple-petiole borer (Caulocampus acericaulis) 158, 491, 518
Maple trumpet skeletonizer (Epinotia aceriella) 903
Margined blister beetle (Epicauta pestifera) 156, 674, 751
Masked hunter (Reduvius personatus) 634, 714, 811
May beetles 289, 381, 446
Mayflies
244
Meadow plant bug (Leptopterna dolabratus) 242
Meadow spittlebug (Philaenus leucophthalmus 89, 91, 95, 99, 156, 189, 224, 241, 269, 282, 289, 306, 329, 330, 349, 376, 404, 454, 482, 506, 523, 539, 571, 645, 651, 855, 878, 897, 931, 948
Meal moth (Pyralis farinalis) 94, 144
Mealybugs 35, 205, 542, 575
Mealy plum aphid (Hyalopterus arundinis) 225, 484, 542, 675, 791
Mediterranean flour moth (Anagasta kuhniella) 177
Mediterranean fruit fly (Ceratitis capitata) 49, 77, 78, 79, 80, 145, 151, 293, 309, 364, 458, 575, 663, 704, 742, 802, 908, 964, 1000, 1064
Melon aphid (Aphis gossypii) 34, 120, 199, 356, 382, 514, 732, 752, 777, 827, 900, 933
Melon beetle (Epilachna chrysomelina) 71, 77, 79
Melon fly (Dacus cucurbitae) 367
Melonworm (Diaphania hyalinata) 293, 636, 917, 933, 982, 1009, 1012, 1019, 1031
Mexican bean beetle (Epilachna varivestis) 12, 13, 89, 92, 97, 117, 174, 177, 178, 179, 225, 285, 292, 293, 311, 333, 356, 383, 411, 460, 487, 508, 513, 523, 540, 544, 556, 577, 601, 612, 626, 636, 649, 674, 677, 702, 706, 731, 752, 777, 802, 804, 827, 844, 847, 865, 877, 882, 899
Mexican fruit fly (Anastrepha ludens) 4, 49, 150, 235, 309, 410, 458, 704, 882, 963, 995, 1018, 1057, 1064
Mexican mealybug (Phenacoccus gossypii) 32
Midges 93, 174, 361, 811
Migratory grasshopper (Melanoplus bilituratus) 111, 118, 495
Millipedes 38, 91, 94, 138, 173, 175, 177, 226, 468, 968, 986, 999, 1010
Mimosa webworm (Homadaula albizziae) 89, 90, 93, 97, 100, 180, 183, 246, 365, 443, 584, 608, 631, 656, 684, 691, 712, 736, 757, 783, 810, 830, 849, 867, 903, 935, 984
Mining bees
295
Mirids
205
Mites 24, 77, 78, 80, 94, 179, 180, 225, 232, 235, 239, 270, 338, 373, 391, 514, 601, 620, 715, 741, 789, 790, 792, 793, 842, 904, 985, 993, 994
Mole crickets
365
Monarch butterfly (Danaus plexippus) 939
Morman cricket (Anabrus simplex) 23, 150, 231, 266, 303, 371, 449, 477, 502, 596, 617, 669, 745, 993
Morning-glory leaf miner (Bedellia somnulentella) 92, 732, 964
Moroccan locust (Dociostaurus moroccanus) 70, 73, 74
Mosquitoes 35, 38, 52, 75, 79, 80, 94, 98, 108, 114, 117, 124, 144, 158, 170, 194, 202, 218, 244, 263, 266, 268, 272, 287, 315, 391, 417, 466, 493, 520, 553, 555, 587, 610, 634, 657, 685, 713, 737, 758, 831, 850, 904, 938, 985, 1008, 1032
Mountain pine beetle (Dendroctonus monticolae) 143, 267, 289, 424, 425, 427, 830, 918
Mourning-cloak butterfly (Nymphalis antiopa) 24, 243, 267, 389, 495, 519
Mulberry whitefly (Tetraleurodes mori) 157
Mushroom mite (Tyrophagus lintneri) 226

N

Nabids
494
Nantucket pine moth (Rhyacionia frustrana) 34, 38, 86, 93, 99, 117, 170, 178, 180, 183, 200, 202, 217, 263, 293, 335, 388, 517, 523, 549, 655, 711, 849, 902, 918, 934, 952
Narcissus bulb fly (Lampetia equestris) 138, 466
Native elm bark beetle (Hylurgopinus rufipes) 984
Native holly leaf miner (Phytomyza ilicicola) 238, 287
Navel orangeworm (Paramyelois transitella) 3, 19, 792, 981, 1006
Needle miners
423, 425
Nematodes
77, 79

Nitidulids
360, 770
Noctuids
334, 824
Northern cattle grub (Hypoderma bovis) 113, 559, 832
Northern corn rootworm (Diabrotica longicornis) 120, 202, 241, 699, 726, 746, 770, 798, 822, 862
Northern fowl mite (Ornithonyssus sylviarum) 22, 121, 177, 738
Northern house mosquito (Culex pipiens) 90
Northern masked chafer (Cyclocephala borealis) 94, 224, 327, 555, 589, 635, 862, 913, 962
Norway-maple aphid (Periphyllus lyropictus) 246, 685
Nose bot fly (Gasterophilus haemorrhoidalis) 869
Nymphalids
329, 334

O

Oak caterpillars
954
Oak kermes scale (Kermes pubescens) 113
Oak skeletonizer (Bucculatrix ainsliella) 712, 782, 997
Oblique-banded leaf roller (Archips rosaceana) 407, 469, 732
Obscure scale (Chrysomphalus obscurus) 93, 1008
Old-house borer (Hylotrupes bajulus) 94, 98, 177, 295, 786, 833, 871, 888, 955, 1009, 1044
Old World date mite (Oligonychus afrasiaticus) 73
Olive fruit fly (Dacus oleae) 77, 78, 663
Olive moth (Prays oleellus) 77
Olive scale (Parlatoria oleae) 76, 77, 258, 263, 791, 994, 1006
Omnivorous leaf tier (Cnephasia longana) 334, 495, 524
One-spot stink bug (Euschistus variolarius) 225
Onion maggot (Hylemya antiqua) 24, 50, 123, 138, 139, 142, 175, 243, 311, 355, 383, 412, 459, 486, 495, 514, 544, 578, 589, 626, 650, 732, 865, 951, 982
Onion thrips (Thrips tabaci) 12, 20, 70, 131, 151, 179, 225, 267, 293, 459, 556, 626, 636, 678, 706, 732, 792
Orange-dog (Papilio cresphontes) 602, 850
Orange spiny whitefly (Aleurocanthus spiniferus) 321
Orange-striped oakworm (Anisota senatoria) 93, 156, 157, 442, 684, 830, 868, 903, 1021
Orange tortrix (Argyrotaenia citrana) 32, 353, 542, 603, 648, 792, 793
Orchard mites 623, 647, 729
Oriental cockroach (Blatta orientalis) 98, 158, 177, 268
Oriental fruit fly (Dacus dorsalis) 529, 940, 1064
Oriental fruit moth (Grapholitha molesta) 89, 92, 136, 178, 205, 225, 292, 308, 332, 352, 379, 409, 456, 469, 484, 509, 541, 556, 574, 602, 624, 647, 688, 703, 729, 741, 792, 826, 845, 864, 898, 915, 932
Oriental yellow scale (Aonidiella orientalis) 72
Oystershell scale (Lepidosaphes ulmi) 24, 93, 117, 120, 123, 143, 157, 270, 485, 511, 556, 803, 904

P

Pacific Coast wireworm (Limonius canus) 730
Pacific flatheaded borer (Chrysobothris mali) 898, 916
Pacific mite (Tetranychus pacificus) 790
Painted-lady (Vanessa cardui) 139, 157, 270, 789, 793, 794, 889, 935
Painted maple aphid (Drepanaphis acerifoliae) 272, 518, 954, 984, 997, 1033, 1043
Pale-striped fea beetle (Systena blanda) 92, 96, 179, 540, 572, 601, 777, 808
Pale tussock moth (Halisidota tessellaris) 157
Pale western cutworm (Agrotis orthogonia) 11, 23, 111, 114, 116
Pales weevil (Hylobius pales) 94, 97, 99, 246, 314, 359, 388, 523, 550, 809, 965
Pandora moth (Coloradia pandora) 437
Parasites 184, 239, 264, 266, 268, 272, 288, 316, 362, 393, 611, 659, 687, 790, 1044, 1051
Pavement ant (Tetramorium caespitum) 90, 94, 158, 226, 635, 793, 1010
Pea aphid (Macrosiphum pisi) 3, 9, 11, 23, 31, 33, 36, 47, 65, 74, 85, 89, 92, 95, 99, 105, 111, 114, 118, 119, 123, 129, 135, 138, 140, 142, 150, 156, 168, 174, 181, 189, 198, 203, 214, 232, 241, 245, 246, 256, 266, 269, 281, 289, 291, 306, 327, 330, 333, 348, 356, 374, 383, 403, 411, 452, 460, 469, 480, 505, 513, 523, 538, 544, 555, 556, 559, 571, 577, 600, 604, 626, 636, 644, 649, 660, 672, 677, 688, 700, 715, 727, 741, 748, 772, 789, 792, 799, 816, 824, 836, 843, 863, 878, 896, 914, 931, 948, 956, 962, 980, 994, 1006, 1030, 1042
Pea leaf miner (Liriomyza langei) 650
Pea leaf weevil (Sitona lineata) 105, 377, 706
Pea weevil (Bruchus pisorum) 138, 487, 577, 879, 933
Peach fruit fly (Dacus zonatus) 76
Peach fruit moth (Carposina niponensis) 742
Peach silver mite (Vasates cornutus) 13, 352, 790, 836
Peach tree borer (Sanninoidea exitiosa) 13, 34, 113, 117, 156, 178, 198, 220, 225, 292, 380, 408, 541, 647, 675, 825, 898, 932
Peach tree borers
258, 309
Peach twig borer (Anarsia lineatella) 13, 34, 79, 136, 332, 352, 380, 409, 457, 484, 510, 541, 675, 703, 750, 774, 792, 802, 864, 898, 949
Pear leaf blister mite (Eriophyes pyri) 13, 24, 136, 141, 156, 202, 380, 408, 469, 483, 510, 713, 750, 790, 950, 981, 1006
Pear psylla (Psylla pyricola) 85, 135, 136, 192, 235, 308, 332, 353, 381, 408, 510, 556, 624, 675, 688, 703, 750, 786, 794, 802, 845, 898, 932
Pear rust mite (Epitrimerus pyri) 790
Pear-slug (Caliroa cerasi) 24, 120, 156, 157, 225, 267, 660, 715, 729, 774, 792, 802, 881, 949, 994
Pear thrips (Taeniothrips inconsequens) 283
Pecan bud moth (Gretchena bolliana) 177, 179
Pecan carpenterworm (Cossula magnifica) 174
Pecan cigar casebearer (Coleophora caryaefoliella) 364
Pecan leaf casebearer (Acrobasis juglandis) 37, 174, 292, 364, 381, 409, 511
Pecan leaf phylloxera (Phylloxera notabilis) 199
Pecan leafroll mite (Aceria caryae) 202
Pecan nut casebearer (Acrobasis caryae) 34, 37, 174, 196, 198, 258, 292, 353, 381, 409, 458, 511, 542, 624, 803, 826, 881, 932
Pecan phylloxera (Phylloxera devastatrix) 258, 458, 484
Pecan weevil (Curculio caryae) 174, 179, 198, 803, 932, 994, 1030
Pepper maggot (Zonosemata electa) 89, 90, 625, 676, 721
Pepper weevil (Anthonomus eugenii) 89, 793, 899
Periodical cicada (Magicicada septendecim) 90, 264, 393, 419, 468, 494, 523, 542, 555, 556, 704
Persimmon borer (Sannina uroceriformis) 235
Peruvian boll weevil (Anthonomus vestitus) 227
Pharaoh ant (Monomorium pharaonis) 226, 968
Pickleworm (Diaphania nitidalis) 175, 293, 636, 900, 950, 982, 1012
Pigeon fly (Pseudolynchia canariensis) 938
Pigeon tremex (Tremex columba) 904
Pillbugs
365
Pine bark aphid (Pineus strobi) 99, 120, 246, 272, 286, 336, 359, 388, 442, 584, 655, 1021
Pine bark beetles
425
Pine bark weevils
183

Pine butterfly (Neophasia menapia) 436
Pine chafer (Anomala oblivia) 583, 607, 631
Pine colaspis (Colaspis pini) 492, 517
Pine engraver (Ips pini) 158, 246, 424, 782
Pine gall weevil (Podapion gallicola) 388, 736
Pine looper (Bupalus piniarius) 397
Pine needle miner (Exoteleia pinifoliella) 335, 983
Pine needle scale (Phenacaspis pinifoliae) 25, 93, 117, 121, 123, 143, 157, 272, 286, 294, 441, 517, 523, 550, 631, 809
Pine processionary moth (Thaumetopoea pityocampa) 1045
Pine reproduction weevils 170, 423
Pine root collar weevil (Hylobius radicis) 244, 272, 782
Pine sawfly (Diprion pini) 817
Pine sawflies 91, 93, 170, 217, 314, 336, 365, 388, 415, 423, 426, 524, 996
Pine spittlebug (Aphrophora parallela) 98, 272, 336, 388, 523, 550, 783
Pine tip moths 286, 491, 655, 885, 934, 1021
Pine tortoise scale (Toumeyella numismaticum) 246
Pine tube moth (Argyrotaenia pinatubana) 170, 217, 263, 358
Pine webworm (Tetralopha robustella) 38, 293, 631, 655, 682, 849, 902, 918, 1007, 1021
Pink bollworm (Pectinophora gossypiella) 4, 10, 31, 34, 50, 75, 76, 80, 132, 145, 151, 180, 196, 199, 206, 237, 267, 294, 312, 358, 463, 490, 495, 581, 606, 629, 636, 652, 680, 709, 715, 734, 741, 754, 780, 807, 848, 867, 884, 901, 908, 917, 934, 951, 965, 982, 996, 1000, 1019, 1020, 1057
Pink scavenger caterpillar (Pyroderces rileyi) 171
Pistachio leafhopper (Idiocerus stali) 72
Pistachio leaf miner (Stigmella promissa) 72
Pistachio nut borer (Eurytoma plotnikovi) 72
Pistachio psyllid (Agonoscena targioni) 72
Pistol casebearer (Coleophora malivorella) 511
Plains false wireworm (Eleodes opaca) 537
Plant bugs 204, 258, 291, 382, 410
Plum borer (Rhynchites cupreus) 101
Plum curculio (Conotrachelus nenuphar) 34, 37, 89, 92, 96, 112, 123, 156, 174, 177, 178, 199, 205, 220, 224, 225, 234, 242, 258, 270, 283, 292, 308, 332, 353, 380, 409, 457, 469, 483, 510, 541, 556, 574, 589, 624, 647, 881
Plum fruit moth (Laspeyresia funebrana) 72
Plum gouger (Anthonomus scutellaris) 24, 775
Plum web-spinning sawfly (Neurotoma inconspicua) 510
Poplar and willow borer (Sternochetus lapathi) 25, 465, 632, 656, 831, 868, 886
Poplar leaf beetle (Melasoma populi) 73
Poplar-petiole gall aphid (Pemphigus populi-transversus) 4, 20, 25, 66, 293, 685, 997
Poplar vagabond aphid (Mordwilkoja vagabunda) 25
Potato aphid (Macrosiphum solanifolii) 12, 34, 92, 123, 142, 225, 236, 259, 354, 385, 459, 486, 512, 523, 543, 576, 603, 752, 753, 775, 803, 826, 836, 846, 900, 917, 1031
Potato flea beetle (Epitrix cucumeris) 92, 96, 99, 120, 123, 156, 175, 225, 243, 354, 410, 469, 577, 603, 612, 676, 775, 846
Potato jassid (Empoasca devastans) 76
Potato leafhopper (Empoasca fabae) 89, 92, 93, 97, 115, 117, 119, 120, 122, 123, 173, 198, 204, 224, 225, 241, 245, 246, 269, 349, 378, 405, 410, 455, 459, 469, 481, 486, 506, 512, 539, 544, 571, 576, 600, 603, 622, 625, 645, 660, 673, 676, 688, 701, 705, 727, 731, 748, 772, 781, 800, 900, 963, 1030
Potato psyllid (Paratrioza cockerelli) 12, 34, 117, 123, 215, 216, 267, 284, 310, 384, 385, 410, 459, 486, 512, 543, 556, 576, 603, 625, 676, 705, 731, 751, 803, 826, 852, 865, 883, 900, 917
Potato rot nematode (Ditylenchus destructor) 242
Potato stalk borer (Trichobaris trinotata) 752
Potato tuberworm (Gnorimoschema operculella) 132, 171, 264, 333, 543, 577, 604, 731, 775, 793, 826, 846, 865, 883, 899, 955, 995, 1043
Potato weevil (Epicaerus cognatus) 971
Poultry lice 121
Poultry mites 121
Powder post beetles 98, 226
Predaceous mites 589
Predators 122, 133, 139, 144, 171, 184, 239, 264, 288, 316, 337, 362, 423, 494, 790, 1044
Privet mite (Brevipalpus obovatus) 218
Psocids 25, 35, 113, 940
Pumpkin beetle (Aulacophora hilaris) 275
Pumpkin caterpillar (Diaphania indica) 1012
Purple scale (Lepidosaphes beckii) 9, 49, 72, 86, 131, 192, 258, 333, 364, 382, 458, 511, 575, 648, 676, 750, 791, 802, 846, 882, 932, 1042
Puss caterpillar (Megalopyge opercularis) 38, 757, 966
Putnam scale (Aspidiotus ancylus) 93, 199

R

Raisin moth (Ephestia figulilella) 826
Rapid plant bug (Adelphocoris rapidus) 114, 198, 242, 349, 378, 455, 506, 512, 600, 646, 815, 915, 931
Raspberry cane borer (Oberea bimaculata) 270, 385
Raspberry root borer (Bembecia marginata) 651, 899, 995
Raspberry sawfly (Monophadnoides geniculatus) 156, 270
Red-backed cutworm (Euxoa ochrogaster) 142
Red-banded leaf roller (Argyrotaenia velutinana) 13, 89, 92, 96, 99, 112, 205, 224, 225, 242, 258, 270, 283, 289, 308, 311, 330, 331, 351, 378, 407, 456, 469, 483, 510, 540, 601, 623, 647, 660, 674, 703, 729, 825, 836, 845, 864, 881, 933, 949
Red-banded thrips (Selenothrips rubrocinctus) 1031
Red flour beetle (Tribolium castaneum) 38, 139, 144, 200
Red grasshopper mite (Eutrombidium trigonum) 813
Red harvest ant (Pogonomyrmex barbatus) 35, 198, 201, 338, 468, 999
Red-headed pine sawfly (Neodiprion lecontei) 34, 38, 180, 244, 246, 271, 294, 608, 683, 711, 756, 902, 920, 951, 983, 1008
Red-humped caterpillar (Schizura concinna) 24, 157, 456, 483, 624, 792, 852, 898
Red-humped oakworm (Symmerista albifrons) 442, 903
Red-legged grasshopper (Melanoplus femur-rubrum) 118, 636, 688
Red-legged ham beetle (Necrobia rufipes) 22, 98
Red-necked cane borer (Agrilus ruficollis) 193, 199, 236
Red-necked peanutworm (Stegasta basqueella) 33, 178, 198, 351, 540, 573, 623, 646, 674, 702, 728, 749, 801, 844, 924
Red-pine sawfly (Neodiprion nanulus) 246, 584, 683
Red-pine scale (Matsucoccus resinosae) 444
Red pumpkin beetle (Raphidopalpa foveicollis) 70, 71, 76
Red-tail moth (Dasychira pudibunda) 1013
Red turpentine beetle (Dendroctonus valens) 267, 794
Rhodes-grass scale (Antonina graminis) 38, 889, 930, 978
Rhododendron borer (Ramosia rhododendri) 158, 194
Rhododendron lace bug (Stephanitis rhododendri) 157
Rhubarb curculio (Lixus concavus) 356, 382, 678
Rice grasshopper (Hieroglyphus banian) 75
Rice hispa (Dicladispa armigera) 75
Rice leaf miner (Agromyza oryzae) 163
Rice stalk borer (Chilo plejadellus) 35

Rice stem borer (Schoenobius incertulus) 75
Rice stem gall midge (Pachydiplosis oryzae) 1035
Rice stink bug (Oebalus pugnax) 33, 35, 36, 181, 346, 373, 402, 452, 479, 537, 620, 644, 799, 823, 930, 977
Rice water weevil (Lissorhoptrus oryzophilus) 33, 36, 181, 452, 479, 505, 537, 570, 620, 644, 671, 727, 799, 823
Rice weevil (Sitophilus oryza) 35, 38, 68, 79, 94, 171, 200, 219, 295, 467, 851, 955, 967, 1051, 1059
Rocky Mountain wood tick (Dermacentor andersoni) 25, 337, 392
Root knot nematodes 243
Root maggots 225
Rose aphid (Macrosiphum rosae) 143, 157, 242, 294
Rose chafer (Macrodactylus subspinosus) 156, 158, 243, 520, 523, 540, 552, 556, 609
Rose curculio (Rhynchites bicolor) 158
Rose leaf beetle (Nodonota puncticollis) 143
Rose leafhopper (Edwardsiana rosae) 137
Rose scale (Aulacaspis rosae) 285
Rose-slug (Endelomyia aethiops) 390
Rose stem girdler (Agrilus rubicola) 334, 356
Rosy apple aphid (Anuraphis roseus) 91, 92, 96, 112, 205, 224, 352, 380, 407, 483, 509, 541, 602, 623, 791, 949
Roundheaded pine beetle (Dendroctonus convexifrons) 431
Rusty grain beetle (Cryptolestes ferrugineus) 25, 139
Rusty plum aphid (Hysteroneura setariae) 643, 929, 947, 961, 977, 1017, 1041

S

Saddleback caterpillar (Sibine stimulea) 784
Saddled prominent (Heterocampa guttivitta) 244, 444
Salt-marsh caterpillar (Estigmene acrea) 95, 295, 354, 503, 548, 597, 652, 734, 754, 777, 793, 794, 829, 835, 848, 854, 867, 872, 884, 889, 890, 901, 918, 934, 951, 963, 978, 994
Salt-marsh mosquito (Aedes sollicitans) 90, 176, 334, 1044
Sand flies 98
San Jose scale (Aspidiotus perniciosus) 24, 37, 76, 92, 93, 136, 141, 178, 199, 224, 225, 258, 287, 292, 364, 509, 675, 791, 826, 881, 898, 1059
Sap beetles 92, 175
Saratoga spittlebug (Aphrophora saratogensis) 244, 415, 423, 426, 440
Sawflies 143, 152, 200, 270, 378, 403, 417, 426, 550, 585, 809, 951
Saw-toothed grain beetle (Oryzaephilus surinamensis) 25, 35, 38, 68, 80, 94, 100, 118, 121, 139, 144, 154, 158, 171, 177, 195, 200, 226, 238, 295, 554, 589, 815, 887, 905, 922, 985, 1059
Say stink bug (Chlorochroa sayi) 11, 215, 266, 654
Scale insects 35, 65, 66, 72, 77, 78, 80, 85, 87, 93, 97, 107, 108, 113, 132, 150, 152, 168, 170, 174, 194, 196, 200, 218, 235, 238, 283, 309, 332, 336, 382, 410, 492
Scarabs 176, 585, 589
Scorpions 79
Screw-worm (Callitroga hominivorax) 35, 38, 113, 176, 178, 180, 200, 266, 268, 291, 295, 337, 521, 587, 738, 785, 851, 905, 922, 938, 954, 966, 985, 997, 1008, 1022, 1059
Scurfy scale (Chionaspis furfura) 123
Secondary screw-worm (Callitroga macellaria) 113, 686, 922
Seed-corn beetle (Agonoderus lecontei) 451
Seed-corn maggot (Hylemya cilicrura) 11, 12, 50, 86, 92, 107, 138, 169, 199, 206, 207, 215, 241, 270, 311, 373, 384, 412, 419, 468, 479, 487, 514, 523, 544, 576, 739, 1031
Senn pest (Eurygaster integriceps) 69, 70, 74
Sequoia pitch moth (Vespamima sequoiae) 32
Shaft louse (Menopon gallinae) 158
Shallot aphid (Myzus ascalonicus) 135, 137, 155
Sheep bot fly (Oestrus ovis) 144, 985
Sheep ked (Melophagus ovinus) 100, 154, 263, 268, 337, 361, 467, 634, 887, 940
Sheep scab mite (Psoroptes equi ovis) 52, 98, 154, 218, 1023, 1059
Short-nosed cattle louse (Haematopinus eurysternus) 985
Shot-hole borer (Scolytus rugulosus) 156, 174, 178, 225, 267, 381, 483, 881
Silverfish (Lepisma saccharina) 35, 78, 94, 158
Sitka-spruce beetle (Dendroctonus obesus) 424, 431
Six-spotted leafhopper (Macrosteles fascifrons) 12, 116, 122, 123, 203, 243, 269, 378, 481, 487, 506, 514, 523, 524, 537, 556, 569, 576, 603, 612, 623, 650, 677, 701, 706, 728, 731, 752, 786, 826, 897, 900
Six-spotted mite (Eotetranychus sexmaculatus) 19, 353, 364, 410, 458, 790, 933
Slugs 461, 495
Smaller European elm bark beetle (Scolytus multistriatus) 158, 200, 243, 266, 267, 358, 465, 492, 517, 550, 609, 632, 712, 783, 794, 831, 902, 935, 984
Snails 295
Snowball aphid (Anuraphis viburnicola) 123
Snowy tree cricket (Oecanthus niveus) 198
Sod webworms 364
Soft scale (Coccus hesperidum) 364
Solitary oak leaf miner (Cameraria hamadryadella) 38, 631, 684, 688, 712, 783
Sorghum midge (Contarinia sorghicola) 33, 181, 196, 197, 203, 569, 643, 699, 726, 747, 842
Sorghum webworm (Celama sorghiella) 33, 36, 178, 181, 196, 203, 292, 347, 597, 618, 643, 671, 698, 726, 746, 770, 798, 822, 842, 860, 879, 893, 913, 929, 947
Southern armyworm (Prodenia eridania) 365
Southern cabbageworm (Pieris protodice) 236, 355, 984
Southern corn rootworm (Diabrotica undecimpunctata howardi) 65, 120, 198, 256, 289, 348, 374, 403, 536, 568, 619, 646, 648, 671, 746, 771, 822, 897
Southern cornstalk borer (Diatraea crambidoides) 92, 174, 292, 402, 449, 565, 618, 913
Southern green stink bug (Nezara viridula) 80, 179, 185, 289, 292, 303, 373, 503, 536, 650, 678, 842, 898
Southern lyctus beetle (Lyctus planicollis) 158, 177, 362
Southern mole cricket (Scapteriscus acletus) 365
Southern pine beetle (Dendroctonus frontalis) 34, 97, 152, 176, 180, 183, 293, 422, 426, 430, 463, 682, 809, 830, 902, 952
Southern pine sawyer (Monochamus titillator) 177
Southern potato wireworm (Conoderus falli) 354, 365, 649, 706
Southern red mite (Oligonychus ilicis) 32
Southwestern corn borer (Zeadiatraea grandiosella) 33, 35, 36, 65, 112, 167, 181, 189, 190, 196, 202, 203, 214, 231, 304, 347, 374, 403, 449, 477, 502, 535, 569, 597, 642, 670, 698, 726, 745, 770, 797, 822, 861, 879 895, 913, 929, 947, 961, 986, 993, 1005, 1041, 1049
Southwestern pine beetle (Dendroctonus barberi) 430
Sowbugs 175
Soybean cyst nematode (Heterodera glycines) 47, 95, 150, 205, 234, 273, 292, 307, 330, 455, 573, 702, 801, 877, 963
Spider mites 35, 49, 51, 71, 72, 74, 78, 79, 87, 92, 93, 97, 108, 183, 199, 200, 202, 205, 235, 267, 270, 283, 286, 291, 294, 307, 308, 313, 315, 331, 334, 356, 358, 364, 379, 385, 387, 412, 414, 461, 463, 488, 490, 517, 520, 524, 537, 547, 553, 582, 586, 606, 626, 629, 636, 646, 649, 654, 656, 680, 683, 709, 711, 715, 726, 734 755, 758, 771, 774, 780, 784, 807, 815, 822, 845, 861, 881, 913, 965, 966, 997

Spinach leaf miner (Pegomya hyoscyami) 24, 71, 142, 207, 226, 487, 513, 545, 626, 650, 805
Spiny bollworm (Earias insulana) 70, 73, 75, 80
Spiny oakworm (Anisota stigma) 935
Spirea aphid (Aphis spiraecola) 263, 294, 353
Spittlebugs 282, 307, 311, 330, 335, 357, 385, 464, 482, 488, 491, 506, 514, 524, 539, 578, 609, 775, 880, 895, 913, 952
Spotted alfalfa aphid (Therioaphis maculata) 3, 9, 11, 19, 33, 47, 65, 69, 71, 78, 85, 96, 99, 105, 111, 112, 114, 120, 130, 131, 135, 139, 140, 149, 155, 168, 178, 181, 191, 198, 204, 214, 224, 233, 234, 257, 266, 269, 281, 289, 292, 306, 328, 348, 375, 404, 453, 481, 495, 505, 538, 555, 571, 600, 621, 636, 644, 660, 672, 688, 700, 727, 748, 772, 786, 789, 799, 815, 824, 836, 843, 863, 878, 889, 895, 914, 930, 940, 948, 956, 962, 980, 986, 993, 1006, 1017, 1030, 1041, 1042, 1049
Spotted asparagus beetle (Crioceris duodecimpunctata) 142, 157
Spotted cucumber beetle (Diabrotica undecimpunctata howardi) 19, 36, 37, 88, 99, 107, 175, 282, 293, 310, 330, 355, 454, 706, 732, 800, 805, 847, 900, 917, 963, 1006, 1030
Spotted cutworm (Amathes c-nigrum) 329, 334
Spring cankerworm (Paleacrita vernata) 113, 117, 152, 198, 202, 308, 314, 336, 360, 464, 491, 523, 631
Springtails 94, 374, 687
Spruce bark beetle (Ips typographus) 125
Spruce bud scale (Physokermes piceae) 157, 794, 952
Spruce budworm (Choristoneura fumiferana) 25, 143, 271, 415, 422, 424, 425, 426, 433, 464, 491, 549, 583, 682, 756, 782, 884, 996, 1043
Spruce needle miner (Taniva albolineana) 358, 388, 464, 983
Spruce spider mite (Oligonychus ununguis) 25, 226
Square-necked grain beetle (Cathartus quadricollis) 38, 295
Squash bug (Anasa tristis) 34, 199, 285, 334, 487, 514, 650, 660, 707, 777, 805, 865
Squash vine borer (Melittia cucurbitae) 678, 688
Stable fly (Stomoxys calcitrans) 98, 118, 200, 268, 361, 553, 587, 610, 634, 636, 657, 686, 738, 785, 810, 832, 869, 887, 921, 966
Stalk borer (Papaipema nebris) 157, 175, 199, 206, 292, 503, 512, 517, 535, 543, 567, 578, 599, 627, 670, 842
Stinging rose caterpillar (Parasa indetermina) 955
Stink bugs 34, 80, 113, 178, 179, 199, 205, 266, 568, 619, 629, 735, 755, 789, 791, 793, 815, 829, 901, 915, 918, 934
Strawberry aphid (Pentatrichopus fragaefolii) 86, 385, 707, 1007
Strawberry crown moth (Ramosia bibionipennis) 408, 1050
Strawberry leaf roller (Ancylis comptana fragariae) 20, 113, 137, 142, 243, 335, 385, 461, 578, 627, 678
Strawberry root aphid (Aphis forbesi) 777
Strawberry root weevil (Brachyrhinus ovatus) 25, 90, 142, 158, 334, 412, 866
Strawberry weevil (Anthonomus signatus) 112, 236, 270, 293, 311, 335, 356, 385, 488
Strawberry whitefly (Trialeurodes packardi) 385
Striped cucumber beetle (Acalymma vittata) 37, 93, 99, 175, 225, 285, 293, 310, 355, 514, 589, 627, 678, 847
Striped flea beetle (Phyllotreta striolata) 99, 243, 413, 544, 677
Striped garden caterpillar (Polia legitima) 150
Suckfly (Cyrtopeltis minimus) 354, 411
Sugar-beet root aphid (Pemphigus betae) 900
Sugar-beet root maggot (Tetanops myopaeformis) 24, 123, 142, 207, 460, 577, 626, 732
Sugar-beet wireworm (Limonius californicus) 137
Sugarcane beetle (Euetheola rugiceps) 174, 181, 291
Sugarcane borer (Diatraea saccharalis) 33, 36, 37, 257, 347, 374, 451, 477, 503, 535, 567, 597, 642, 698, 774, 798, 842, 895, 924, 929, 977, 1005
Sugarcane pyrilla (Pyrilla perpusilla) 75
Sugarcane stem borer (Argyria sticticraspis) 75, 76
Sugarcane top borer (Scirpophaga nivella) 75
Sugarcane whitefly (Aleurolobus barodensis) 76
Sugar-pine cone beetle (Conophthorus lambertianae) 965
Summer chafer (Amphimallon solstitialis) 989
Sunflower moth (Homoeosoma electellum) 774, 789
Sun-spiders 25, 144
Swaine jack-pine sawfly (Neodiprion swainei) 272
Swallow bug (Oeciacus vicarius) 25, 144
Sweetclover aphid (Therioaphis riehmi)* 204, 257, 269, 350, 404, 453, 523, 538, 600
Sweetclover weevil (Sitona cylindricollis) 71, 112, 115, 119, 123, 136, 204, 224, 256, 269, 280, 305, 328, 350, 377, 406, 454, 480, 507, 539, 970, 994, 1056
Sweetpotato flea beetle (Chaetocnema confinis) 96, 175, 578, 706, 777
Sweetpotato leaf beetle (Typophorus viridicyaneus) 827
Sweetpotato leaf roller (Pilocrocis tripunctata) 37
Sweetpotato weevil (Cylas formicarius elegantulus) 34, 50, 151, 293, 312, 350, 365, 995, 1057

*Carried in Vol. 9 as Myzocallidium riehmi

Sweetpotato whitefly (Bemisia tabaci) 752, 933
Sycamore lace bug (Corythucha ciliata) 90, 98, 200, 465, 685, 758, 784, 831, 868, 886
Syrphids 98, 139, 142, 268, 296, 393, 418, 522, 554, 611, 635, 688, 714, 760, 832

T

Tabanids 98, 200, 493, 521, 587, 738, 759, 904, 922, 954
Tarnished plant bug (Lygus lineolaris) 36, 113, 114, 123, 156, 198, 225, 234, 242, 289, 293, 295, 349, 377, 404, 455, 512, 516, 572, 581, 589, 600, 607, 622, 646, 660, 786, 824, 826, 878, 900, 931, 949, 963, 980, 994, 995, 1030, 1031
Tea scale (Fiorinia theae) 365, 984
Tent caterpillars (Malacosoma spp.) 217, 234, 263, 286, 330, 332, 379, 389, 407, 423, 426, 491, 519, 523
Termites 35, 76, 91, 98, 121, 171, 177, 198, 219, 239, 264, 288, 704
Terrapin scale (Lecanium nigrofasciatum) 157, 225
Texas citrus mite (Eutetranychus banksi) 19, 49, 72, 192, 364, 648, 676, 802, 882, 933
Texas leaf-cutting ant (Atta texana) 35, 444
Thief ant (Solenopsis molesta) 569
Three-cornered alfalfa hopper (Spissistilus festinus) 33, 34, 36, 131, 181, 198, 204, 289, 292, 306, 329, 349, 455, 481, 495, 506, 539, 572, 599, 622, 645, 673, 701, 748, 773, 800, 815, 824, 836, 844, 863, 868, 879, 889, 897, 914, 924, 931, 949, 963, 981, 1005, 1017, 1030
Three-lined potato beetle (Lema trilineata) 157, 384, 485, 543, 576, 612, 659, 660, 705
Thrips 11, 13, 34, 37, 73, 80, 86, 92, 108, 168, 169, 177, 178, 182, 193, 198, 199, 204, 215, 234, 236, 257, 258, 267, 286, 287, 294, 312, 327, 332, 334, 351, 353, 354, 358, 378, 383, 386, 406, 413, 456, 461, 462, 486, 489, 495, 507, 514, 515, 516, 524, 537, 544, 545, 546, 552, 573, 579, 580, 586, 598, 604, 620, 626, 630, 636, 646, 654, 672, 789, 804, 842, 879, 889, 949
Ticks 79, 98, 100, 287, 392, 493, 521, 554, 759, 985
Tip-dwarf mite (Eriophyes thujae) 226
Tobacco budworm (Heliothis virescens) 93, 177, 179, 365, 866
Tobacco budworms 173, 175, 176
Tobacco flea beetle (Epitrix hirtipennis) 92, 93, 96, 97, 132, 151, 175, 176, 179, 193, 220, 236, 260, 266, 267, 286, 310, 312, 335, 354, 357, 386, 412, 461, 515, 545, 579, 604, 627, 651, 707, 732, 752, 778, 805, 852, 866, 1042

Tobacco hornworm (Protoparce sexta) 179, 286, 365, 827, 836, 899
Tobacco moth (Ephestia elutella) 98, 832
Tobacco thrips (Frankliniella fusca) 174, 176, 292, 406
Tobacco wireworm (Conoderus vespertinus) 357
Tomato caterpillar (Prodenia litura) 71
Tomato fruitworm (Heliothis zea) 13, 37, 93, 175, 179, 225, 293, 311, 334, 355, 411, 459, 486, 510, 512, 543, 577, 625, 649, 705, 826, 846, 882, 899, 916
Tomato hornworm (Protoparce quinquemaculata) 13, 34, 37, 175, 383, 413, 649, 793, 815
Tomato pinworm (Keiferia lycopersicella) 34, 793, 950, 1007, 1043
Tomato psyllid (Paratrioza cockerelli) 13, 793
Tomato russet mite (Vasates lycopersici) 71, 77, 649, 792, 827, 899
Toothed flea beetle (Chaetocnema denticulata) 175
Tree crickets 921
Trichopterons 889
Tropical rat mite (Ornithonyssus bacoti) 32, 94, 108, 154, 938
Tuber flea beetle (Epitrix tuberis) 117, 763
Tulip bulb aphid (Anuraphis tulipae) 169, 1051
Tuliptree aphid (Macrosiphum liriodendri) 519
Tuliptree scale (Toumeyella liriodendri) 90, 443
Tupelo leaf miner (Antispila nysaefoliella) 783
Turnip aphid (Rhopalosiphum pseudobrassicae) 4, 71, 199, 293, 355, 804, 1031
Turnip webworm (Hellula undalis) 71
Turpentine beetles 902, 983
Tussock moths 423
Twelve-spotted melon beetle (Epilachna chrysomelina) 765
Twig girdler (Oncideres cingulata) 174, 192, 868, 920, 938, 994, 1006, 1018
Twig pruner (Elaphidion villosum) 158
Two-spotted spider mite (Tetranychus telarius) 5, 11, 12, 13, 86, 92, 112, 116, 136, 137, 138, 141, 142, 157, 177, 179, 218, 224, 225, 226, 236, 243, 270, 352, 408, 524, 555, 556, 578, 660, 675, 688, 729, 741, 786, 789, 790, 792, 815, 827, 836, 847, 852, 866, 869, 898, 1041
Two-striped grasshopper (Melanoplus bivittatus) 118

U

Ugly-nest caterpillar (Archips cerasivorana) 37, 552, 632, 784, 809
Unspotted tentiform leaf miner (Callisto geminatella) 89, 92, 112, 379, 407, 675

V

Variable oak leaf caterpillar (Heterocampa manteo) 93, 272, 444
Varied carpet beetle (Anthrenus verbasci) 158, 226
Variegated cutworm (Peridroma margaritosa) 11, 12, 36, 96, 111, 112, 113, 135, 137, 173, 175, 196, 199, 201, 204, 246, 377, 406, 454, 484, 638
Vedalia (Rodolia cardinalis) 74, 77
Vegetable weevil (Listroderes costirostris obliquus) 66, 93, 108, 131, 132, 151, 170, 176, 179, 193, 220, 236, 260, 291, 293, 355, 357, 365, 382, 461, 486
Velvetbean caterpillar (Anticarsia gemmatalis) 36, 95, 178, 292, 623, 728, 749, 773, 800, 815, 825, 835, 844, 854, 864, 872, 877, 890, 897, 907, 915, 931, 963, 978, 1006
Vespids 889, 905, 938, 967, 986
Vetch bruchid (Bruchus brachialis) 33, 198, 282, 289, 291, 329, 350, 377, 406, 507, 686
Vine moth (Lobesia botrana) 73, 79, 1064
Vinegar flies 93
Virginia-creeper leafhopper (Erythroneura ziczac) 784

W

Walkingstick (Diapheromera femorata) 633, 685, 758, 784, 831, 903, 920, 984
Walnut aphid (Chromaphis juglandicola) 141, 457, 484, 730, 791, 1018
Walnut blister mite (Aceria erinea) 202, 457, 624, 845
Walnut caterpillar (Datana integerrima) 33, 34, 37, 96, 117, 198, 443, 458, 484, 511, 602, 712, 750, 864, 881, 899, 932
Walnut husk fly (Rhagoletis completa) 648, 704, 791, 794, 803, 882, 899, 916, 932, 994, 1006, 1030, 1042
Walnut scale (Aspidiotus juglans-regiae) 458
Waterlily aphid (Rhopalosiphum nymphaeae) 353, 852
Webworms 91, 224, 423, 645
Weevils 412, 426, 897
Western bean cutworm (Loxagrotis albicosta) 12, 117
Western black flea beetle (Phyllotreta pusilla) 142, 1050
Western cherry fruit fly (Rhagoletis cingulata indifferens) 24, 136 140, 141, 381, 510, 542, 574, 602, 675, 729, 794
Western corn rootworm (Diabrotica virgifera) 11, 12, 120, 699, 726, 746, 771, 786
Western grape leaf skeletonizer (Harrisina brillians) 542, 648, 792, 900, 950
Western harvester ant (Pogonomyrmex occidentalis) 644
Western peach tree borer (Sanninoidea exitiosa graefi) 85
Western pine beetle (Dendroctonus brevicomis) 32, 86, 143, 267, 424, 425, 429, 549, 1058
Western potato flea beetle (Epitrix subcrinita) 142
Western spotted cucumber beetle (Diabrotica undecimpunctata) 648, 671, 750, 775, 846
Western subterranean termite (Reticulitermes hesperus) 419, 922
Western tussock moth (Hemerocampa vetusta) 484, 792
Wharf borer (Nacerdes melanura) 94, 393
Wheat curl mite (Aceria tulipae) 23, 116, 255, 345, 373, 505, 537, 842, 977
Wheat head armyworm (Faronta diffusa) 23, 116, 504, 599
Wheat jointworm (Harmolita tritici) 570, 880
Wheat leaf miner (Syringopais temperatella) 69, 873
Wheat midge (Sitodiplosis mosellana) 269
Wheat stem maggot (Meromyza americana) 204, 644, 727
Wheat stem sawfly (Cephus cinctus) 23, 122, 727
Wheel bug (Arilus cristatus) 177, 467
Whiteflies 21, 34, 73, 75, 79, 87, 200, 235, 294, 309, 353, 360, 575, 636, 654, 676, 681, 709, 735, 793, 808
White garden snail (Theba pisana) 1064
White grubs 111, 112, 138, 224, 244, 270, 327, 373, 479, 505, 514, 750, 862, 895, 913, 930, 977, 1021
White-lined sphinx (Celerio lineata) 23, 833, 866
White-marked tussock moth (Hemerocampa leucostigma) 361, 556
White peach scale (Pseudaulacaspis pentagona) 93, 174, 215, 292, 364, 510, 921, 1059
White-pine aphid (Cinara strobi) 157, 217, 388
White-pine sawfly (Neodiprion pinetum) 983
White-pine weevil (Pissodes strobi) 97, 158, 217, 244, 246, 272, 359, 388, 415, 423, 426, 464, 550, 583, 631, 682, 711, 736, 756, 782, 809, 952, 1021
Willow sawfly (Nematus ventralis) 123, 551
Winter grain mite (Penthaleus major) 31, 33, 65, 85, 129, 149, 167, 192, 197, 203, 213, 255, 280, 1029, 1041, 1049
Winter tick (Dermacentor albipictus) 200, 967, 1009, 1023, 1051
Wireworms 75, 123, 199, 202, 241, 270, 307, 330, 346, 365, 378, 384, 402, 412, 452, 479, 488, 504, 515, 536, 569, 577, 579, 598, 605, 660, 933
Wood borers 35
Woolly alder aphid (Prociphilus tessellatus) 518, 551, 585

Woolly apple aphid (Eriosoma lanigerum) 13, 70, 77, 79, 96, 135, 136, 174, 198, 292, 352, 509, 541, 574, 602, 636, 675, 703, 801, 881, 949
Woolly elm aphid (Eriosoma americanum) 551
Woolly pear aphid (Eriosoma pyricola) 981

Y

Yellow clover aphid (Therioaphis trifolii) 204, 306, 350, 375, 453, 600, 673
Yellow-headed spruce sawfly (Pikonema alaskensis) 271, 584
Yellow-margined leaf beetle (Microtheca ochroloma) 66, 131, 355
Yellow-necked caterpillar (Datana ministra) 141, 737, 750, 757, 794, 868
Yellow scale (Aonidiella citrina) 791
Yellow-striped armyworm (Prodenia ornithogalli) 37, 93, 95, 97, 132, 173, 202, 291, 387, 463, 533, 582, 599, 642, 702, 800, 822, 827, 836, 847, 889, 897, 914, 917, 931, 933, 951, 978, 994
Yellow sugarcane aphid (Sipha flava) 37, 327, 347, 362
Yellow woollybear (Diacrisia virginica) 12, 544, 732
Yuma spider mite (Eotetranychus yumensis) 730

Z

Zimmerman pine moth (Dioryctria zimmermani) 415, 517, 583, 756, 983
Zorapterons 196, 201

SCIENTIFIC NAMES

Acalymma vittata (striped cucumber beetle) 37, 89, 93, 99, 120, 175, 179, 225, 285, 293, 310, 355, 383, 460, 487, 514, 577, 627, 678, 847
Acanthomyops sp. (an ant) 177
Acanthoscelides obtectus (bean weevil) 955
Acarapis spp. (bee mites) 922, 968, 986
Acarapis dorsalis 986
Acarapis externus 968
Acarapis woodi 922, 968
Acedes fuscipunctella (a brown-dotted clothes moth) 1044, 1052
Aceratagallia spp. (leafhoppers) 257, 325
Aceratagallia curvata 539, 673, 981, 1006
Aceratagallia obscura 85
Aceratagallia sanguinolenta (clover leafhopper) 191, 234, 307, 325, 350, 378, 405, 481, 539, 645, 701, 1007, 1030
Aceria ajugae 794
Aceria caryae (pecan leafroll mite) 202
Aceria erinea (walnut blister mite) 202, 457, 624, 845
Aceria essigi (red berry mite) 790
Aceria mackiei 108
Aceria sheldoni (citrus bud mite) 77, 485, 790, 825
Aceria tulipae (wheat curl mite) 23, 116, 255, 345, 373, 505, 537, 842, 977
Achatina fulica (an African snail) 940
Acheta spp. 120, 123, 411, 635, 747, 755, 792, 808, 823, 833, 847, 852, 870, 968
Acheta domesticus (house cricket) 76, 939
Achorutes armatus (a collembolan) 338
Acinia fucata (a tephritid) 963
Acinopterus angulatus (a cicadellid) 1034
Acleris chalybeana 244
Acleris variana (black-headed budworm) 434
Acontia dacia (brown cotton leafworm) 463, 629, 867
Acrobasis caryae (pecan nut casebearer) 34, 37, 174, 198, 258, 292, 309, 353, 381, 409, 458, 511, 542, 624, 803, 826, 881, 932
Acrobasis caryivorella 309
Acrobasis indigenella (leaf crumpler) 174
Acrobasis juglandis (pecan leaf casebearer) 37, 174, 292, 309, 364, 381, 409, 511
Acrobasis rubrifasciella 952
Acrobasis tricolorella 624
Acrobasis vaccinii (cranberry fruitworm) 243, 461, 704
Acrolophus popeanellus (a burrowing webworm) 747
Acrosternum hilare (green stink bug) 186, 205, 225, 381, 624, 898
Aculus lingustri (a mite) 1050
Adaleres humeralis (a leaf weevil) 791
Adelphocoris spp. 269, 481, 539, 572, 622, 673, 701, 748, 772, 799, 824, 863
Adelphocoris lineolatus (alfalfa plant bug) 114, 119, 123, 242, 405, 482, 539, 572, 622, 673, 701, 728, 748, 772, 799, 800, 815, 824, 863, 897
Adelphocoris rapidus (rapid plant bug) 114, 198, 205, 349, 378, 405, 455, 482, 506, 512, 539, 600, 604, 622, 646, 673, 701, 748, 772, 815, 824, 863, 915, 931
Adelphocoris superbus (superb plant bug) 799
Adonia variegata (a coccinellid) 74
Adoretus sinicus (Chinese rose beetle) 693
Aedes spp. (mosquitoes) 94, 194, 263, 417, 466, 493, 520, 553, 633, 657, 713, 737, 758, 784
Aedes abserratus 158
Aedes atlanticus 831
Aedes atropalpus 869
Aedes campestris 194, 268, 315
Aedes canadensis 158, 218, 287, 831
Aedes cantator (brown salt-marsh mosquito) 315
Aedes cinereus 272
Aedes communis 361
Aedes dorsalis 124, 218, 268, 315, 361, 417, 466, 493, 495, 520, 521, 556, 657, 685, 713, 741, 869, 954
Aedes excrucians 158, 272
Aedes fitchii 158, 361
Aedes hexodontus 361, 495, 521
Aedes implicatus 144
Aedes increpitus 315, 361, 831
Aedes melanimon 268, 361, 417, 495, 521, 556, 741
Aedes nigromaculis 138, 268, 417, 495, 520, 556, 741, 869, 954
Aedes niphadopsis 194, 218
Aedes pullatus 521
Aedes punctor 272
Aedes sollicitans (salt-marsh mosquito) 90, 176, 287, 315, 391, 417, 520, 553, 633, 685, 713, 758, 831, 921, 938, 966, 1022, 1044
Aedes sticticus (floodwater mosquito) 177, 466, 520
Aedes stimulans 272
Aedes taeniorhynchus 633, 685, 938
Aedes trivittatus 244, 466, 520, 633, 657, 713, 784
Aedes vexans 90, 117, 118, 124, 268, 272, 417, 466, 520, 586, 610, 633, 657, 685, 713, 758, 784, 811, 886
Aelia spp. (pentatomids) 69, 74
Aelia furcula 70
Aelia virgata 70
Aeoloplides tenuipennis (a grasshopper) 555
Aeoloplides turnbulli 196, 326, 401, 501, 617, 769, 947
Ageneotettix deorum (a grasshopper) 115, 401, 501, 555, 596, 617, 669
Aglossa caprealis (a pyralid) 955, 1050
Aglossa pinguinalis 811
Agonoderus lecontei (seed-corn beetle) 451
Agonoscena targionii (pistachio psyllid) 72
Agraulis vanillae (a nymphalid) 852, 997
Agrilus spp. 389, 920
Agrilus anxius (bronze birch borer) 389
Agrilus hyperici 144, 687
Agrilus rubicola (rose stem girdler) 334, 356
Agrilus ruficollis (red-necked cane borer) 193, 199, 236
Agriolimax agrestis (a slug) 578
Agriotes spp. (wireworms) 742
Agromyza oryzae (rice leaf miner) 163
Agromyza parvicornis (corn blotch leaf miner) 503, 699
Agrotis spp. 132, 478, 597
Agrotis malefida (pale-sided cutworm) 285
Agrotis orthogonia (pale western cutworm) 11, 23, 111, 116, 329, 503, 514, 813
Agrotis ypsilon* (black cutworm) 10, 22, 32, 33, 52, 66, 77, 88, 93, 96, 109, 115, 134, 155, 172, 174, 195, 206, 220, 240, 265, 285, 290, 295, 303, 318, 339, 355, 363, 365, 383, 395, 413, 420, 421, 461, 470, 471, 478, 496, 503, 524, 525, 535, 544, 557, 558, 568, 590, 591, 597, 613, 614, 618, 637, 638, 661, 662, 671, 689, 690, 716, 717, 734, 740, 741, 761, 762, 787, 788, 814, 815, 833, 834, 835, 844, 853, 854, 862, 872, 890, 907, 917, 923, 931, 941, 948, 956, 964, 969, 987, 993, 995, 1000, 1011, 1018, 1024, 1033, 1044, 1052, 1060
Ahasverus advena (a grain beetle) 68, 939
Aiolopus strepens (a grasshopper) 78

*Zimmerman, E. C. 1958. Insects of Hawaii, Vol. 7:253. New spelling as ipsilon.

Alabama argillacea (cotton leafworm) 34, 199, 206, 295, 490, 517, 781, 808, 829, 835, 836, 848, 854, 866, 872, 883, 889, 890, 901, 918, 923, 934, 941, 951, 956, 965, 969, 983
Aleurocanthus spiniferus (orange spiny whitefly) 321
Aleurocanthus woglumi (citrus blackfly) 4, 49, 73, 151, 235, 309, 322, 458, 575, 663, 704, 802, 882, 940, 964, 1018, 1056
Aleurolobus barodensis (sugarcane whitefly) 76
Aleuroplatus berbericola (a whitefly) 10
Aleuroplatus coronatus 1059
Aleyrodes pruinosa (a whitefly) 1043
Aleyrodes spiraeoides 10, 21, 51, 86, 87, 138, 236, 633, 852, 995
Alphitobius laevigatus (a tenebrionid) 144, 851
Alsophila pometaria (fall cankerworm) 389, 542, 608, 1031, 1050
Altica spp. 138, 416, 551
Altica ambiens (alder flea beetle) 143, 314, 465, 737, 782
Altica bimarginata 491
Altica chalybea (grape flea beetle) 174, 292, 354, 381, 750
Altica foliacea 485
Alydus pilosus (a mirid) 175
Amathes c-nigrum (spotted cutworm) 214, 232, 329, 334
Amblyomma americanum (lone star tick) 287, 362, 392, 418, 467, 554, 587, 610, 658, 759, 811, 887, 955
Amitermes vilis (a termite) 74
Amnemus quadrituberculatus (clover root weevil) 837
Amonostherium lichtensioides (a mealybug) 1008, 1022
Amorbia cuneana (a tortricid) 382
Amorbia essigana 21
Amphicerus bicaudatus (apple twig borer) 389
Amphimallon majalis (European chafer) 100, 304, 371, 570, 687, 700, 715, 813, 880, 973, 989, 1000
Amphimallon solstitialis (summer chafer) 989
Amphitornus coloradus (a grasshopper) 115, 401, 501, 596
Amphorophora davidsoni (an aphid) 542
Amphorophora sensoriata 627
Anabrus simplex (Mormon cricket) 23, 150, 231, 266, 303, 371, 449, 477, 502, 596, 617, 669, 745, 993
Anacampsis fragariella (a leaf roller) 487
Anacamptodes fragilaria (a geometrid) 664
Anacanthotermes vagans septentrionalis (a termite) 74
Anacentrinus deplanatus (a weevil) 33, 598, 746, 861, 924
Anacridium aegytium (a grasshopper) 78, 79
Anagasta kuhniella (Mediterranean flour moth) 177
Anagrapha falcifera (celery looper) 339, 626
Anagrus giraulti (a parasite) 362
Anaphothrips sp. 672
Anaphothrips obscurus (grass thrips) 507, 536, 620, 747
Anaphothrips zeae 672
Anarsia lineatella (peach twig borer) 13, 34, 79, 136, 332, 352, 380, 409, 457, 484, 510, 541, 675, 703, 750, 774, 792, 802, 864, 898, 949
Anasa spp. 752
Anasa armigera (horned squash bug) 752
Anasa tristis (squash bug) 199, 285, 334, 487, 514, 650, 707, 752, 777, 805, 865
Anastrepha spp. 908, 1018, 1064
Anastrepha ludens (Mexican fruit fly) 4, 49, 150, 235, 309, 410 458, 575, 704, 802, 882, 963, 995, 1018, 1057, 1064
Anastrepha mombinpraeoptans (West Indian fruit fly) 882
Anastrepha nigrifascia 750
Anastrepha serpentina 963
Ancylis comptana fragariae (strawberry leaf roller) 20, 113, 137, 142, 243, 335, 385, 412, 461, 578, 627, 678
Anisoplia sp. (a scarabaeid) 70
Anisota rubicunda (green-striped mapleworm) 117, 442
Anisota senatoria (orange-striped oakworm) 93, 157, 442, 684, 687, 830, 868, 903, 1021
Anisota stigma (spiny oakworm) 935
Anomala spp. 632, 977
Anomala nigropicta 174
Anomala oblivia (pine chafer) 583, 607, 631
Anomala orientalis (oriental beetle) 973
Anomis bulifera (jute semi-looper) 76
Anomoea hoegei (a leaf beetle) 609
Anomoea laticlavia 464, 684
Anopheles spp. (mosquitoes) 263, 493, 520
Anopheles bradleyi 1022
Anopheles freeborni 315, 361, 417, 1032
Anopheles punctipennis 315, 886
Anoplodera nitens (a chestnut-bark borer) 810
Anoplolepis longipes (an ant) 1034
Anthicus nitidulus (a beetle) 468
Anthonomus spp. 908, 1021
Anthonomus bisignatus 908
Anthonomus eugenii (pepper weevil) 89, 776, 793, 899
Anthonomus grandis (boll weevil) 21, 34, 37, 66, 97, 176, 179, 182, 199, 205, 217, 227, 228, 267, 294, 386, 413, 462, 489, 515, 545, 580, 606, 628, 653, 679, 707, 733, 753, 779, 806, 828, 848, 866, 884, 901, 1061
Anthonomus pomorum (apple blossom weevil) 925
Anthonomus scutellaris (plum gouger) 24, 775
Anthonomus signatus (strawberry weevil) 112, 236, 270, 293, 311, 335, 356, 385, 412, 488
Anthonomus vestitus (Peruvian boll weevil) 227
Anthophila pariana (apple and thorn skeletonizer) 141
Anthrenus spp. 144
Anthrenus flavipes (furniture carpet beetle) 94, 177, 226
Anthrenus scrophulariae (carpet beetle) 124, 295, 338
Anthrenus verbasci (varied carpet beetle) 158, 177, 226
Anticarsia gemmatalis (velvetbean caterpillar) 36, 95, 178, 292, 623, 728, 749, 773, 800, 815, 825, 835, 841, 844, 854, 864, 872, 877, 890, 897, 907, 915, 923, 931, 941, 949, 963, 978, 980, 1006
Antigastra catalaunalis (a sesame pod borer) 73
Antispila nysaefoliella (tupelo leaf miner) 783
Antonina graminis (Rhodes-grass scale) 38, 87, 889, 930, 978, 1005
Anuraphis sp. 1031
Anuraphis apiifolia 792
Anuraphis bakeri (clover aphid) 110, 135, 204, 306, 375, 404, 453, 481, 506, 538, 600, 612, 621, 645, 701
Anuraphis helichrysi 267, 380, 484, 511
Anuraphis maidi-radicis (corn root aphid) 91, 202, 241
Anuraphis persicae-niger (black peach aphid) 136, 602
Anuraphis roseus (rosy apple aphid) 92, 96, 112, 174, 205, 224, 282, 307, 331, 352, 380, 407, 457, 483, 509, 541, 602, 623, 648, 791, 949
Anuraphis tulipae (tulip bulb aphid) 169, 285, 312, 416, 1051
Anuraphis viburnicola (snowball aphid) 123, 520
Anuraphis viburniphila (viburnum aphid) 336
Aonidiella aurantii (California red scale) 9, 21, 49, 72, 77, 107, 108, 150, 168, 215, 258, 283, 332, 410, 485, 602, 775, 790, 1008
Aonidiella citrina (yellow scale) 9, 19, 66, 72, 168, 170, 283, 485, 791, 1056
Aonidiella orientalis (oriental yellow scale) 72
Aonidiella taxus (an Asiatic red scale) 365
Apanteles carpatus (a parasite) 1023
Apanteles congregatus 864

Apanteles fumiferanae 611
Apanteles galleriae 687
Apanteles militaris 242
Aphaenogaster fulva (an ant) 852
Aphaenogaster tennesseensis 518
Aphalara pulchella (a psyllid) 1022
Aphelinus lapisligni (a parasite) 139
Aphelinus semiflavis 264, 393, 659, 789
Aphidius testaceipes (a parasite) 195, 219, 255
Aphis spp. 76, 995
Aphis abbreviata (buckthorn aphid) 512, 612, 625, 649, 676, 705, 730, 751, 775, 803, 826, 865
Aphis abietina (spruce aphid) 492
Aphis fabae (bean aphid) 71, 89, 137, 242, 356, 383, 412, 455, 544, 577, 649, 677, 792
Aphis forbesi (strawberry root aphid) 312, 777
Aphis gossypii (cotton aphid, melon aphid) 34, 75, 78, 97, 120, 176, 179, 182, 199, 206, 294, 307, 335, 356, 382, 386, 414, 462, 489, 514, 516, 546, 547, 581, 607, 629, 649, 654, 680, 709, 732, 735, 752, 755, 777, 780, 807, 827, 848, 883, 900, 901, 918, 929, 933, 934, 951, 965, 1042
Aphis helichrysi See Anuraphis helichrysi
Aphis illinoisensis (grapevine aphid) 292, 381
Aphis medicaginis (cowpea aphid) 74, 75, 78, 105, 189, 215, 234, 256, 281, 313, 358, 414, 547, 581, 680, 709, 731
Aphis pomi (apple aphid) 13, 24, 74, 77, 89, 96, 112, 136, 174, 205, 224, 235, 242, 257, 263, 267, 282, 292, 307, 331, 352, 380, 408, 457, 483, 509, 541, 574, 602, 623, 675, 774, 791, 792, 825
Aphis spiraecola (spirea aphid) 263, 294, 353, 520, 995
Aphrophora spp. 440, 607, 682
Aphrophora parallela (pine spittlebug) 98, 272, 336, 388, 440, 464, 491, 550, 583, 607, 682, 783
Aphrophora permutata 491
Aphrophora saratogensis (Saratoga spittlebug) 244, 415, 440, 491, 583, 607, 682
Aphycus helvolus (a parasite) 790
Apion ulicis (a gorse weevil) 419, 888
Aphis mellifera (honey bee) 139, 158, 177, 180, 245, 268, 288, 338, 393, 493, 659, 794, 870, 906, 922, 968, 1009, 1044
Aplonobia myops (a spider mite) 334, 356
Apterona crenulella (a psychid) 513, 584, 608, 739, 1049
Araecerus fasciculatus (coffee bean weevil) 851
Archips argyrospila (fruit tree leaf roller) 141, 242, 308, 351, 408, 442, 456, 483, 509, 601, 792
Archips cerasivorana (ugly-nest caterpillar) 37, 552, 632, 784, 809
Archips conflictana (large aspen tortrix) 442, 656
Archips obsoletana 904
Archips purpurana 90
Archips rosaceana (oblique-banded leaf roller) 407, 732
Archips rosana 308
Arctia sp. (an arctiid) 71
Argas persicus (fowl tick) 967
Arge sp. (a sawfly) 464
Argyria sticticraspis (sugarcane stem borer) 74, 75
Argyrotaenia citrana (orange tortrix) 32, 353, 542, 603, 648, 792, 793
Argyrotaenia pinatubana (pine tube moth) 170, 217, 263, 358
Argyrotaenia velutinana (red-banded leaf roller) 13, 89, 92, 96, 99, 112, 205, 224, 225, 242, 258, 270, 283, 308, 311, 331, 351, 378, 407, 456, 483, 510, 540, 601, 623, 647, 674, 703, 729, 749, 815, 825, 836, 845, 864, 881, 949
Argyrotoxa semipurpurana (a tortricid) 523, 632
Arhyssus barberi (a coreid) 955
Arhyssus bohemanii 966
Arhyssus scutatus 998
Arilus cristatus (wheel bug) 177, 467
Arion ater (a slug) 137, 138, 461, 578
Arphia sulphurea (a grasshopper) 255
Aspidiotus sp. 194
Aspidiotus ancylus (Putnam scale) 93, 199
Aspidiotus arctostaphyli 997
Aspidiotus californicus (black pine leaf scale) 152, 194, 584, 655, 952, 997
Aspidiotus camelliae (greedy scale) 73, 152
Aspidiotus densiflorae 1022
Aspidiotus forbesi (Forbes scale) 92, 205, 353, 575
Aspidiotus hederae (oleander scale) 9, 10, 51, 65, 86, 132, 150, 152, 336
Aspidiotus juglans-regiae (walnut scale) 108, 458
Aspidiotus lataniae 10, 174, 791, 1031
Aspidiotus perniciosus (San Jose scale) 24, 32, 37, 49, 65, 76, 85, 87, 92, 93, 107, 136, 141, 150, 170, 178, 199, 218, 224, 225, 235, 258, 283, 287, 292, 309, 332, 364, 509, 609, 675, 791, 826, 868, 881, 898, 963, 1059
Aspidiotus pseudospinosus 200
Aspidiotus spinosus 361
Aspidiotus uvae (grape scale) 85, 205, 576, 950
Aspidiotus zonatus 79
Asterocampa celtis (a nymphalid) 113, 757
Asterolecanium arabidis 10, 492, 794
Asterolecanium puteanum 194
Asterolecanium variolosum (golden oak scale) 157, 794
Atalopedes campestris (a hesperiid) 36
Atta texana (Texas leaf-cutting ant) 35, 444
Attagenus piceus (black carpet beetle) 6, 94, 121, 139, 158, 177, 226, 295, 338
Atteva aurea (ailanthus webworm) 849, 886
Aulacaspis rosae (rose scale) 285
Aulacophora hilaris (pumpkin beetle) 275
Aulocara sp. (a grasshopper) 669
Aulocara elliotti 115, 189, 196, 326, 401, 449, 501, 555, 617, 641, 697
Aulonium longum (a colydiid) 555
Autographa californica (alfalfa looper) 23, 137, 140, 406, 573, 599, 650, 793
Autoserica castanea (Asiatic garden beetle) 93, 157, 445, 635, 656, 687, 813, 906, 947, 973

B

Baldulus maidis (a leafhopper) 852, 863
Barbara spp. 443
Barbara colfaxiana (a Douglas-fir cone moth) 885
Bathyplectes curculionis (a parasite) 144, 219, 599
Batocera spp. 76
Batocera rufomaculata (fig borer) 76
Battaristis vittella (a gelechiid) 902
Bedellia somnulentella (morning-glory leaf miner) 92, 732, 964
Bembecia marginata (raspberry root borer) 651, 899, 995
Bemisia spp. 70
Bemisia tabaci (sweetpotato whitefly) 76, 752, 933
Bessa selecta (a parasite) 272, 711
Bibio spp. (March flies) 317, 394
Bibio hortulanus 79
Blapstinus spp. (tenebrionids) 192, 334, 335
Blatta orientalis (oriental cockroach) 98, 158, 177, 268, 288, 906
Blattella germanica (German cockroach) 90, 94, 98, 155, 177, 226, 906, 1009
Blattella vaga 317, 1022
Blissus spp. 105, 570, 842

Blissus leucopterus (chinch bug) 3, 9, 19, 31, 47, 111, 116, 173, 174, 181, 197, 202, 234, 255, 279, 303, 326, 347, 374, 403, 451, 478, 503, 535, 569, 598, 619, 643, 700, 747, 842, 861, 929, 947, 1029, 1049, 1056
Blissus leucopterus hirtus (hairy chinch bug) 90, 570, 621, 700
Blissus leucopterus insularis 38, 173, 180, 364, 505, 537, 570, 636, 644, 672
Bombus spp. (bumblebees) 139
Boopedon nubilum (a grasshopper) 115, 612
Bourletiella hortensis (garden springtail) 176, 410, 461, 897
Bovicola bovis (cattle biting louse) 118, 295
Brachycolus tritici (a wheat aphid) 452, 599, 924, 1017
Brachyrhinus cribricollis (a weevil) 283, 713
Brachyrhinus ovatus (strawberry root weevil) 25, 90, 137, 142, 158, 334, 412, 866
Brachyrhinus rugosostriatus 100, 137, 226
Brachyrhinus sulcatus (black vine weevil) 137, 158, 312
Brachystola magna (lubber grasshopper) 326, 617, 641, 769
Brachytrupes megacephalus (a mole cricket) 78
Bracon brevicomis (a parasite) 74
Bracon mellitor (a parasite) 659
Bradynotes sp. (a grasshopper) 993
Brevicoryne brassicae (cabbage aphid) 50, 71, 92, 107, 120, 131, 157, 168, 179, 193, 236, 243, 260, 293, 333, 338, 355, 385, 411, 460, 487, 513, 706, 777, 792, 827, 847, 916
Brevipalpus sp. 77
Brevipalpus lewisi (citrus flat mite) 192, 790, 825
Brevipalpus obovatus (privet mite) 218
Brevipalpus pini 952
Bruchidius trifolii (a bruchid) 1000
Bruchophagus gibbus (clover seed chalcid) 11, 135, 156, 266, 636, 773, 789, 844, 897, 914
Bruchus brachialis (vetch bruchid) 33, 198, 282, 291, 329, 350, 377, 406, 507, 686
Bruchus pisourm (pea weevil) 79, 138, 487, 577, 636, 879, 933
Brumus octosignatus (a coccinellid) 74
Bryobia praetiosa (clover mite) 13, 25, 124, 350, 510, 789, 1052
Bryobia rubrioculus (a fruit tree mite) 72, 77, 136, 308, 331, 352, 379, 408, 457, 541, 574, 647, 674, 790, 950
Bucculatrix ainsliella (oak skeletonizer) 518, 712, 782, 997
Bucculatrix albertiella 794
Bucculatrix canadensisella (birch skeletonizer) 684
Bucculatrix pomifoliella 915, 940
Bucculatrix thurberiella (cotton leaf perforator) 313, 413, 490, 548, 582, 629, 652, 681, 709, 754, 780, 794, 807, 829, 848, 866, 884, 889, 901, 918
Bupalus piniarius (pine looper) 397, 419
Buprestis aurulenta (a flatheaded borer) 885
Byturus sp. (a byturid) 663

C

Caenurgina crassiuscula (clover looper) 896
Caenurgina erechtea (forage looper) 351, 645, 823
Calaphis betulaecolens (a birch aphid) 416
Calendra spp. (billbugs) 174, 175, 326, 374, 478, 619
Calendra callosa 178, 231, 255, 303, 347, 374, 403, 451
Calendra maidis (maize billbug) 403, 451
Caliroa cerasi (pear-slug) 24, 120, 156, 157, 225, 267, 715, 729, 774, 792, 802, 881, 949, 994
Caliroa lineata 656
Callidium sp. (a cerambycid) 25
Calligrapha scalaris (elm calligrapha) 120, 200, 360, 608, 684, 737, 757
Calliptamus sp. (an Italian locust) 70, 74
Callirhytus punctata (a gouty oak gall) 1021
Callisto spp. (leaf miners) 224
Callisto geminatella (unspotted tentiform leaf miner) 89, 92, 112, 379, 407, 675
Callitroga spp. (screw-worms) 466, 759, 887
Callitroga hominivorax (screw-worm) 35, 38, 113, 176, 180, 200, 268, 295, 337, 466, 521, 587, 738, 785, 851, 905, 922, 938, 954, 966, 985, 997, 1008, 1022, 1059
Callitroga macellaria (secondary screw-worm) 113, 686, 922
Callosobruchus maculatus (cowpea weevil) 1050
Calocalpe undulata (a geometrid) 711
Calocoris norvegicus (a mirid) 71
Calomycterus setarius (a Japanese weevil) 94
Calophya californica (a psyllid) 238
Cameraria hamadryadella (solitary oak leaf miner) 38, 631, 684, 712, 783
Camnula pellucida (clear-winged grasshopper) 118, 266, 533, 555, 617, 697, 769, 861, 1005
Camponotus spp. 25, 239
Camponotus herculeanus pennsylvanicus (black carpenter ant) 158, 177, 226
Capitophorus sp. 311
Capitophorus ribis (currant aphid) 24
Capnodis sp. (a buprestid) 73
Capnodis cariosa 72
Cardiochiles nigriceps (a parasite) 687
Cardiocondyla nuda minutior (an ant) 133, 794
Carpocapsa spp. 79
Carpocapsa pomonella (codling moth) 13, 24, 70, 72, 74, 76, 77, 79, 89, 92, 96, 99, 112, 131, 136, 141, 156, 179, 199, 205, 224, 242, 267, 270, 332, 351, 379, 407, 456, 482, 509, 540, 574, 601, 623, 647, 674, 703, 729, 741, 749, 774, 791, 801, 815, 825, 836, 845, 864, 880, 915, 949
Carpophilus spp. 194, 203, 643, 671
Carpophilus dimidiatus (corn sap beetle) 913, 1051
Carpophilus hemipterus (dried-fruit beetle) 4, 25, 215, 791, 1051
Carpophilus lugubris (dusky sap beetle) 92, 224, 568, 643, 671, 746
Carposina niponensis (peach fruit moth) 742
Caryoborus serripes (a seed beetle) 22
Caryomyia sp. (a gall insect) 511
Cathartus quadricollis (square-necked grain beetle) 38, 295
Catocala maestosa (a pecan catocala) 198
Catocala palaeogama 511
Caulocampus acericaulis (maple-petiole borer) 158, 491, 518
Cavariella aegopodii (an aphid) 604, 649
Cecidomyia ocellaris (a leaf gall midge) 389
Celama sorghiella (sorghum webworm) 33, 36, 178, 181, 196, 203, 292, 347, 597, 618, 643, 671, 698, 726, 746, 770, 798, 822, 842, 860, 879, 893, 913, 929, 947
Celerio lineata (white-lined sphinx) 23, 833, 866
Cenopalpus pulcher (a mite) 663
Centrinaspis sp. (a curculionid) 993
Centrinaspis penicellus 167
Cephus cinctus (wheat stem sawfly) 23, 122, 727
Ceratina sp. (a carpenter bee) 868
Ceratitis capitata (Mediterranean fruit fly) 49, 77, 78, 80, 151, 293, 309, 365, 458, 530, 575, 663, 704, 742, 802, 908, 964, 1000, 1064
Ceratomegilla vittigera (a predator) 264
Ceratomia catalpae (catalpa sphinx) 492, 757, 867, 920, 935
Ceroplastes spp. 868, 938
Ceroplastes ceriferus 294
Ceroplastes cirripediformis (barnacle scale) 51, 675, 1022
Ceroplastes floridensis (Florida wax scale) 235

Ceroplastes rusci
77, 79
Ceroplastes sinensis (Chinese wax scale) 72
Cerotoma trifurcata (bean leaf beetle) 92, 96, 120, 174, 179, 181, 199, 204, 260, 270, 285, 293, 311, 333, 351, 378, 383, 411, 456, 460, 487, 508, 514, 540, 544, 577, 600, 646, 702, 749, 773, 800, 825, 844, 864, 877, 897, 932
Ceutorhynchus assimilis (cabbage seedpod weevil) 141, 793
Ceutorhynchus rapae (cabbage curculio) 97, 311, 459, 487
Chaetocnema spp. 71, 231, 374
Chaetocnema confinis (sweetpotato flea beetle) 96, 175, 485, 513, 578, 706, 777, 828, 883
Chaetocnema denticulata (toothed flea beetle) 175
Chaetocnema ectypa (desert corn flea beetle) 214, 266, 325
Chaetocnema pulicaria (corn flea beetle) 33, 89, 91, 112, 175, 202, 279, 304, 347, 374, 403, 451, 478, 503, 536, 568, 598, 619, 643, 699
Chaetoptelius vestitus (a scolytid) 72
Chaitophorus salicicola (an aphid) 938, 1022
Chalcodermus aeneus (cowpea curculio) 36, 94, 482, 544, 626, 748, 899
Chalepus dorsalis (locust leaf miner) 93, 100, 157, 294, 389, 490, 632, 684, 712, 737, 758, 886, 903, 984, 1021
Chalybion bengalense (a wasp) 664
Chaoborus astictopus (Clear Lake gnat) 610
Chaoboris punctipennis 158
Chelymorpha cassidea (argus tortoise beetle) 627, 650
Chermes sp. 920
Chermes abietis (eastern spruce gall aphid) 157, 226, 272, 359, 550, 655, 783, 786
Chermes cooleyi (Cooley spruce gall aphid) 25, 272, 415, 550, 583, 631, 736, 783, 830, 871, 983
Chermes nusslini 439
Chermes piceae (balsam woolly aphid) 138, 173, 176, 438, 608, 682
Chermes tsugae 132
Chilo spp. 70, 1000
Chilo plejadellus (rice stalk borer) 35
Chilo suppressalis (Asiatic rice borer) 1064
Chilo zonellus (maize and jawar borer) 75, 1053
Chilocorus bipustulatus (a coccinellid) 74, 79
Chimarocephala pacifica (a grasshopper) 279
Chionaspis americana (elm scurfy scale) 954
Chionaspis asiatica 72
Chionaspis furfura (scurfy scale) 123
Chionaspis ortholobis 810
Chionaspis quercus 336
Chionaspis sylvatica 713, 810
Chionodes psiloptera (a gelechiid) 135
Chirothrips falsus (a thrips) 234
Chirothrips mexicanus 234
Chlorochroa ligata (conchuela) 193, 266, 781, 954
Chlorochroa sayi (Say stink bug) 11, 171, 215, 266, 599, 654, 681, 781
Chnootriba similis (a coccinellid) 80
Choristoneura sp. 611
Choristoneura fumiferana (spruce budworm) 25, 143, 271, 415, 433, 464, 491, 549, 583, 682, 756, 782, 884, 996, 1043
Choristoneura pinus (jack-pine budworm) 244, 271, 435, 549, 583, 631, 655, 711, 736
Chorizagrotis auxiliaris (army cutworm) 11, 23, 33, 111, 119, 167, 192, 196, 214, 232, 282, 304, 329, 351, 372, 406, 471, 478, 503, 568, 929
Chortophaga viridifasciata (green meadow locust) 289, 488
Chromaphis juglandicola (walnut aphid) 141, 457, 484, 648, 730, 791, 1018
Chrotogonus spp. (grasshoppers) 76
Chrysobothris sp. 898
Chrysobothris californica 952
Chrysobothris femorata (flatheaded apple tree borer) 308, 915
Chrysobothris mali (Pacific flat-headed borer) 898, 916
Chrysolina gemellata (a klamathweed beetle) 144, 392, 419
Chrysomela spp. 519, 632
Chrysomela interrupta 390, 465, 632
Chrysomela scripta complex (cottonwood leaf beetle) 25, 120, 490, 519, 656
Chrysomela tremula (aspen leaf beetle) 632
Chrysomphalus albopictus 361
Chrysomphalus aonidum (Florida red scale) 49, 77, 309, 364, 410, 750, 802, 846, 882, 932, 1042
Chrysomphalus dictyospermi (dictyospermum scale) 72, 73, 77, 79, 132
Chrysomphalus obscurus (obscure scale) 93, 361, 609, 1008
Chrysomphalus rossi 32, 238
Chrysomyza demandata (an otitid) 1032
Chrysopa spp. (lacewings) 139, 184, 201, 239, 264, 288, 316, 317, 338, 362, 393, 418, 467, 494, 522, 554, 588, 611, 635, 658, 687, 739, 760, 785, 812, 833, 852, 870, 888, 906, 968
Chrysopa oculata (golden-eye lacewing) 296, 393
Chrysops spp. (deer flies) 143, 295, 391, 521, 553, 587, 610, 634, 657, 658, 686, 714, 738, 785
Chrysops nigra 521
Chrysops noctifera pertinax 658
Chrysops univittata 657
Cicindela repanda (a tiger beetle) 738
Cimbex americana (elm sawfly) 120, 491
Cimex lectularius (bed bug) 25, 75, 78, 177, 1023, 1051
Cinara spp. 123, 416, 465, 517, 966
Cinara laricis (larch aphid) 157
Cinara palmerae 123
Cinara strobi (white-pine aphid) 157, 217, 388
Cinara tujafilina 238, 287, 984
Cingilia catenaria (chain-spotted geometer) 156, 684, 803
Circulifer opacipennis (a sesame leafhopper) 73
Circulifer tenellus (beet leafhopper) 12, 20, 34, 137, 141, 193, 259, 267, 333, 412, 513, 604, 650, 678, 731, 751, 786, 803, 827, 1031
Clastoptera sp. (a spittlebug) 984
Clastoptera achatina 381
Clastoptera arborina 655
Clastoptera arizonana 831, 984, 1008, 1022
Clastoptera obtusa 552
Clastoptera proteus nigricollis 552
Clinodiplosis oleisuga (a cecidomyiid) 78
Cnemeplatia sericea (a tenebrionid) 939
Cnephasia sp. 940
Cnephasia longana (omniverous leaf tier) 334
Coccinella spp. (lady beetles) 219, 658
Coccophagus rusti (a parasite) 790
Coccus sp. 382
Coccus hesperidum (soft scale) 19, 72, 86, 194, 200, 332, 364, 485
Coccus pseudomagnoliarum (citricola scale) 72, 168, 410, 730, 790, 1056
Cochlicella barbara (a snail) 1000
Cochlicella conoidea 940
Cochlicella ventrosa 1000
Colaphellus hoefti (a chrysomelid) 71
Colaspidema atrum (black alfalfa leaf beetle) 943
Colaspis spp. 181, 202, 204, 508, 536, 573, 582, 598, 623, 630, 646, 674, 752
Colaspis pini (pine colaspis) 38, 492, 517
Coleomegilla maculata (a predator) 316, 392, 554, 686, 888
Coleomegilla maculata fuscilabris 296, 362
Coleophora caryaefoliella (pecan cigar casebearer) 364

Coleophora laricella (larch casebearer) 143, 388, 415, 441, 490, 756
Coleophora malivorella (pistol casebearer) 511
Coleophora occidentis (cigar casebearer) 381, 410
Coleophora pruniella (cherry casebearer) 408
Colias sp. 69
Colias philodice eurytheme (alfalfa caterpillar) 11, 91, 114, 120, 198, 282, 305, 329, 377, 454, 482, 573, 599, 622, 673, 701, 747, 789, 799, 823, 843, 844, 863, 879, 889, 896, 914, 931, 948, 978
Collembola 335
Collops spp. (melyrids) 635, 870, 906
Coloradia pandora (pandora moth) 437
Compsus auricephalus (a weevil) 413
Conocephalus spp. (grasshoppers) 36, 697
Conocephalus fasciatus 565
Conoderus spp. 129, 176, 197
Conoderus falli (southern potato wireworm) 354, 365, 384, 649, 706
Conoderus vespertinus (tobacco wireworm) 357, 386, 413
Conophthorus spp. 443
Conophthorus lambertianae (sugar-pine cone beetle) 965
Conophthorus resinosae (red-pine cone beetle) 443
Conopia albicornis (a clear wing moth) 315
Conotrachelus sp. 775
Conotrachelus nenuphar (plum curculio) 34, 37, 89, 92, 96, 112, 123, 156, 174, 178, 199, 205, 224, 225, 234, 242, 258, 270, 283, 292, 308, 332, 353, 380, 409, 457, 483, 510, 541, 574, 624, 647, 881
Conotrachelus retentus 199
Contarinia sp. 443
Contarinia sorghicola (sorghum midge) 33, 181, 197, 203, 569, 643, 699, 726, 747, 842
Coptodisca sp. (a shield bearer) 519, 551
Cordillacris occipitalis (a grasshopper) 501, 641
Corthylus columbianus (Columbian timber beetle) 152, 490
Corticeus parallelus (a tenebrionid) 555
Corythucha spp. 585, 609, 632
Corythucha arcuata (oak lace bug) 585, 609
Corythucha ciliata (sycamore lace bug) 90, 98, 200, 465, 585, 632, 685, 758, 784, 831, 868, 886
Corythucha cydoniae (hawthorn lace bug) 200, 609, 632
Corythucha ulmi (elm lace bug) 243
Cossula magnifica (pecan carpenterworm) 174
Cotalpa lanigera (a goldsmith beetle) 737
Cotinis nitida (green June beetle) 95, 174, 175, 224, 289, 312, 635, 675, 703, 730
Cotinis texana (a scarabaeid) 730, 825
Crambus spp. (webworms) 327, 403, 477, 799, 896, 956
Crambus bonifatellus 747
Crambus caliginosellus (corn root webworm) 91, 568
Crambus mutabilis 644
Crambus sperryellus 852
Crambus teterrellus (bluegrass webworm) 620
Crambus topiarius (cranberry girdler) 135, 930
Crematogaster sp. (an ant) 177
Crioceris spp. 356, 412, 460, 514, 544, 578, 650, 828
Crioceris asparagi (asparagus beetle) 24, 89, 92, 141, 157, 293, 334, 356, 382, 412, 460, 514, 544, 627, 650, 865
Crioceris duodecimpunctata (spotted asparagus beetle) 89, 142, 157, 356, 382, 412, 460, 514, 544, 650, 828
Crossidius sp. (a cerambycid) 850
Cryptaspidiotus shastae (a cedar scale) 113, 737
Cryptolaemus montrouzieri (a predator) 730, 791
Cryptolestes ferrugineus* (rusty grain beetle) 25, 139
Cryptolestes pusillus (flat grain beetle) 22, 35, 100, 144, 171, 194, 200, 238, 288, 554, 905, 1009, 1059
Cryptophlebia illepida (koa seedworm) 559
Cryptophlebia leucotreta (false codling moth, citrus codling moth) 1064
Cryptotermes spp. (termites) 473
Cryptotermes brevis 473
Cryptotermes domesticus 473
Cryptotermes dudleyi 473
Cryptotermes havilandi 473
Ctenicera pruinina noxia (Great Basin wireworm) 137, 307, 346
Ctenocephalides spp. 493, 658, 759
Ctenocephalides canis (dog flea) 158, 180, 272, 832, 905
Ctenocephalides felis (cat flea) 158, 180, 272, 759, 811, 851, 985
Culex spp. (mosquitoes) 90, 94, 117, 144, 361, 520, 657, 784

*Carried in Vol. 9 as Laemophloeus ferrugineus. Lefkovitch, L. P. 1959. A revision of the European Laemophloeinae (Coleoptera: Cucujidae). Roy. Ent. Soc. London Trans. 111(5):95-118.

Culex erythrothorax 315
Culex pipiens (northern house mosquito) 90, 124, 685, 713
Culex restuans 124, 315, 586, 610, 657
Culex tarsalis 117, 118, 124, 138, 218, 287, 361, 417, 493, 520, 556, 586, 610, 657, 758, 784, 811, 831, 869, 921
Culex territans 586, 758, 869
Culicoides sp. (a sand fly) 391
Culiseta spp. (mosquitoes) 263, 272
Culiseta inornata 272, 361, 417, 520, 586, 610, 657, 869, 954
Culiseta minnesotae 272
Curculio caryae (pecan weevil) 174, 179, 198, 803, 932, 994, 1030
Cyclocephala spp. 973, 977
Cyclocephala borealis (northern masked chafer) 94, 224, 327, 555, 589, 635, 862, 913, 962
Cyclocephala immaculata (southern masked chafer) 913, 999
Cycloneda sanguinea (a predator) 296
Cylas sp. 742
Cylas formicarius elegantulus (sweetpotato weevil) 50, 151, 293, 312, 365, 995, 1057
Cylindrocopturus spp. (pine reproduction weevils) 433, 490
Cylindrocopturus eatoni 359, 433, 490, 794
Cylindrocopturus furnissi 490, 549
Cynaeus angustus (a tenebrionid) 226, 905
Cyrtepistomus castaneus (Asiatic oak weevil) 93, 99, 684, 833, 849, 954
Cyrtopeltis minimus (suckfly) 354, 411
Cyrtorhinus lividipennis (a mirid) 559

D

Dacus spp. 76
Dacus cucurbitae (melon fly) 367
Dacus dorsalis (oriental fruit fly) 529, 940, 1000, 1064
Dacus oleae (olive fruit fly) 77, 78, 663
Dacus zonatus (peach fruit fly) 76
Danaus plexippus (monarch butterfly) 939
Dascillus davidsoni (a dascillid) 916
Dasychira pudibunda (red-tail moth) 1013
Dasymutilla occidentalis (a velvet ant) 158
Dasyneura sp. 647
Dasyneura balsamicola (balsam gall midge) 159
Dasyneura pseudacaciae 519, 656
Dasyneura vaccinii 243

Datana sp.
916
Datana integerrima (walnut caterpillar) 34, 37, 96, 117, 198, 443, 458, 484, 511, 602, 712, 750, 864, 881, 899, 932
Datana major (azalea caterpillar) 294, 868, 904, 921, 954
Datana ministra (yellow-necked caterpillar) 141, 737, 750, 757, 794, 868
Datana robusta
935
Deltocephalus flavicosta (a leafhopper) 869
Deltocephalus fuscinervosus
962
Deltocephalus sonorus
664
Demodex canis (dog follicle mite) 133, 176, 905
Dendroctonus spp. (turpentine beetles) 99, 217, 358, 782, 996, 1007, 1031
Dendroctonus barberi (southwestern pine beetle) 430
Dendroctonus borealis (Alaska spruce beetle) 431
Dendroctonus brevicomis (western pine beetle) 32, 86, 143, 217, 267,314, 359, 388, 429, 549, 555, 782, 867, 965, 996, 1007, 1021, 1031, 1058
Dendroctonus convexifrons (round-headed pine beetle) 431
Dendroctonus engelmanni (Engelmann spruce beetle) 427, 885, 996
Dendroctonus frontalis (southern pine beetle) 34, 97, 152, 176, 180, 183, 217, 293, 314, 430, 463, 490, 583, 682, 756, 809, 830, 902, 935, 952, 1007
Dendroctonus jeffreyi (Jeffrey pine beetle) 429, 490, 736, 935, 1031
Dendroctonus monticolae (mountain pine beetle) 143, 289, 427, 756, 782, 830, 867, 885, 918, 965, 1008, 1031, 1050
Dendroctonus murrayanae (lodgepole-pine beetle) 431
Dendroctonus obesus (Sitka-spruce beetle) 431
Dendroctonus ponderosae (Black Hills beetle) 429, 867, 996
Dendroctonus pseudotsugae (Douglas-fir beetle) 143, 335, 428, 463, 782
Dendroctonus terebrans (black turpentine beetle) 97, 99, 180, 183, 199, 217, 286, 293, 388, 415, 430, 490, 549, 655, 682, 711, 736, 756, 782, 849, 885, 902, 918, 935, 952, 996
Dendroctonus valens (red turpentine beetle) 97, 267, 388, 794
Dendrotettix quercus (a leaf-eating grasshopper) 809, 920, 954
Deraeocoris punctulatus (a mirid) 71
Dermacentor spp.
268, 686
Dermacentor albipictus (winter tick) 200, 967, 1009, 1023, 1051
Dermacentor andersoni (Rocky Mountain wood tick) 25, 337, 361, 362, 392, 418
Dermacentor occidentalis (Pacific Coast tick) 493, 686
Dermacentor variabilis (American dog tick) 94, 158, 244, 264, 272, 287, 316, 361, 362, 392, 554, 658, 686
Dermanyssus gallinae (chicken mite) 121, 634
Dermatophagoides pteronyssina (a mite) 955
Dermestes lardarius (larder beetle) 98, 139, 158, 226, 739
Dermestes maculatus (hide beetle) 98
Deroceras agrestis (a slug) 503
Deroceras reticulatum (gray garden slug) 137, 138, 365, 461, 495, 897, 1007, 1030
Desmia funeralis (grape leaf folder) 174, 205, 484, 792
Diabrotica spp. 270, 598, 643, 671, 793, 842
Diabrotica balteata (banded cucumber beetle) 50, 485, 646, 706, 749, 773, 777, 828, 847, 882, 995
Diabrotica longicornis (northern corn rootworm) 116, 120, 202, 241, 598, 699, 726, 746, 770, 798, 822, 842, 862
Diabrotica undecimpunctata (western spotted cucumber beetle) 648, 671, 750, 775, 846
Diabrotica undecimpunctata howardi (southern corn rootworm, spotted cucumber beetle) 19, 36, 37, 65, 89, 99, 107, 116, 120, 175, 179, 198, 256, 282, 293, 310, 330, 348, 355, 374, 383, 403, 454, 460, 536, 568, 577, 598, 619, 646, 648, 671, 706, 732, 746, 771, 800, 805, 822, 842, 847, 897, 900, 917, 963, 1006, 1030
Diabrotica undecimpunctata tenella 168, 169, 215, 232, 236, 311, 356, 411, 487, 731, 847, 879
Diabrotica virgifera (western corn rootworm) 11, 116, 120, 699, 726, 746, 771, 786
Diacrisia obliqua (jute hairy caterpillar) 76
Diacrisia virginica (yellow woolly-bear) 12, 544, 732
Dialeurodes spp.
74, 656
Dialeurodes citri (citrus whitefly) 382, 791, 916
Diaphania spp.
732, 847
Diaphania hyalinata (melonworm) 293, 732, 917, 933, 982, 1009, 1012, 1019, 1031
Diaphania indica (pumpkin caterpillar) 1012
Diaphania nitidalis (pickleworm) 175, 293, 732, 900, 933, 950, 982, 1012
Diapheromera femorata (walking-stick) 633, 685, 758, 784, 831, 903, 920, 984
Diaphorina citri (citrus psylla) 593
Diarthronomyia chrysanthemi (chrysanthemum gall midge) 813
Diaspis boisduvalii
108
Diaspis carueli (juniper scale) 157, 226, 238, 361, 586, 850, 904
Diaspis manzanitae
997
Diatraea crambidoides (southern cornstalk borer) 92, 174, 292, 402, 449, 565, 618, 913
Diatraea saccharalis (sugarcane borer) 33, 36, 37, 257, 347, 374, 451, 477, 503, 535, 567, 597, 642, 698, 774, 798, 842, 895, 924, 929, 977, 1005
Dicaelotus sp. (an ichneumonid parasite) 74
Dichomeris marginella (juniper webworm) 608
Dicladispa armigera (rice hispa) 75
Dikraneura carneola (a leafhopper) 167, 280, 325, 977
Dinarmus pistaciae (a pteromalid parsite) 74
Dioryctria spp. (phycitids) 443
Dioryctria abietella
294
Dioryctria amatella
294
Dioryctria zimmermani (Zimmerman pine moth) 415, 517, 583, 756, 983
Diprion spp.
438
Diprion pini (pine sawfly) 817
Diprion similis (introduced pine sawfly) 271, 438, 631, 682, 818, 830, 849, 902
Diptacus gigantorhynchus (a mite) 24
Disholcaspis cinerosa (a gall wasp) 1043
Dissosteira longipennis (High Plains grasshopper) 697
Ditylenchus destructor (potato rot nematode) 242
Dociostaurus spp.
70
Dociostaurus moroccanus (Moroccan locust) 70, 73, 74
Dolerus neocollaris (a sawfly) 378
Dolycoris sp. (a pentatomid) 69
Dolycoris baccarum
70, 74
Draeculacephala portola (a leafhopper) 481
Drepanaphis acerifoliae (painted maple aphid) 272, 416, 518, 954, 984, 1033, 1043
Drepanaphis monelli
585
Drepanoptera femoratum (a grasshopper) 401
Drosicha stebbingi (mango mealybug) 76
Drosophila spp. 225, 827, 865
Drosophila melanogaster (a vinegar fly) 791, 865
Dryocoetes confusus (western balsam bark beetle) 432
Dryocosmus palustris (a cynipid) 390

E

Earias spp.
76
Earias insulana (spiny bollworm) 70, 73, 75, 80
Ecdytolopha insiticiana (locust twig borer) 294, 314, 736, 1022
Edwardsiana rosae (rose leafhopper) 137
Elaphidion sp.
258
Elaphidion villosum (twig pruner) 158

Elasmopalpus lignosellus (lesser cornstalk borer) 33, 178, 198, 304, 535, 577, 618, 623, 627, 674, 698, 748, 777, 801, 804, 824, 898, 900
Eleodes spp. 111, 119, 280, 307, 325, 479
Eleodes opaca (plains false wireworm) 537
Emmalocera depresella (a root borer) 76
Empoasca spp. 12, 76, 173, 174, 218, 547, 629, 673, 751, 981, 1006, 1019
Empoasca devastans (potato jassid) 76
Empoasca fabae (potato leafhopper) 89, 92, 93, 95, 97, 115, 117, 119, 120, 122, 123, 173, 198, 204, 224, 225, 241, 245, 246, 269, 307, 349, 378, 405, 410, 455, 459, 481, 486, 506, 512, 539, 544, 571, 576, 600, 603, 622, 625, 645, 673, 676, 701, 705, 727, 731, 748, 772, 776, 781, 800, 803, 846, 900, 963, 981, 1030
Empoasca filamenta 138, 142, 751, 775, 846
Empoasca maligna (apple leafhopper) 623
Empoasca neaspersa 1031
Endelomyia aethiops (rose-slug) 390
Ennomos subsignarius (elm spanworm) 173, 180, 440, 465
Enoclerus sphegeus (a clerid beetle) 494
Entomobrya atrocincta (a collembolan) 356, 664
Entomobrya multifasciata 664
Entomobrya unostrigata 356
Eotetranychus clitus 491
Eotetranychus hicoriae 37
Eotetranychus lewisi 138, 952, 1059
Eotetranychus multidigituli 688
Eotetranychus sexmaculatus (six-spotted mite) 49, 331, 353, 364, 410, 790, 933
Eotetranychus weldoni 831
Eotetranychus willamettei 633, 790
Eotetranychus yumensis (Yuma spider mite) 730, 760
Ephestia spp. 70, 79
Ephestia elutella (tobacco moth) 98, 832
Ephestia figulilella (raisin moth) 826
Epicaerus cognatus (potato weevil) 971
Epicaerus imbricatus (imbricated snout beetle) 293, 354, 385
Epicauta spp. 11, 12, 36, 115, 179, 198, 204, 269, 291, 406, 411, 482, 485, 505, 513, 570, 576, 646, 659, 702, 728, 731, 739, 844
Epicauta fabricii (ash-gray blister beetle) 120, 522, 540, 572, 635, 728, 844
Epicauta pardalis 621
Epicauta pennsylvanica (black blister beetle) 120, 204, 731, 800, 824, 844
Epicauta pestifera (margined blister beetle) 156, 674, 751
Epidiaspis piricola (Italian pear scale) 283, 362, 417, 791
Epilachna chrysomelina (melon beetle) 70, 71, 77, 765
Epilachna varivestis (Mexican bean beetle) 12, 89, 92, 97, 117, 174, 178, 179, 225, 285, 292, 293, 311, 333, 356, 383, 411, 460, 487, 508, 513, 540, 544, 577, 626, 636, 649, 674, 677, 702, 706, 731, 752, 777, 804, 827, 844, 847, 865, 877, 882, 899
Epilohmannia sp. 332
Epinotia aceriella (maple trumpet skeletonizer) 903
Epitrimerus pyri (pear rust mite) 790
Epitrix spp. 12, 13, 333, 678, 793
Epitrix cucumeris (potato flea beetle) 92, 96, 99, 120, 123, 156, 175, 225, 243, 333, 354, 384, 410, 460, 485, 513, 543, 577, 603, 648, 676, 678, 705, 763, 764, 775, 803, 846
Epitrix fuscula (eggplant flea beetle) 175
Epitrix hirtipennis (tobacco flea beetle) 92, 93, 96, 97, 132, 151, 175, 176, 179, 193, 236, 260, 267, 286, 310, 312, 333, 335, 354, 357, 384, 386, 412, 460, 461, 485, 488, 513, 515, 545, 579, 604, 625, 627, 651, 678, 707, 732, 752, 778, 805, 852, 866, 1042
Epitrix similaris 764
Epitrix subcrinita (western potato flea beetle) 142, 776, 836
Epitrix tuberis (tuber flea beetle) 12, 117, 625, 648, 763
Epochra canadensis (currant fruit fly) 24, 602
Erannis tiliaria (linden looper) 491, 518, 608
Eriococcus araucariae 10, 66
Eriococcus azaleae (azalea bark scale) 93, 157, 315, 466, 492, 520, 685
Eriophyes pyri (pear leaf blister mite) 13, 24, 136, 141, 156, 202, 283, 380, 408, 483, 510, 541, 623, 713, 750, 790, 950, 981, 1006
Eriophyes thujae (tip-dwarf mite) 226
Eriophyes vitis (grape erineum mite) 73
Eriosoma americanum (woolly elm aphid) 520, 551, 609
Eriosoma lanigerum (woolly apple aphid) 13, 70, 76, 77, 79, 96, 136, 174, 198, 292, 307, 331, 352, 457, 465, 509, 541, 574, 602, 648, 675, 703, 801, 881, 949
Eriosoma pyricola (woolly pear aphid) 981
Eritettix simplex (a grasshopper) 289
Eritettix tricarnatus* 115
Erythroneura spp. (leafhoppers) 791, 882
Erythroneura elegantula 236, 576, 750
Erythroneura variabilis 236
Erythroneura ziczac (Virginia-creeper leafhopper) 784
Essigella californica (a pine aphid) 237
Estigmene acrea (salt-marsh caterpillar) 95, 295, 334, 354, 503, 548, 597, 652, 734, 754, 777, 793, 794, 829, 835, 848, 854, 867, 872, 884, 889, 890, 901, 918, 934, 951, 963, 978, 994
Etiella zinckenella (lima-bean pod borer) 10, 705, 793, 900, 964
Eublemma olivacea (brinjal leaf roller) 76
Euborellia cincticollis (an earwig) 214, 317
Euceraphis betulae (an aphid) 336
Eucosma gloriola (an olethreutid) 263, 583, 607, 965
Euetheola rugiceps (sugarcane beetle) 174, 181, 291
Eulachnus agilis (an aphid) 415
Eulype hastata (a spear-marked black moth) 437
Eumargarodes sp. (a ground pearl) 455
Eumerus tuberculatus (lesser bulb fly) 142
Eupelmus allynii (a parasite) 116
Euphyllura olivina (a psyllid) 77
Euproctis signata (hairy caterpillar) 76
Euptoieta claudia (a nymphalid) 1050
Eurukuttarus confederatus (a bagworm) 584
Eurycotis lixa (a cockroach) 968
Eurydema spp. 81
Eurydema oleraceum (cabbage bug) 81
Eurydema ventrale 71
Eurygaster integriceps (senn pest) 69, 70, 74
Eurygaster maurus 75
Eurytoma amygdali (almond nut borer) 72
Eurytoma plotnikovi (pistachio nut borer) 72
Euschistus spp. 205
Euschistus conspersus 793
Euschistus ictericus 36, 568, 786
Euschistus servus (brown stink bug) 179, 205, 225, 292, 365, 373, 381, 488, 545, 568, 735, 755, 771, 781, 808, 824
Euschistus tristigmus (dusky stink bug) 225, 381
Euschistus variolarius (one-spot stink bug) 205, 225, 381
Eutetranychus banksi (Texas citrus mite) 72, 364, 802, 882, 933
Euthyrhynchus floridanus (a stink bug) 174
Eutinobothrus brasiliensis (Brazilian cotton borer) 15
Eutinobothrus gossypii 15, 16

*Corrected spelling.

Eutochia lateralis (a tenebrionid) 816
Eutreta pacifica (a tephritid) 152, 466
Eutrombicula spp. (chiggers) 392
Eutrombidium trigonum (red grasshopper mite) 813
Euxoa ochrogaster (red-backed cutworm) 142
Euzophera ostricolorella (a phycitid) 38, 51
Euzophera semifuneralis (American plum borer) 950, 981
Evergestis rimosalis (cross-striped cabbageworm) 37, 706
Exenterus canadensis (an ichneumonid) 467
Exochomus flavipes (a coccinellid) 74
Exoteleia burkei (a gelechiid) 794
Exoteleia pinifoliella (pine needle miner) 335, 983

F

Fannia spp. 468, 555
Fannia canicularis (little house fly) 158
Faronta diffusa (wheat head armyworm) 23, 116, 504, 599
Feltia sp. 311
Feltia ducens 232
Feltia subgothica (dingy cutworm) 202, 204, 206, 844
Feltia subterranea (granulate cutworm) 10, 22, 32, 52, 66, 88, 109, 134, 155, 172, 195, 220, 240, 265, 290, 318, 339, 363, 486, 794, 823, 898, 917, 949, 951, 987, 997, 999, 1000, 1011, 1019, 1024, 1033, 1044, 1052, 1060
Fenusa pusilla (birch leaf miner) 90, 157, 226, 272, 360, 390, 417, 492, 518, 551, 633
Fenusa ulmi (elm leaf miner) 492, 551, 585
Fidia viticida (grape rootworm) 292
Fiorinia externa 656
Fiorinia fioriniae 108
Fiorinia theae (tea scale) 21, 87, 108, 132, 294, 336, 365, 586, 984
Fitchia aptera (an assassin bug) 25
Forficula sp. 1033
Forficula auricularia (European earwig) 24, 94, 137, 144, 158, 246, 317, 520, 589, 611, 671, 739, 771, 790, 792, 799, 833, 852
Formica integra (an ant) 176
Formica montana 611
Fossaria ollula (liver-fluke snail) 559, 1034
Frankliniella spp. 33, 34, 50, 108, 150, 215, 236, 267, 286, 312, 378, 383, 386, 413, 456, 514, 573, 578, 586, 650, 707, 1018
Frankliniella fusca (tobacco thrips) 174, 176, 292, 378, 406, 482, 573, 747
Frankliniella occidentalis 108, 308, 312, 353, 456, 495, 573, 981, 1030, 1042, 1050
Frankliniella tenuicornis 747
Frankliniella tritici (flower thrips) 312, 488, 514
Fuscuropoda agitans (an earthworm mite) 50, 177, 239, 786, 889

G

Galenara consimilis (a fir looper) 132, 436, 607
Galerucella xanthomelaena (elm leaf beetle) 10, 38, 90, 93, 98, 113, 138, 143, 180, 183, 194, 199, 218, 267, 287, 294, 360, 390, 416, 465, 492, 518, 550, 585, 608, 632, 656, 684, 712, 715, 737, 757, 783, 794, 810, 831, 850, 868, 920, 935, 1008
Galleria mellonella (greater wax moth) 986
Gasterophilus spp. 200
Gasterophilus haemorrhoidalis (nose bot fly) 869
Gasterophilus intestinalis (horse bot fly) 143, 985
Geococcus coffeae (a mealybug) 361, 365
Geocoris spp. (big-eyed bugs) 137, 144, 219, 337, 338, 362, 418, 554, 588, 611, 687, 785
Geocoris pallens 139
Geocoris punctipes 133, 184, 296 393, 494, 554, 687, 888
Glischrochilus quadrisignatus (a nitidulid) 175, 620, 643, 746
Glycyphagus destructor (a cereal mite) 52
Glycyphagus domesticus 392
Gnathocerus maxillosus (a flour beetle) 94
Gnorimoschema ocellatella (a sugar-beet crown borer) 71, 74, 742
Gnorimoschema operculella (potato tuberworm) 79, 132, 171, 264, 333, 543, 577, 604, 731, 775, 793, 826, 846, 865, 883, 899, 955, 995, 1043
Gossyparia spuria (European elm scale) 25, 113, 117, 143, 390, 465, 518, 552, 585, 609, 633, 656, 715, 737, 794, 810, 938
Gracilaria spp. 685
Gracilaria azaleela (azalea leaf miner) 93, 390, 585, 685
Gracilaria syringella (lilac leaf miner) 25, 685, 784, 938
Graphognathus spp. (white-fringed beetles) 47, 107, 292, 295, 364, 488, 540, 570, 774, 801, 880, 930, 962, 1017
Graphognathus peregrinus 930
Graphognathus leucoloma striatus 801
Grapholitha spp. 77, 406
Grapholitha conversana (a clover bud caterpillar) 140, 377, 406, 454, 599
Grapholitha interstinctana (clover head caterpillar) 406, 454, 506, 573
Grapholitha molesta (oriental fruit moth) 89, 92, 136, 178, 205, 225, 292, 308, 332, 352, 379, 409, 456, 484, 509, 541, 574, 602, 624, 647, 703, 729, 741, 792, 815, 826, 845, 864, 898, 915, 932
Grapholitha packardi (cherry fruitworm) 243, 511, 704
Grapholitha prunivora (lesser appleworm) 575
Graptostethus manillensis (a lygaeid) 1034
Gretchena bolliana (pecan bud moth) 179
Gronocarus autumnalis (a scarab) 1052
Gryllotalpa spp. (mole crickets) 70
Gymnaetron tetrum (a weevil) 22
Gynaikothrips spp. (thrips) 921, 963, 986, 1008

H

Haemaphysalis leporis-palustris (rabbit tick) 1032
Haematopinus spp. 118
Haematopinus asini (horse sucking louse) 109
Haematopinus eurysternus (short-nosed cattle louse) 121, 985
Haematopinus quadripertusus (cattle tail louse) 851
Haematopinus suis (hog louse) 109, 467, 967, 1009
Halisidota spp. 194, 388
Halisidota argentata 263, 286, 358, 775
Halisidota ingens 237
Halisidota tessellaris (pale tussock moth) 157
Halticus bracteatus (garden flea-hopper) 175, 455, 507, 512, 543, 601, 622, 626, 677, 702, 749, 752, 844, 865, 898, 900, 915
Hamamelistes spinosus (an aphid) 246
Haplothrips clarisetis (a thrips) 193, 215, 236, 455
Haptoncus luteolus (a nitidulid) 791, 1051
Harmolita tritici (wheat jointworm) 570, 880
Harrisina americana (grape leaf skeletonizer) 174, 866
Harrisina brillians (western grape leaf skeletonizer) 542, 648, 792, 900, 950
Hartigia cressonii (a horntail) 603, 732
Hedylepta blackburni (a coconut leaf roller) 664, 816
Heilipus sp. (a weevil) 940
Heliothis spp. 34, 37, 97, 173, 175, 176, 179, 182, 199, 205, 217, 285, 294, 312, 335, 357, 386, 412, 413, 463, 488, 489, 515, 516, 545, 546, 579, 580, 605, 606, 627, 628, 651, 652, 679, 707, 708, 733, 752, 753, 778, 779, 805, 806, 828, 848, 866

Heliothis armigera
71, 73
Heliothis virescens (tobacco budworm) 93, 179, 363, 365, 413, 420, 421, 463, 470, 471, 496, 524, 525, 557, 558, 590, 591, 605, 613, 614, 627, 637, 638, 651, 661, 662, 689, 690, 707, 716, 717, 740, 741, 752, 761, 762, 787, 788, 814, 815, 834, 835, 853, 854, 866, 872, 890, 907, 923
Heliothis zea (bollworm, tomato fruitworm, corn earworm) 10, 11, 13, 33, 34, 36, 37, 89, 91, 92, 93, 95, 96, 99, 112, 116, 137, 140, 174, 175, 178, 179, 181, 196, 199, 202, 203, 204, 224, 225, 241, 245, 266, 267, 290, 291, 293, 304, 311, 318, 326, 334, 335, 339, 346, 351, 355, 358, 363, 364, 374, 377, 395, 402, 411, 413, 420, 421, 450, 459, 463, 470, 471, 477, 486, 496, 502, 510, 512, 524, 525, 534, 543, 557, 558, 567, 577, 590, 591, 597, 613, 614, 619, 625, 637, 638, 642, 643, 649, 661, 662, 670, 689, 690, 698, 705, 715, 716, 717, 725, 731, 740, 741, 746, 761, 762, 770, 776, 786, 787, 788, 789, 793, 797, 804, 814, 815, 821, 826, 834, 835, 836, 841, 846, 852, 853, 854, 860, 865, 866, 871, 872, 877, 882, 883, 884, 889, 890, 893, 899, 901, 904, 907, 914, 915, 916, 923, 929, 934, 941, 947, 949, 951, 956, 969, 982, 987, 1000, 1005, 1011, 1024, 1033, 1043, 1044, 1052, 1057
Heliothrips haemorrhoidalis (greenhouse thrips) 1018
Hellula rogatalis (cabbage webworm) 900
Hellula undalis (turnip webworm) 71
Hemerocampa leucostigma (white-marked tussock moth) 219, 361
Hemerocampa pseudotsugata (Douglas-fir tussock moth) 132, 143, 435, 607
Hemerocampa vetusta (western tussock moth) 484, 792
Hemileuca maia (buck moth) 955
Hemileuca nevadensis 200
Hemipeplus marginipennis (a cucujid) 794
Hercothrips fasciatus (bean thrips) 792, 825
Herculia psammioxantha (a webworm) 36
Hermetia illucens (a soldier fly) 316, 871, 889
Hesperotettix sp. (a grasshopper) 501
Hesperotettix speciosus 501, 596, 769
Heterobostrychus aequalis (a bostrichid) 522
Heterobostrychus brunneus 908
Heterocampa guttivitta (saddled prominent) 244, 444
Heterocampa manteo (variable oak leaf caterpillar) 93, 272, 444
Heterococcus graminicola (a mealybug) 794
Heterodera spp. 964
Heterodera glycines (soybean cyst nematode) 47, 95, 150, 205, 234, 273, 292, 307, 330, 455, 573, 702, 801, 877, 963
Heterodera rostochiensis (golden nematode) 10, 50, 310, 604, 705, 805, 964
Heterostylum robustum (a bombyliid) 144, 522, 659
Hieroglyphus banian (rice grasshopper) 75
Hippelates spp. (eye gnats) 887
Hippelates collusor 268, 391
Hippodamia spp. 494, 521, 554, 588, 611, 634, 658, 687, 714, 738, 760, 785, 836, 851, 870, 887, 906
Hippodamia convergens (convergent lady beetle) 87, 139, 154, 171, 195, 201, 219, 239, 264, 288, 296, 316, 317, 337, 362, 392, 418, 467, 468, 494, 521, 554, 611, 634, 658, 686, 714, 738, 785, 811, 812, 833, 851, 870, 888, 906, 939, 967, 1023, 1032, 1051
Holcocera iceryaeella*(a blastobasid) 32
Homadaula albizziae (mimosa webworm) 90, 93, 97, 100, 180, 183, 246, 365, 443, 584, 608, 631, 656, 684, 691, 712, 736, 757, 783, 810, 830, 849, 867, 903, 935, 984
Homalodisca liturata (a leafhopper) 675
Homoeosoma electellum (sunflower moth) 774, 789
Hoplocampa testudinea (European apple sawfly) 341, 362, 509, 574, 801
Horistonotus uhlerii (sand wireworm) 569
Horogenes sp. (an ichneumonid) 74
Hyalopterus arundinis (mealy plum aphid) 225, 484, 542, 675, 791
Hyalopterus pruni 74
Hydrellia griseola (a leaf miner) 789
Hylastinus obscurus (clover root borer) 135, 224, 305, 507, 673
Hylemya spp. 20, 70, 259, 468
Hylemya antiqua (onion maggot) 24, 50, 123, 138, 142, 175, 243, 311, 355, 383, 412, 459, 486, 514, 544, 578, 626, 650, 732, 865, 951, 982
Hylemya brassicae (cabbage maggot) 157, 175, 285, 311, 334, 385, 411, 460, 487, 513, 544, 604, 626, 793, 883
Hylemya cerealis 11, 504
Hylemya cilicrura (seed-corn maggot) 4, 11, 12, 50, 86, 92, 107, 138, 169, 199, 206, 215, 241, 270, 311, 373, 384, 412, 419, 468, 479, 487, 514, 523, 544, 576, 739, 1031
Hylemya platura 555

*Carried in Vol. 9 as Holcocera iceryaella

Hylephila phylaeus (a skipper) 949
Hylesinus oleiperda (a shot-hole borer) 77
Hylobius spp. 433
Hylobius pales (pales weevil) 94, 97, 99, 246, 293, 314, 359, 388, 550, 809, 965
Hylobius radicis (pine root collar weevil) 244, 272, 433, 782
Hylotrupes bajulus (old-house borer) 94, 98, 177, 786, 871, 888, 955, 1009, 1044
Hylurgopinus rufipes (native elm bark beetle) 390, 984
Hypena jussalis (a noctuid moth) 559
Hypera spp. 406
Hypera brunneipennis (Egyptian alfalfa weevil) 305, 350, 789
Hypera meles 129, 174, 178, 232, 289, 291, 305, 350, 377, 406, 454
Hypera nigrirostris (lesser clover leaf weevil) 115, 178, 189, 204, 224, 232, 256, 291, 305, 328, 350, 376, 406, 454, 480, 507, 572, 702, 728, 773
Hypera postica (alfalfa weevil) 3, 11, 23, 69, 71, 75, 85, 89, 91, 95, 99, 106, 114, 119, 129, 140, 150, 155, 156, 167, 173, 178, 189, 214, 224, 232, 245, 256, 266, 280, 305, 328, 350, 376, 405, 453, 479, 507, 538, 572, 599, 621, 645, 701, 715, 773, 789, 847, 897, 980, 1030
Hypera punctata (clover leaf weevil) 3, 91, 112, 115, 129, 140, 174, 189, 198, 204, 214, 232, 256, 280, 291, 305, 328, 350, 376, 405, 728, 789, 1018
Hyperodes sp. (a weevil) 1000
Hyperodes anthracinus 786
Hyphantria cunea (fall webworm) 37, 98, 117, 120, 124, 138, 143, 157, 178, 180, 292, 294, 295, 364, 379, 442, 511, 542, 575, 584, 624, 655, 659, 683, 709, 711, 730, 736, 750, 757, 783, 802, 809, 825, 830, 845, 849, 867, 885, 903, 920, 935, 950, 984
Hypoborus ficus (a scolytid) 1000
Hypoderma spp. (cattle grubs) 5, 21, 32, 35, 51, 66, 87, 98, 100, 108, 118, 133, 173, 176, 184, 218, 220, 316, 417, 466, 521, 553, 587, 610, 905, 1008, 1059
Hypoderma bovis (northern cattle grub) 98, 113, 121, 138, 154, 218, 220, 521, 559, 832, 857, 871, 905
Hypoderma lineatum (common cattle grub) 5, 21, 98, 113, 121, 133, 138, 143, 154, 176, 180, 200, 218, 263, 287, 295, 337, 391, 521, 857, 871, 905, 954, 985, 997, 1008, 1022, 1032, 1051, 1059
Hyponomeuta spp. (ermine moths) 72, 73
Hypsopygia costalis (clover hayworm) 823
Hysteroneura setariae (rusty plum aphid) 643, 825, 929, 947, 961, 977, 1017, 1029, 1041

I

Icerya purchasi (cottony-cushion scale) 10, 72, 73, 77, 78, 87, 107, 168, 170, 294, 309, 364, 410, 417, 465, 609, 675, 685, 790, 850, 899, 963, 1043, 1056
Idiocerus spp. 76
Idiocerus stali (pistachio leafhopper) 72
Ips spp. (engraver beetles) 99, 125, 199, 286, 293, 314, 358, 388, 431, 432, 490, 549, 655, 711, 756, 885, 902, 918, 935, 952, 983, 996, 1007, 1008, 1021, 1033, 1058
Ips avulsus 97, 388, 432, 952
Ips calligraphus 97, 388, 432
Ips confusus (a pine engraver) 10, 217, 314, 358, 359, 388, 432, 782, 952
Ips emarginatus 549
Ips grandicollis 97, 388, 432
Ips integer 549, 1058
Ips latidens 782, 918
Ips lecontei 432
Ips montanus 813
Ips oregonis 415, 432, 549
Ips pini (pine engraver) 97, 158, 246, 782
Ips ponderosae 432
Ips radiatae 490, 583, 1058
Ips typographus (spruce bark beetle) 125
Ips typographus japonicus 125
Iridomyrmex analis 562
Iridomyrmex humilis (Argentine ant) 219, 561, 760, 816
Ischnoptera deropeltiformis (a woodroach) 226
Iseropus coelebs (an ichneumonid) 219
Isia isabella (banded woollybear) 939, 998
Isodyctium sp. (a sawfly) 353
Itonida sp. 542
Itonida ocellaris (a gall midge) 294, 389
Itoplectis conquisitor (an ichneumonid) 219

J

Janus bimaculatus (a stem sawfly) 5

K

Kalotermes immigrans (a termite) 664
Keiferia lycopersicella (tomato pinworm) 793, 950, 1007, 1043
Keonolla confluens (a leafhopper) 715, 868
Kermes spp. 294, 518, 938
Kermes galliformis 294
Kermes pubescens (oak kermes scale) 113, 552, 586, 633

L

Labena grallator (an ichneumonid) 939
Labidura riparia (an earwig) 317, 1060
Labopidea ainsliei (a mirid) 551
Laemophloeus spp. 714, 815
Laemophloeus ferrugineus See Cryptolestes ferrugineus
Laemophloeus pusillus See Cryptolestes pusillus
Lampetia equestris (narcissus bulb fly) 138, 466
Laphygma sp. 78
Laphygma exigua (beet armyworm) 33, 71, 73, 75, 78, 79, 107, 137, 266, 267, 386, 413, 459, 471, 486, 542, 582, 597, 607, 629, 649, 654, 681, 705, 709, 728, 734, 754, 780, 789, 793, 799, 807, 823, 829, 843, 847, 863, 867, 883, 899, 914, 917, 949, 950, 956, 964, 969, 982, 987, 996, 1000, 1007, 1011, 1024, 1033, 1044, 1060
Laphygma frugiperda (fall armyworm) 11, 33, 36, 37, 89, 91, 95, 97, 112, 115, 174, 178, 181, 196, 199, 202, 203, 291, 293, 365, 478, 533, 570, 590, 591, 597, 613, 614, 622, 637, 638, 642, 661, 662, 671, 689, 690, 698, 716, 717, 725, 740, 741, 746, 761, 762, 770, 787, 788, 798, 814, 815, 823, 829, 834, 835, 836, 841, 843, 844, 853, 854, 861, 872, 880, 883, 890, 893, 907, 913, 918, 923, 929, 941, 948, 956, 961, 969, 977, 980, 987, 1000, 1006, 1011, 1024, 1033, 1044,1052
Lasconotus sp. (a colydiid) 1034
Lasioderma serricorne (cigarette beetle) 6, 94, 295, 659, 851
Lasioptera sp. (a gall midge) 373
Lasioptera vitis 542
Lasius alienus americanus (cornfield ant) 177
Lasius claviger (smaller yellow ant) 239
Lasius interjectus (larger yellow ant) 922
Laspeyresia spp. 443, 940
Laspeyresia caryana (hickory shuckworm) 19, 34, 179, 199, 258, 292, 309, 704, 775, 845, 864, 881, 916, 932, 981, 994, 1018, 1030
Laspeyresia fletcherana 388
Laspeyresia funebrana (plum fruit moth) 72
Latrodectus mactans (black widow spider) 25, 94, 871, 955, 967, 998, 1010, 1051
Lecanium spp. 391, 488, 552
Lecanium cerasorum (calico scale) 737, 794
Lecanium corni (European fruit lecanium) 541, 552, 575, 602, 633, 675, 737
Lecanium corni complex 24, 113, 225, 272, 309, 332, 361, 381, 390, 410, 456, 485, 511, 790
Lecanium coryli 76
Lecanium fletcheri (Fletcher scale) 157, 417, 552, 609, 633
Lecanium kosswigi 74
Lecanium nigrofasciatum (terrapin scale) 157, 225, 410, 492
Lecanium pruinosum 790
Lecanium quercifex 294, 315, 361
Lema californica 604, 870
Lema sayi 998
Lema trilineata (three-lined potato beetle) 157, 384, 485, 543, 576, 659, 705
Lepidechidna acharnias (a lepidopterous larva) 77
Lepidocyrtus sp. 356
Lepidosaphes beckii (purple scale) 49, 72, 107, 200, 235, 364, 750, 791, 802, 846, 882, 932, 1042
Lepidosaphes camelliae (camellia scale) 87, 294, 365, 868
Lepidosaphes ceanothi 152
Lepidosaphes ficus (fig scale) 19, 65, 790
Lepidosaphes gloveri (Glover scale) 72
Lepidosaphes pistaciae 72
Lepidosaphes ulmi (oystershell scale) 24, 72, 93, 117, 120, 123, 143, 157, 218, 238, 270, 315, 391, 485, 492, 511, 575, 586, 656, 758, 803, 850, 904
Lepisma saccharina (silverfish) 78, 94, 158
Leptinotarsa decemlineata (Colorado potato beetle) 24, 37, 92, 96, 99, 123, 137, 142, 156, 175, 176, 179, 285, 293, 310, 333, 354, 384, 394, 410, 459, 485, 512, 543, 576, 603, 624, 648, 705, 730, 751, 775
Leptocoris trivittatus (boxelder bug) 94, 177, 246, 715, 968, 986, 998, 1009
Leptoglossus phyllopus (leaf-footed bug) 198, 292, 354, 511, 512, 543, 864, 898, 934
Leptopterna dolabratus (meadow plant bug) 242, 405

Lerodea eufala (a skipper) 879
Leucaspis japonica (a scale insect) 66, 194
Leucinodes orbonalis (brinjal borer) 76, 715
Limenitis lorquini (an oecophorid) 703
Limonius spp. 119
Limonius californicus (sugar-beet wireworm) 137
Limonius canus (Pacific Coast wireworm) 730
Limothrips spp. 599, 644
Limothrips cerealium (grain thrips) 747
Limothrips denticornis (barley thrips) 620, 672, 942
Lindera tessellatella (a tineid) 999, 1056
Linognathus vituli (long-nosed cattle louse) 121, 1032
Liorhyssus hyalinus (a coreid) 383
Liriomyza spp. 20, 34, 151, 365, 623, 676, 777, 793, 843, 865, 900
Liriomyza langei (pea leaf miner) 650
Liriomyza munda 827, 852, 1007, 1018
Lissorhoptrus oryzophilus (rice water weevil) 33, 36, 181, 452, 479, 505, 537, 570, 620, 644, 671, 727, 799, 823
Listroderes spp. 742
Listroderes costirostris obliquus (vegetable weevil) 66, 93, 108, 131, 132, 151, 170, 176, 179, 193, 236, 260, 291, 293, 355, 357, 365, 382, 461, 486
Listronotus appendiculatus 861
Listronotus oregonensis (carrot weevil) 90, 246, 334, 382, 805
Listrus pardalis (a melyrid) 235
Lithocolletis sp. (a leaf miner) 774
Litoprosopus coachella (a fan palm moth) 794, 852
Livia vernalis (a psyllid) 830
Lixus concavus (rhubarb curculio) 356, 382, 678
Lixus incanescens (a sugar-beet stem borer) 71
Lixus junci (a beet curculionid) 43
Lobesia botrana (vine moth) 73, 79, 1064
Lobiopa insularis (a sap beetle) 216, 357, 461
Lonchaea sp. (a scavenger fly) 791
Longistigma caryae (a hickory aphid) 246, 391, 465, 542, 585, 938
Loxagrotis albicosta (western bean cutworm) 12, 117
Loxosceles reclusa (a brown spider) 785, 851
Loxostege spp. 112, 198, 645, 772, 843, 879, 906, 914
Loxostege commixtalis (alfalfa webworm) 87, 114, 671, 823
Loxostege similalis (garden webworm) 4, 36, 37, 181, 183, 202, 204, 206, 217, 387, 463, 482, 728, 748, 772, 823, 843, 844, 862, 896, 914, 917, 933, 964
Loxostege sticticalis (beet webworm) 12, 23, 117, 122, 123, 141, 270, 377, 454, 487, 507, 513, 544, 577, 604, 627, 645, 650, 677, 741, 777, 793, 805, 896, 917, 970
Lycia ursaria (a geometrid) 113
Lyctoxylon japonum (a lyctid beetle) 393
Lyctus spp. 121, 317
Lyctus brunneus 38
Lyctus planicollis (southern lyctus beetle) 158, 177, 362
Lydella sp. (a parasite) 611
Lydella grisescens 241, 402, 588
Lygus spp. (lygus bugs) 11, 12, 119, 168, 191, 199, 257, 258, 266, 267, 269, 270, 282, 283, 285, 307, 329, 332, 333, 349, 356, 378, 381, 405, 455, 458, 481, 506, 510, 513, 517, 523, 539, 547, 572, 581, 600, 606, 621, 625, 629, 646, 650, 654, 673, 680, 701, 710, 728, 735, 748, 755, 772, 781, 789, 793, 800, 808, 824, 829, 836, 848, 852, 863, 867, 878, 884, 889, 897, 914, 981, 1006, 1030
Lygus elisus 13, 135, 191, 329
Lygus hesperus 13, 135, 257, 329, 705
Lygus lineolaris (tarnished plant bug) 36, 113, 114, 123, 156, 191, 198, 204, 205, 225, 234, 242, 257, 282, 283, 291, 293, 295, 307, 308, 329, 332, 349, 353, 377, 381, 404, 455, 481, 512, 516, 539, 547, 572, 581, 600, 604, 607, 622, 629, 646, 786, 824, 826, 863, 878, 897, 900, 914, 931, 949, 963, 980, 994, 995, 1030, 1031
Lymire edwardsii (an amatid moth) 365
Lytta cyanipennis (a blister beetle) 23

M

Macremphytus sp. (a dogwood sawfly) 741
Macrocentrus ancylivorus (a parasite) 136
Macrocentrus gifuensis 939
Macrodactylus subspinosus (rose chafer) 156, 158, 243, 520, 540, 552, 609, 973
Macrodactylus uniformis 774
Macronoctua onusta (iris borer) 466, 552
Macropsis fuscula (a brambleberry leafhopper) 209
Macrorhoptus sp. (a curculionid) 413
Macrosiphoniella sanborni (chrysanthemum aphid) 360
Macrosiphum barri 107
Macrosiphum granarium (English grain aphid) 3, 9, 11, 23, 71, 111, 116, 120, 122, 129, 135, 140, 149, 167, 192, 197, 203, 213, 232, 242, 255, 266, 269, 279, 304, 345, 371, 402, 452, 479, 504, 537, 569, 665, 672, 700, 747, 1029
Macrosiphum liriodendri (tuliptree aphid) 416, 519
Macrosiphum pisi (pea aphid) 3, 9, 11, 23, 31, 33, 36, 47, 65, 85, 89, 92, 95, 99, 105, 111, 114, 119, 123, 129, 135, 138, 140, 142, 150, 156, 168, 174, 181, 189, 198, 203, 214, 232, 241, 245, 246, 256, 266, 269, 281, 291, 306, 327, 333, 348, 356, 374, 383, 403, 411, 452, 460, 480, 505, 513, 538, 544, 559, 571, 577, 600, 604, 626, 644, 649, 672, 677, 700, 715, 727, 741, 748, 772, 789, 792, 799, 816, 824, 836, 843, 863, 878, 896, 914, 931, 948, 956, 962, 980, 994, 1006, 1030, 1042
Macrosiphum rosae (rose aphid) 143, 157, 238, 242, 287, 294, 336, 360, 391, 465, 520
Macrosiphum sanbornii 586
Macrosiphum solanifolii (potato aphid) 12, 34, 92, 123, 142, 225, 236, 259, 333, 354, 360, 385, 459, 486, 512, 543, 576, 603, 612, 625, 649, 660, 676, 705, 730, 751, 752, 753, 775, 803, 826, 836, 846, 865, 883, 900, 917, 1031, 1042
Macrosteles fascifrons (six-spotted leafhopper) 12, 116, 122, 123, 203, 243, 269, 378, 481, 487, 506, 514, 537, 569, 576, 603, 623, 650, 677, 701, 706, 728, 731, 752, 826, 897, 900
Magicicada septendecim (periodical cicada) 90, 264, 393, 419, 468, 494, 523, 542, 555, 611, 704
Malacosoma spp. 74, 217, 263, 286, 314, 332, 338, 359, 389, 407, 416, 437, 464, 491, 519, 551, 574, 584, 608, 624, 632, 782, 792
Malacosoma americanum (eastern tent caterpillar) 37, 38, 90, 93, 98, 99, 157, 178, 180, 198, 226, 234, 246, 263, 272, 283, 286, 294, 314, 315, 332, 336, 359, 364, 379, 389, 407, 416, 464, 484, 509, 519, 551, 584, 608
Malacosoma constrictum 464, 612
Malacosoma disstria (forest tent caterpillar) 24, 38, 93, 99, 124, 138, 141, 217, 244, 246, 271, 294, 314, 315, 359, 389, 407, 416, 437, 464, 491, 519, 551, 584, 608, 632
Malacosoma fragile* (Great Basin tent caterpillar) 24, 359, 425, 437, 491, 551, 608
Malacosoma pluviale (western tent caterpillar) 138, 551
Margarodes sp. (a ground pearl) 1005
Marmara spp. (gracilariids) 995, 1010
Masonaphis rhododendri (a rhododendron aphid) 794
Mansonia perturbans (a mosquito) 90, 272, 685
Matsucoccus gallicolus (a scale insect) 758
Matsucoccus paucicicatrices 1043
Matsucoccus resinosae (red-pine scale) 444
Meconema thalassinum (a katydid) 889

*Carried in Vol. 9 as M. fragalis

Megacyllene robiniae (locust borer) 656, 783
Megalopyge opercularis (puss caterpillar) 38, 757, 966
Megastigmus rafni (a seed chalcid) 336
Megastigmus spermotrophus (a fir seed chalcid) 443, 885
Megatoma sp. (a dermestid) 139
Melanagromyza simplex (asparagus miner) 412
Melanagromyza splendida (a leaf miner) 559
Melanocallis caryaefoliae (black pecan aphid) 34, 37, 292, 575, 794, 825, 899, 950
Melanophila californica (a flat-headed borer) 431
Melanoplus spp. (grasshoppers) 11, 12, 111, 266, 287, 371, 449, 477, 501, 533, 565, 596, 617, 641, 669, 697, 745, 769, 827, 880
Melanoplus alpinus 697, 769
Melanoplus bilituratus (migratory grasshopper) 3, 23, 111, 115, 118, 122, 189, 196, 204, 242, 326, 365, 371, 401, 419, 449, 477, 501, 533, 565, 596, 617, 641, 669, 697, 745, 769, 797, 836, 842, 861, 862, 895, 947, 962, 982
Melanoplus bivitattus (two-striped grasshopper) 115, 118, 119, 121, 140, 196, 204, 242, 269, 326, 401, 419, 449, 477, 501, 533, 555, 565, 596, 617, 669, 697, 745, 769, 821, 836, 861, 862, 895, 947, 1005
Melanoplus borealis 242, 697, 769, 993
Melanoplus borealis palaceus 993
Melanoplus bruneri 697, 769
Melanoplus confusus 371, 401, 565, 617
Melanoplus cuneatus 401, 449
Melanoplus devastator (devastating grasshopper) 533, 542, 641, 669
Melanoplus differentialis (differential grasshopper) 115, 118, 119, 204, 269, 292, 326, 401, 449, 501, 533, 555, 565, 596, 641, 669, 697, 745, 769, 797, 862, 880, 947, 982
Melanoplus femur-rubrum (red-legged grasshopper) 115, 118, 122, 204, 242, 269, 292, 371, 401, 449, 533, 565, 596, 617, 669, 697, 725, 745, 769, 797, 821, 836, 842, 862, 880, 895, 947, 982, 1005
Melanoplus femur-rubrum propinquus 365
Melanoplus foedus 115, 617
Melanoplus lakinus 861
Melanoplus occidentalis 115
Melanoplus packardii (Packard grasshopper) 196, 501, 617, 641, 725, 769, 947
Melanoplus repetinus 993
Melanoplus viridipes 242
Melanotus spp. (wireworms) 115, 202, 452, 536
Melasoma populi (poplar leaf beetle) 73
Meligethes nigrescens (a nitidulid) 311, 706, 728, 731
Melipotis acontioides (a noctuid) 86, 108, 365
Melissopus latiferreanus (filbert-worm) 729
Melittia cucurbitae (squash vine borer) 678
Melophagus ovinus (sheep ked) 100, 154, 263, 268, 337, 361, 467, 634, 887, 940
Menacanthus stramineus (chicken body louse) 998
Menopon gallinae (shaft louse) 158
Merisus destructor (a parasite) 116
Mermiria spp. (grasshoppers) 565
Mermiria maculipennis 669
Meromyza spp. 452
Meromyza americana (wheat stem maggot) 204, 452, 644, 727
Mesogramma polita (a syrphid) 798, 812
Metoponia rubriceps (a sod fly) 1029, 1056
Metoponium spp. (darkling beetles) 107
Metriona bicolor (golden tortoise beetle) 514, 578
Miccotrogus picirostris (clover seed weevil) 140, 673
Micromyzus formosanus (an aphid) 813
Microphanurus semistriatus (a senn pest parasite) 74
Microtermes obesi (a termite) 75, 76
Microtheca ochroloma (yellow-margined leaf beetle) 66, 131, 355
Mindarus abietinus (balsam twig aphid) 157, 550
Mocis spp. (grassworms) 880, 895, 913, 961
Mocis latipes 913, 956, 969, 980, 982
Monarthropalpus buxi (boxwood leaf miner) 93, 108, 152, 157, 218, 237, 315, 336, 390, 417, 493, 552
Monarthrum dentiger (a bark beetle) 218
Monarthrum fasciatum 888
Monarthrum mali 389
Monellia spp. (aphids) 825, 932
Monellia caryae 199
Monellia costalis (black-margined aphid) 198, 852, 899, 932, 950, 1006
Monocesta coryli (larger elm leaf beetle) 656, 810
Monochamus titillator (southern pine sawyer) 177
Monoctenus melliceps (a conifer sawfly) 519
Monomorium pharaonis (Pharaoh ant) 177, 226, 968
Monophadnoides geniculatus (raspberry sawfly) 156, 270
Mordwilkoja vagabunda (poplar vagabond aphid) 25
Murgantia histrionica (harlequin bug) 12, 175, 198, 215, 285, 293, 355, 360, 378, 384, 411, 417, 460, 487, 494, 514, 545, 604, 626, 650, 677, 685, 706, 731, 747, 752, 804, 982, 1043, 1052
Musca autumnalis (face fly) 171, 634, 657, 686, 713, 719, 737, 741, 759, 784, 786, 810, 813, 832, 850, 869, 886, 904, 921, 988, 1009, 1022
Musca domestica (house fly) 28, 35, 78, 94, 98, 100, 118, 143, 180, 200, 268, 553, 720, 741, 784, 811, 813, 850, 886, 921, 985, 988, 1044
Musca sorbens (a noxious muscid fly) 27
Musca vetustissima (bush fly) 27
Mycetococcus ehrhorni (a scale insect) 336
Mycetophagus obsoletus (a hairy fungus beetle) 939
Mycetophagus quadriguttatus 226
Mycodiplossis alternata (dogwood club-gall midge) 390
Myelois ceratoniae (a phycitid) 79
Myiopardalis pardalina (Baluchistan melon fly) 70, 71
Myodocha serripes (a lygaeid) 488
Myzocallidium riehmi See Therioaphis riehmi
Myzocallis spp. (aphids) 712
Myzocallis castanicola 49
Myzocallis coryli 353, 382
Myzocallis kahawaluokalani (crape-myrtle aphid) 712
Myzocallis pulchellus 712
Myzocallis punctata 938
Myzocallis robiniae 586
Myzocallis ulmifollii (elm leaf aphid) 25, 113, 200, 390, 712, 783
Myzus sp. 571
Myzus anselliae 663
Myzus ascalonicus (shallot aphid) 137, 155, 678
Myzus cerasi (black cherry aphid) 24, 141, 225, 267, 282, 331, 352, 380, 408, 457, 465, 484, 510, 542, 575, 675
Myzus hemerocallis 38
Myzus persicae (green peach aphid) 12, 20, 70, 76, 89, 92, 93, 97, 107, 123, 137, 141, 142, 151, 156, 169, 179, 193, 199, 215, 235, 236, 242, 260, 282, 285, 307, 331, 334, 352, 354, 357, 365, 380, 385, 386, 409, 455, 457, 459, 465, 486, 510, 512, 515, 520, 541, 543, 545, 574, 576, 579, 602, 603, 605, 612, 624, 625, 627, 649, 651, 660, 676, 678, 688, 704, 705, 707, 730, 731, 732, 751, 753, 775, 776, 778, 792, 803, 804, 805, 826, 846, 865, 883, 899, 917, 932, 933, 949, 950, 981, 995, 1031, 1042

Myzus solani (foxglove aphid) 385, 512, 612, 625, 649, 676, 705, 730, 751, 775, 803, 826, 1051

N

Nabis alternatus (a damsel bug) 139
Nabis ferus 836
Nabis subcoleoptratus 554
Nacerdes melanura (wharf borer) 94, 393
Nadata gibbosa 903
Nasonovia ribis-nigri (an aphid) 995
Necrobia rufipes (red-legged ham beetle) 22, 98
Nematus ribesii (imported currant-worm) 141
Nematus ventralis (willow sawfly) 123, 417, 491, 551
Nemobius fasciatus (a cricket) 833
Nemocestes incomptus (a broad-nosed weevil) 1043
Neoborus amoenus (ash plant bug) 24, 464, 632, 783
Neoborus illitus 524, 794
Neoborus pacificus 713
Neoclytus capraea (an ash tree borer) 906
Neoconocephalus sp. (a cone-headed grasshopper) 596
Neoconocephalus robustus 1060
Neodiprion spp. 38, 97, 170, 183, 217, 237, 388, 415, 438, 464, 517, 683, 783, 1021
Neodiprion abbotti 365, 438
Neodiprion abietis (balsam-fir sawfly) 143
Neodiprion burkei (lodgepole sawfly) 996
Neodiprion compar 365, 438
Neodiprion excitans 365, 438, 683, 757, 903, 1031
Neodiprion exitans (incorrect spelling of N. excitans
Neodiprion fulviceps 438
Neodiprion gillettei 655
Neodiprion lecontei (red-headed pine sawfly) 34, 38, 180, 244, 246, 271, 294, 365, 438, 517, 608, 683, 711, 756, 783, 830, 849, 902, 920, 951, 983, 997, 1008, 1021
Neodiprion nanulus (red-pine sawfly) 246, 415, 550, 584, 683
Neodiprion pinetum (white-pine sawfly) 438, 983
Neodiprion pratti 683, 919, 920
Neodiprion pratti banksianae (jack-pine sawfly) 272, 438, 464
Neodiprion pratti paradoxicus 438, 683
Neodiprion pratti pratti 93, 173, 176, 217, 263, 314, 336, 338, 359, 389, 415, 438, 464, 467
Neodiprion sertifer (European pine sawfly) 246, 389, 438, 497, 517, 550, 608, 682, 783
Neodiprion swainei (Swaine jack-pine sawfly) 272, 683, 830
Neodiprion taedae 93
Neodiprion taedae linearis 438, 491
Neodiprion tsugae (hemlock sawfly) 262
Neodiprion virginiana complex 243
Neolecanium cornuparvum (magnolia scale) 38, 868
Neolygus caryae (hickory plant bug) 225, 484
Neolygus omnivagus 225, 484
Neolygus quercalbae 225, 484
Neophasia menapia (pine butterfly) 436
Nephelodes emmedonia (bronzed cut-worm) 280, 347, 373, 394, 403, 419, 478, 503, 836
Nepticula juglandifoliella (a leaf miner) 458
Neurocolpus nubilus (a plant bug) 183, 934
Neurotoma fasciata (a web-spinning sawfly) 758
Neurotoma inconspicua (plum web-spinning sawfly) 510
Neuroterus saltatorius (a gall wasp) 794
Nezara viridula (southern green stink bug) 74, 80, 179, 185, 292, 303, 365, 373, 488, 503, 536, 545, 568, 650, 678, 842, 898
Nilotaspis halli (Hall scale) 72, 308, 456, 602, 704
Noctuelia rufofascialis (a caterpillar) 490
Nodonota puncticollis (rose leaf beetle) 143
Nomia melanderi (alkali bee) 139, 144, 268, 522, 588, 659, 714, 760, 812, 870
Nomophila noctuella (a pyraustid) 87, 728, 823, 843, 862, 879, 906, 948, 1018
Norape cretata (a flannel moth) 177
Nymphalis antiopa (mourning-cloak butterfly) 24, 243, 267, 389, 519
Nymphalis californica (California tortoise-shell) 491, 685, 737, 966
Nysius spp. (false chinch bugs) 12, 85, 268, 291, 347, 356, 405, 412, 451, 460, 482, 504, 539, 599, 672, 831, 871, 940
Nysius delectus 664
Nysius ericae (false chinch bug) 329, 386, 484, 489, 513, 539, 542, 548, 672, 700, 715, 824, 836, 940
Nysius raphanus 33, 405, 414, 463, 672, 940, 986

O

Oberea spp. (roundheaded wood borers) 150, 589
Oberea bimaculata (raspberry cane borer) 270, 385
Oberea myops 174
Oberea tripunctata (dogwood twig borer) 158
Ocneria terebynthina (a hairy caterpillar) 72
Odonaspis ruthae (a scale insect) 31, 87, 570, 1005
Odontaleyrodes rhododendri (a whitefly) 315
Odontopus calceatus (a weevil) 416
Odontotermes obesus (a termite) 76
Oebalus pugnax (rice stink bug) 33, 36, 181, 346, 373, 402, 452, 479, 537, 599, 620, 644, 799, 823, 930, 977
Oecanthus spp. 199
Oecanthus niveus (snowy tree cricket) 198
Oeciacus vicarius (swallow bug) 25, 144
Oedaleonotus sp. (a grasshopper) 533
Oedaleonotus enigma 213, 477, 669, 745
Oestrus ovis (sheep bot fly) 144, 985
Oiketicus townsendi (a psychid) 920
Oligonychus spp. (spider mites) 633, 771
Oligonychus aceris 809, 852, 1058
Oligonychus afrasiaticus (Old World date mite) 73
Oligonychus bicolor 688
Oligonychus boudreauxi 758
Oligonychus gramineus 880
Oligonychus ilicis (southern red mite) 32
Oligonychus milleri 293, 415, 491, 683
Oligonychus newcomeri 850
Oligonychus platani 1022
Oligonychus pratensis (date mite) 111, 129, 325, 345, 373, 452, 504, 1029
Oligonychus punicae 168, 790, 952, 1022
Oligonychus stickneyi 569
Oligonychus ununguis 25, 226, 391, 441, 520, 553, 586, 683
Oligonychus yothersi (avocado red mite) 19
Olla abdominalis (a lady beetle) 201
Ollarianus strictus (a leafhopper) 539
Ommatissus binotatus (a fulgorid) 70, 73
Oncideres cingulata (twig girdler) 174, 192, 868, 920, 938, 994, 1006, 1018
Onychiurus armatus (a springtail) 356, 466
Onychiurus fimetarius 356, 466
Orchamoplatus mammaeferus (a white-fly) 908
Orchelimum sp. (a grasshopper) 36
Orius spp. (flower bugs) 219, 658, 687, 785, 870, 888, 906, 968

Orius insidiosus 184, 362, 418, 419, 522, 554, 888
Orius tristicolor 139, 658, 785
Ornithodoros coriaceus (a tick) 889
Ornithodoros kelleyi 87
Ornithonyssus bacoti (tropical rat mite) 32, 94, 108, 154, 938
Ornithonyssus sylviarum (northern fowl mite) 22, 121, 177, 738
Orosius albicinctus (a sesame leafhopper) 73
Orthezia insignis (greenhouse orthezia) 559
Orthotomicus caelatus (a bark beetle) 935
Oryctes elegans (date stem borer) 73
Oryzaephilus surinamensis (saw-toothed grain beetle) 25, 35, 38, 68, 80, 94, 100, 121, 139, 144, 154, 158, 171, 177, 195, 200, 226, 238, 295, 554, 815, 887, 905, 922, 985, 1059
Otobius sp 1032
Otobius megnini (ear tick) 200, 554, 967

P

Pachydiplosis oryzae (rice stem gall midge) 1035
Pachylobius spp. (weevils) 433
Pachylobius picivorus (a pine weevil) 293
Pachynematus spp. (sawflies) 304, 345, 479
Pachynematus sporax 479
Pachypsylla spp. 940
Pachypsylla celtidis-mamma (hackberry nipple gall) 113
Pachypsylla celtidis-vesicula 113
Palaeopus sp. (a yam weevil) 940
Palaeopus costicollis 940
Paleacrita sp. (a cankerworm) 551
Paleacrita longiciliata 584
Paleacrita vernata (spring cankerworm) 113, 117, 152, 198, 308, 314, 336, 360, 389, 416, 464, 491, 631
Pangaeus sp. (a burrowing bug) 178
Panonychus citri (citrus red mite) 49, 72, 77, 308, 331, 364, 575, 602, 730, 750, 790, 802, 846, 882, 932, 1022, 1042
Panonychus ulmi (European red mite) 70, 77, 89, 92, 99, 112, 120, 136, 174, 179, 224, 242, 283, 308, 331, 352, 379, 408, 456, 457, 483, 509, 510, 541, 574, 601, 623, 647, 674, 703, 729, 741, 749, 786, 825, 845, 881, 950, 981
Pantographa limata (basswood leaf roller) 830
Pantomorus godmani (Fuller rose beetle) 585, 750, 791, 949
Papaipema nebris (stalk borer) 157, 175, 199, 206, 292, 503, 512, 517, 535, 543, 567, 578, 599, 627, 670, 842
Papilio cresphontes (orange-dog) 602, 850
Papilio demoleus demodocus (a swallowtail) 80
Paraclemensia acerifoliella (maple leaf cutter) 444, 782
Parallelodiplosis florida (a gall midge) 113
Paralobesia viteana (grapeberry moth) 205, 676, 750, 845, 899
Paramyelois transitella (navel orangeworm) 3, 19, 792, 981, 1006
Paranthrene robiniae (a sesiid) 218
Parasa indetermina (stinging rose caterpillar) 955
Paratrioza cockerelli (potato psyllid) 12, 13, 34, 117, 123, 267, 310, 384, 385, 410, 459, 486, 512, 543, 576, 603, 625, 676, 705, 731, 751, 793, 803, 826, 852, 865, 883, 900, 917
Parcoblatta pennsylvanica (a wood roach) 226
Pardalophora apiculata (a grasshopper) 255
Paria sp. (a strawberry rootworm) 175, 917, 934
Parlatoria blanchardi (parlatoria date scale) 79
Parlatoria camelliae 87
Parlatoria oleae (olive scale) 49, 72, 76, 77, 85, 150, 258, 263, 417, 791, 950, 994, 1006
Parlatoria pergandii (chaff scale) 72
Parlatoria pittospori 336
Parlatoria ziziphus 72, 79
Pealius azaleae (azalea whitefly) 390, 492
Pectinophora gossypiella (pink bollworm) 4, 10, 31, 34, 50, 75, 76, 80, 132, 151, 199, 206, 237, 267, 294, 312, 358, 463, 490, 581, 606, 629, 652, 680, 709, 715, 734, 741, 754, 780, 807, 848, 867, 884, 901, 908, 917, 934, 951, 965, 982, 996, 1000, 1019, 1057
Pediculus humanus capitis (head louse) 75
Pediculus humanus humanus (body louse) 75
Pegomya hyoscyami (spinach leaf miner) 24, 71, 142, 226, 487, 513, 545, 626, 650, 805
Pemphigus betae (sugar-beet root aphid) 900
Pemphigus bursarius 792
Pemphigus populi-caulis 712
Pemphigus populi-transversus (poplar-petiole gall aphid) 4, 20, 25, 50, 66, 293, 633, 685, 903, 997
Pentatrichopus fragaefolii (strawberry aphid) 86, 385, 707, 1007
Penthaleus major (winter grain mite) 31, 33, 65, 85, 129, 149, 167, 192, 197, 203, 213, 255, 280, 1029, 1041, 1049
Peregrinus maidis (corn planthopper) 559
Periclista sp. (a sawfly) 410
Peridroma margaritosa (variegated cutworm) 11, 12, 33, 96, 112, 137, 172, 175, 195, 196, 199, 204, 220, 240, 246, 256, 265, 285, 290, 294, 303, 311, 318, 339, 346, 363, 377, 383, 395, 406, 420, 421, 454, 463, 470, 471, 478, 484, 495, 496, 503, 524, 525, 535, 544, 557, 558, 568, 590, 591, 613, 637, 638, 661, 662, 689, 690, 716, 717, 734, 740, 741, 761, 762, 787, 788, 814, 815, 834, 835, 853, 854, 872, 890, 907, 923, 941, 969, 987, 1000, 1011, 1024, 1033, 1044, 1052, 1060
Perilampus hyalinus (a perilampid parasite) 983
Perillus bioculatus (two-spotted stink bug) 139
Periphyllus lyropictus (Norway-maple aphid) 246, 360, 633, 685
Periphyllus negundinis (boxelder aphid) 287, 391, 465
Periphyllus populicola 609, 850
Periplaneta americana (American cockroach) 78, 98
Petrobia latens (brown wheat mite) 9, 11, 33, 65, 111, 167, 197, 213, 280, 304, 325, 345, 373, 537, 599, 678, 993
Petrova sp. (a pitch twig moth) 25
Phanerotoma sp. (a braconid parasite) 74
Phenacaspis natalensis 263
Phenacaspis pinifoliae (pine needle scale) 25, 51, 93, 117, 121, 123, 143, 157, 194, 218, 238, 272, 286, 294, 315, 441, 465, 492, 517, 550, 631, 786, 809, 997
Phenacoccus spp. (mealybugs) 758, 921
Phenacoccus gossypii (Mexican mealybug) 32, 309
Phenacoccus hirsutus (hibiscus mealybug) 1001
Phenacoccus solenopsis 200
Philgalia titea (a geometrid) 99, 608
Philaenus sp. 245
Philaenus leucophthalmus (meadow spittlebug) 89, 91, 95, 99, 156, 189, 224, 241, 269, 282, 306, 329, 335, 349, 357, 376, 385, 404, 454, 482, 506, 539, 571, 645, 651, 855, 878, 897, 931, 948
Phlibostroma quadrimaculatum (a grasshopper) 115, 196, 326, 401, 501, 555, 617
Phloeomyzus passerinii (a poplar trunk aphid) 73
Phloeosinus cristatus (a bark beetle) 132, 867, 952
Phloeosinus cupressi 1059
Phloeosinus dentatus 464, 935
Phobetron pithecium (hag moth) 810, 830, 869
Pholus achemon (achemon sphinx) 730
Phormia sp. (a blow fly) 832

Phormia regina (black blow fly) 316
Phorodon humuli (hop aphid) 495, 545, 578
Phryganidia californica (California oakworm) 86, 551, 584, 794
Phthirus pubis (crab louse) 70
Phyllaphis fagi (a beech aphid) 157
Phyllobius intrusus (arborvitae weevil) 158, 552
Phyllocnistis citrella (a citrus leaf miner) 72
Phyllocnistis populiella 25, 443
Phyllocoptruta oleivora (citrus rust mite) 72, 77, 364, 675, 750, 790, 802, 846, 882, 933, 1042
Phyllonorycter sp. (a gracilariid) 849
Phyllophaga spp. (May beetles, white grubs) 112, 138, 174, 224, 244, 270, 289, 292, 360, 389, 410, 416, 446, 464, 484, 621, 895, 977
Phyllophaga bruneri 621, 636, 659, 684
Phyllophaga ephilida 973
Phyllophaga hirticula 479
Phyllophaga rubiginosa 1042
Phyllotreta spp. 92, 151, 259, 411, 648, 705, 776, 883
Phyllotreta armoraciae (horseradish flea beetle) 648
Phyllotreta cruciferae 90, 384, 513
Phyllotreta pusilla (western black flea beetle) 23, 142, 214, 1050
Phyllotreta striolata (striped flea beetle) 99, 243, 311, 413, 462, 513, 544, 625, 677, 705
Phylloxera sp. 174
Phylloxera devastatrix (pecan phylloxera) 258, 458, 484
Phylloxera notabilis (pecan leaf phylloxera) 199
Phylloxera popularia 831
Phylloxera vitifoliae (grape phylloxera) 542, 791
Physokermes insignicola (a pine scale) 794
Physokermes piceae (spruce bud scale) 157, 552, 794, 952
Phytomyza sp. 336
Phytomyza ilicicola (native holly leaf miner) 238, 287, 336
Phytomyza ilicis (holly leaf miner) 315
Phytomyza nigra (a grass stem miner) 347
Phytomyza rufipes (cabbage leaf miner) 1007
Phytophaga destructor (hessian fly) 11, 23, 47, 77, 96, 111, 116, 203, 303, 373, 504, 537, 569, 599, 620, 644, 672, 727, 771, 822, 841, 861, 893, 913, 961, 993, 1017, 1041
Phytophaga rigidae (a willow gall midge) 391
Phytoptus hedericola (an eriophyid mite) 1050
Pieris brassicae (cabbage butterfly) 71, 76
Pieris protodice (southern cabbageworm) 236, 355, 984
Pieris rapae (imported cabbageworm) 24, 37, 70, 71, 92, 96, 142, 157, 175, 179, 225, 243, 285, 293, 311, 355, 384, 411, 513, 544, 578, 626, 650, 677, 706, 777, 793, 804, 827, 836, 847, 916, 982, 995
Pikonema alaskensis (yellow-headed spruce sawfly) 271, 584, 631
Pilocrocis tripunctata (sweetpotato leaf roller) 37
Pineus sp. 885
Pineus coloradensis 442, 965
Pineus pinifoliae (pine leaf aphid) 442, 465, 492
Pineus strobi (pine bark aphid) 99, 120, 246, 272, 286, 336, 359, 388, 442, 492, 517, 584, 655, 682
Pinnaspis aspidistrae (a scale insect) 200
Pissodes sp. 433
Pissodes approximatus (a pine weevil) 246, 359, 433
Pissodes engelmanni (Engelmann spruce weevil) 550, 996
Pissodes nemorensis (deodar weevil) 220, 294, 388
Pissodes strobi (white-pine weevil) 97, 158, 217, 244, 246, 272, 359, 388, 415, 433, 464, 550, 583, 631, 682, 711, 736, 756, 782, 809, 952, 1021
Pityophthorus sp. (a bark beetle) 267
Pityophthorus nitidulus 21
Pityophthorus opaculus 935
Plagiodera versicolora (imported willow leaf beetle) 157, 315, 551, 585, 609, 684, 850
Plathypena scabra (green cloverworm) 90, 91, 92, 95, 114, 174, 198, 204, 232, 256, 292, 329, 377, 406, 482, 540, 573, 622, 646, 674, 702, 729, 749, 773, 800, 804, 824, 844, 862, 877, 896, 915, 931, 978
Platycleis tessellata (a shield bearer cricket) 105, 524, 537, 1051
Platynota sp. 680
Platynota stultana (a leaf roller) 329, 336, 541, 547, 607, 654, 734, 781, 808, 829, 852, 896
Platyphytoptus sabinianae (an eriophyid mite) 952
Platyptilia carduidactyla (artichoke plume moth) 487, 604, 793
Platypus spp. (bark beetles) 885
Plectrodera scalator (cottonwood borer) 656
Plesiothrips perplexus (a thrips) 747
Plodia interpunctella (Indian-meal moth) 6, 22, 35, 68, 94, 113, 121, 177, 200, 226, 288, 295, 554, 714, 759, 851, 905, 955, 1023
Plutella maculipennis (diamondback moth) 12, 24, 37, 71, 76, 96, 123, 131, 151, 168, 175, 179, 193, 231, 236, 260, 293, 355, 384, 513, 545, 677, 776, 847
Podapion sp. 1064
Podapion gallicola (pine gall weevil) 388, 736, 1064
Podosesia syringae fraxini (ash borer) 935
Pogonomyrmex spp. 815, 862
Pogonomyrmex barbatus (red harvester ant) 35, 198, 201, 338, 393, 468, 999
Pogonomyrmex maricopa barnesi 998
Pogonomyrmex occidentalis (western harvester ant) 644
Polia legitima (striped garden caterpillar) 150
Polistes spp. (vespids) 938
Pollenia rudis (cluster fly) 25, 158, 219, 226
Pollinia pollini (a scale insect) 78
Polyphylla sp. (a June beetle) 739
Popillia japonica (Japanese beetle) 90, 94, 95, 96, 99, 157, 174, 175, 176, 224, 273, 294, 338, 456, 466, 494, 519, 555, 574, 588, 598, 601, 609, 611, 619, 624, 632, 635, 643, 659, 676, 685, 687, 702, 707, 714, 726, 758, 786, 812, 870, 888, 914, 922, 930, 973
Porthetria dispar (gypsy moth) 51, 73, 100, 152, 157, 194, 416, 440, 584, 586, 608, 684, 711, 809, 885, 966, 1058
Praon palitans (a braconid) 74, 219, 264, 266, 268, 362, 393, 522, 555, 636, 659, 660, 789, 922
Prays oleellus (olive moth) 77
Premnotrypes sp. (a weevil) 1064
Prionopelta sp. (an ant) 852
Prionoxystus robiniae (carpenterworm) 24, 511, 794, 1021
Prionus sp. (a cerambycid) 930, 961
Prionus californicus (California prionus) 131, 234
Priophorus pallipes (a sawfly) 995
Pristiphora californica (California pear-slug) 353, 381
Pristiphora erichsonii (larch sawfly) 243, 271, 441, 550, 612, 631, 683, 711, 736, 757, 782, 830, 1010
Prociphilus fraxini-dipetalae 656
Prociphilus fraxinifolii (a leafcurl ash aphid) 585, 586
Prociphilus imbricator (beech blight aphid) 831, 868
Prociphilus tessellatus (woolly alder aphid) 492, 518, 551, 585, 609, 633, 656
Prodenia spp. (armyworms) 364, 1050
Prodenia eridania (southern armyworm) 365
Prodenia litura (Egyptian cottonworm, tomato caterpillar) 71, 73, 78, 79, 765

Prodenia ornithogalli (yellow-striped armyworm) 37, 93, 95, 97, 109, 132, 134, 155, 172, 173, 195, 202, 220, 240, 265, 285, 290, 291, 318, 339, 363, 387, 395, 420, 421, 463, 470, 471, 496, 524, 525, 533, 557, 558, 582, 599, 642, 702, 728, 800, 822, 827, 836, 844, 847, 889, 897, 914, 917, 931, 933, 949, 951, 956, 969, 978, 987, 994, 1000, 1011, 1024, 1033, 1044, 1050, 1060
Profenusa canadensis (a sawfly) 519
Proleucoptera albella (a cottonwood leaf miner) 25, 997
Prolimacodes badia (a limacodid) 830
Propylaea quaturordecimpunctata (a coccinellid predator) 74
Prosimulium hirtipes complex (black flies) 337
Prospaltella clypealis (a parasite) 802
Prospaltella smithi 321
Protaetia fusca (a scarab) 559
Proteoterus sp. 25
Proteoteras aesculana (an olethruetid) 491
Protoparce spp. (hornworms) 92, 93, 97, 175, 515, 545, 579, 605, 625, 627, 651, 679, 707, 731, 751, 752, 776, 778, 805, 828, 846, 864, 883, 924
Protoparce quinquemaculata (tomato hornworm) 13, 37, 175, 179, 318, 363, 365, 383, 395, 413, 420, 421, 470, 471, 496, 515, 524, 525, 557, 558, 590, 591, 613, 614, 637, 638, 649, 661, 662, 689, 690, 716, 717, 740, 741, 751, 761, 762, 787, 788, 793, 814, 815, 834, 835, 846, 853, 854, 872, 890, 907
Protoparce sexta (tobacco hornworm) 179, 286, 290, 363, 365, 395, 420, 421, 470, 471, 496, 515, 524, 525, 557, 558, 590, 591, 613, 614, 637, 638, 661, 662, 689, 690, 716, 717, 740, 741, 761, 762, 787, 788, 814, 815, 827, 834, 835, 836, 853, 854, 872, 890, 899, 907
Protopulvinaria pyriformis (pyriform scale) 49, 235, 309, 410
Protorthodes rufula (a noctuid) 951
Psallus seriatus (cotton fleahopper) 34, 182, 199, 295, 387, 414, 462, 489, 516, 547, 581, 607, 630, 654, 710
Pseudaletia unipuncta (armyworm) 10, 22, 23, 32, 33, 35, 52, 66, 75, 88, 89, 91, 95, 109, 112, 116, 119, 122, 134, 155, 156, 172, 174, 178, 181, 195, 196, 202, 220, 240, 241, 245, 255, 265, 266, 269, 279, 290, 304, 318, 339, 346, 363, 372, 377, 395, 420, 421, 451, 470, 471, 478, 495, 496, 503, 524, 525, 533, 557, 558, 570, 590, 591, 597, 613, 614, 620, 637, 638, 643, 661, 662, 671, 689, 690, 699, 716, 717, 740, 741, 761, 762, 777, 787, 788, 789, 793, 798, 814, 815, 823, 834, 835, 841, 853, 854, 872, 880, 890, 895, 907, 923, 929, 941, 942, 956, 969, 987, 993, 1000, 1011, 1024, 1033, 1044, 1052, 1060
Pseudaonidia paeoniae (a scale insect) 586
Pseudaulacaspis pentagona (white peach scale) 93, 152, 170, 174, 215, 238, 283, 292, 364, 410, 510, 520, 656, 921, 938, 1059
Pseudocneorhinus bifasciatus (a Japanese weevil) 93, 685
Pseudococcus spp. (mealybugs) 174
Pseudococcus adonidum (long-tailed mealybug) 774, 791
Pseudococcus aurilanatus 21
Pseudococcus citri (citrus mealybug) 87, 730, 791
Pseudococcus eriogoni 217
Pseudococcus malacearum 51, 65, 258, 309, 775, 803
Pseudococcus maritimus (grape mealybug) 226, 382, 409, 484, 664, 676, 791, 981
Pseudococcus montanus 816
Pseudococcus nipae 997
Pseudohazis eglanterina (a saturniid) 849
Pseudohylesinus spp. (silver-fir beetles) 433
Pseudolynchia canariensis (pigeon fly) 938
Pseudopityophthorus pruinosus (a scolytid) 966
Psila rosae (carrot rust fly) 137
Psorophora spp. (mosquitoes) 94, 869, 886
Psorophora ciliata 657
Psorophora confinnis 886
Psorophora cyanescens 657
Psorophora discolor 657
Psorophora ferox 831
Psorophora horrida 610
Psorophora varipes 831
Psoroptes equi ovis (sheep scab mite) 52, 98, 154, 218, 1023, 1059
Psorosina hammondi (apple leaf skeletonizer) 886
Psylla buxi (boxwood psyllid) 93, 390
Psylla pyricola (pear psylla) 85, 136, 192, 235, 308, 332, 353, 381, 408, 510, 624, 675, 703, 750, 786, 794, 802, 845, 898, 932
Psylla uncatoides 794, 984, 1043
Pterocholorus persicae (an aphid) 74, 76
Pterocomma spp. (aphids) 712
Pterocomma bicolor 586
Pterocomma pseudopopulea 492
Ptinus clavipes (brown spider beetle) 133, 155, 245
Ptinus ocellus 52, 1023
Pulex irritans (human flea) 658, 759, 851, 985
Pulvinaria acericola 633
Pulvinaria aurantii (orange pulvinaria scale) 72
Pulvinaria ericicola 552
Pulvinaria floccifera (yew scale) 72
Pulvinaria innumerabilis (cottony maple scale) 123, 143, 172, 272, 390, 466, 520, 552, 575, 609, 656, 737, 809
Pulvinaria psidii (green shield scale) 315
Pulvinaria vitis 172
Puto sp. (a mealybug) 441
Pyragropsis buscki (an earwig) 999
Pyralis farinalis (meal moth) 94, 144, 316, 905
Pyrausta nubilalis (European corn borer) 9, 36, 53, 70, 71, 73, 77, 89, 91, 92, 95, 96, 99, 112, 116, 119, 122, 156, 167, 173, 174, 175, 178, 181, 189, 196, 202, 203, 206, 213, 224, 231, 241, 245, 268, 279, 291, 304, 319, 326, 333, 347, 363, 373, 383, 402, 411, 450, 459, 477, 486, 502, 512, 534, 535, 543, 566, 577, 596, 603, 625, 641, 670, 676, 697, 715, 726, 731, 745, 751, 769, 776, 797, 804, 813, 815, 822, 827, 841, 846, 861, 865, 871, 879, 893, 913, 916, 921, 929, 933, 947, 961, 977, 1005, 1017
Pyrilla perpusilla (sugarcane pyrilla) 75
Pyroderces rileyi (pink scavenger caterpillar) 171
Pyrota mylabrina (a blister beetle) 23

R

Rachiplusia ou (a looper) 578, 678
Radopholus similis (burrowing nematode) 49, 803
Raillietia auris (a mite) 238
Ramosia bibionipennis (strawberry crown moth) 408, 1050
Ramosia rhododendri (rhododendron borer) 158, 194
Ramosia tipuliformis (currant borer) 21
Raphidopalpa foveicollis (red pumpkin beetle) 70, 71, 76
Rasahus thoracicus (a reduviid) 889, 1009
Recurvaria spp. (pine needle miners) 436
Recurvaria milleri (lodgepole needle miner) 436, 830, 1050
Recurvaria pistacicola (a gelechiid nut borer) 72
Reduvius personatus (masked hunter) 634, 714, 811
Reticulitermes spp. (termites) 268, 317, 362, 393
Reticulitermes flavipes (eastern subterranean termite) 90, 94, 133, 155, 158, 171, 177, 219, 226, 264, 272, 288, 362, 393, 468, 612, 813
Reticulitermes hageni 6, 239

Reticulitermes hesperus (western subterranean termite) 52, 289, 317, 362, 393, 419, 922
Reticulitermes tibialis 25, 239
Reticulitermes virginicus 177
Retinodiplosis spp. (pine resin midges) 294, 314, 682, 757, 996
Retinodiplosis inopis 682, 794, 867, 920
Retinodiplosis resinicola 294, 314, 415
Rhabdophaga strobiloides (a willow gall midge) 391
Rhabdoscelus obscurus (a curculionid) 664
Rhagoletis boycei (a walnut husk fly) 9
Rhagoletis cerasi (European cherry fruit fly) 1064
Rhagoletis cingulata (cherry fruit fly) 510
Rhagoletis cingulata indifferens (western cherry fruit fly) 24, 136, 141, 381, 510, 542, 574, 602, 675, 729, 794
Rhagoletis completa (walnut husk fly) 648, 704, 791, 794, 803, 882, 899, 916, 932, 994, 1006, 1030, 1042
Rhagoletis fausta (black cherry fruit fly) 24, 141
Rhagoletis pomonella (apple maggot, blueberry maggot) 89, 92, 120, 156, 224, 225, 242, 270, 541, 603, 624, 647, 675, 703, 704, 729, 749, 801, 825, 836, 864, 881, 898, 932, 981, 1006, 1042
Rhagoletis symphoricarpi 1042
Rhinacloa forticornis (a fleahopper) 581
Rhipicephalus sanguineus (brown dog tick) 35, 94, 98, 154, 177, 200, 658, 759, 785, 811, 869, 889, 905, 922, 939, 955, 967, 985, 1023
Rhizaspidiotus dearnessi (a scale insect) 200
Rhizoecus falcifer (ground mealybug) 455, 793, 799, 954
Rhizoglyphus echinops (bulb mite) 792
Rhizoglyphus solani (a root mite) 933
Rhopalosiphoninus sp. (an aphid) 1051
Rhopalosiphum fitchii (apple grain aphid) 19, 31, 47, 65, 85, 96, 105, 129, 149, 167, 191, 197, 213, 231, 234, 242, 257, 282, 307, 331, 345, 372, 419, 789, 930, 961, 977, 993, 1005, 1017, 1029, 1041, 1049
Rhopalosiphum maidis (corn leaf aphid) 11, 19, 33, 36, 65, 71, 91, 99, 105, 115, 122, 129, 135, 156, 167, 181, 192, 197, 202, 203, 224, 232, 242, 270, 279, 292, 325, 345, 374, 402, 451, 479, 503, 536, 568, 619, 643, 665, 671, 699, 725, 746, 771, 786, 798, 822, 895, 929, 947, 961, 1005, 1017, 1029, 1041, 1049
Rhopalosiphum nymphaeae (waterlily aphid) 353, 852
Rhopalosiphum pseudobrassicae (turnip aphid) 4, 50, 71, 199, 293, 355, 804, 1031
Rhopalosiphum rufiabdominalis 649
Rhopalosiphum rufomaculatum 152
Rhopalosiphum subterraneum 19, 197, 486
Rhopobota naevana (black-headed fireworm) 243, 704, 933
Rhopobota naevana ilicifoliana (a holly budmoth) 417
Rhyacionia spp. (pine moths) 439, 549, 742
Rhyacionia adana 849
Rhyacionia buoliana (European pine shoot moth) 93, 99, 158, 226, 243, 358, 388, 439, 465, 517, 583, 655, 756, 867, 1043, 1044
Rhyacionia duplana 742
Rhyacionia frustrana (Nantucket pine moth) 34, 38, 86, 93, 97, 99, 117, 170, 180, 183, 200, 217, 263, 293, 314, 335, 388, 439, 517, 549, 655, 711, 849, 902, 918, 934, 952
Rhyacionia frustrana bushnelli 1007
Rhyacionia rigidana 439
Rhyncaphytoptus ficifoliae (a rust mite) 790
Rhynchites bicolor (rose curculio) 158
Rhynchites cupreus (plum borer) 101
Rhyssomatus palmicollis (a curculionid) 996, 1010
Rhyzopertha dominica (lesser grain borer) 35, 113, 195, 219, 239, 264, 1032, 1059
Rodolia cardinalis (vedalia) 74, 77, 466
Romalea microptera (eastern lubber grasshopper) 295, 669

S

Sabulodes caberata (a geometrid) 852
Saissetia hemisphaerica (hemispherical scale) 32, 51, 66, 965
Saissetia oleae (black scale) 21, 51, 72, 73, 77, 78, 200, 417, 542, 603, 730, 750, 790, 950, 954, 1056
Salebria afflictella (a webworm) 849
Sannina uroceriformis (persimmon borer) 235
Sanninoidea sp. (a peach tree borer) 258
Sanninoidea exitiosa (peach tree borer) 13, 34, 113, 117, 156, 178, 198, 225, 292, 380, 408, 541, 647, 675, 825, 898, 932
Sanninoidea exitiosa graefi (western peach tree borer) 85
Saperda sp. (a roundheaded wood borer) 984
Saperda cretata 419
Saperda tridentata (elm borer) 465
Sarcophaga aldrichi (a parasite) 99, 271, 272, 584
Sarcophaga kellyi (grasshopper maggot) 201
Sarcoptes scabiei (itch mite) 467
Scaphytopius loricatus (a leafhopper) 559
Scapteriscus acletus (southern mole cricket) 365
Schistocerca americana (American grasshopper) 292
Schistocerca gregaria (desert locust) 69, 70, 74, 77, 78, 79, 80
Schistocerca vaga 921
Schizolachnus pini-radiatae (a woolly pine needle aphid) 1059
Schizura concinna (red-humped caterpillar) 24, 157, 456, 483, 624, 792, 852, 898
Schizura ipomoeae (a notodontid) 921
Schoenobius incertulus (rice stem borer) 75
Sciara sp. (a fungus gnat) 289
Sciopithes obscurus (a curculionid) 707
Scirpophaga nivella (sugarcane top borer) 75
Scirtothrips sp. (a thrips) 332
Scirtothrips citri (citrus thrips) 192, 235, 258, 332, 382, 485, 511, 730, 790, 963
Scolia dubia (a wasp) 812, 833
Scolytus spp. 72, 79, 338
Scolytus multistriatus (smaller European elm bark beetle) 158, 200, 243, 267, 358, 390, 465, 492, 517, 550, 609, 632, 712, 783, 794, 831, 902, 935, 984
Scolytus muticus (hackberry engraver) 519
Scolytus rugulosus (shot-hole borer) 156, 174, 178, 225, 267, 381, 483, 881
Scolytus unispinosus (Douglas-fir engraver) 286, 432, 490, 549, 583, 1021
Scolytus ventralis (fir engraver) 32, 432, 550
Scotogramma trifolii (clover cutworm) 914
Scutigera coleoptrata (house centipede) 158
Scutigerella immaculata (garden symphylid) 137, 246, 409, 412, 460, 636, 678, 917
Scymnus sp. (a predator) 554
Selenothrips rubrocincuts (red-banded thrips) 1031
Sepedon macropus (a marsh fly) 1034
Serica brunnea (brown chafer) 1025
Sericothrips variabilis (a thrips) 507, 573, 620, 729, 747, 804
Sesamia sp. (a noctuid) 80
Sesamia cretica (durra stalk borer) 69, 70, 78
Sibine stimulea (saddleback caterpillar) 784
Simulium canadense (a black fly) 553
Simulium decorum 22
Simulium jenningsi 94, 391
Simulium venustum* 417

*Carried in Vol. 9 as S. venustrum.

Simyra henrici (a noctuid) 642, 698, 726
Sinoxylon conigerum (a bostrichid) 886
Sipha flava (yellow sugarcane aphid) 37, 327, 347, 362
Siphona irritans (horn fly) 38, 94, 100, 118, 121, 143, 180, 200, 268, 295, 316, 337, 361, 392, 418, 466, 493, 521, 553, 587, 610, 634, 657, 686, 713, 738, 759, 785, 810, 832, 851, 869, 887, 905, 922, 954, 966, 985, 997, 1008, 1022
Siphoninus finitimus (an aleyrodid) 79
Sitodiplosis mosellana (wheat midge) 269
Sitona sp. (a weevil) 574
Sitona californicus 19
Sitona cylindricollis (sweetclover weevil) 71, 112, 115, 119, 123, 136, 204, 224, 256, 269, 280, 305, 328, 350, 377, 406, 454, 480, 507, 539, 970, 994, 1056
Sitona flavescens 572
Sitona hispidula (clover root curculio) 23, 91, 140, 156, 174, 204, 214, 256, 280, 306, 328, 350, 377, 406, 480, 507, 572, 702, 836, 931, 980, 994
Sitona lineata (pea leaf weevil) 105, 377, 706
Sitona scissifrons 377, 480, 507, 673
Sitophilus sp. 195
Sitophilus granarius (granary weevil) 25, 94, 521, 554, 634, 1059
Sitophilus oryza (rice weevil) 5, 25, 35, 38, 68, 94, 171, 195, 200, 219, 295, 467, 851, 955, 967, 1051, 1059
Sitotroga cerealella (Angoumois grain moth) 6, 35, 38, 94, 113, 197, 226, 295, 588, 833, 929, 1009, 1051
Sminthurus viridis (lucerne-flea) 71
Sogata furcifera 75, 699, 1029
Sogata orizicola (a rice delphacid) 36, 181, 303, 325, 402, 452, 479, 505, 537, 570, 644, 727, 735, 774, 799, 842, 893, 930, 977, 1005, 1017, 1029
Solenopotes capillatus (a cattle louse) 32
Solenopsis sp. 221
Solenopsis geminata (fire ant) 221, 393
Solenopsis molesta (thief ant) 569
Solenopsis saevissima richteri (imported fire ant) 35, 155, 173, 180, 184, 201, 219, 221, 239, 288, 295, 317, 366, 393, 468, 494, 589, 715, 889, 939, 998, 1010, 1024, 1060
Solenopsis xyloni (southern fire ant) 221
Solpugida (sun spiders) 25, 144
Somatium oviformis (a predator) 790
Spanogonicus albofasciatus (a flea-hopper) 173, 358, 462, 516, 547, 581, 630, 654, 660, 732
Sparganothis acerivorana (a leaf roller) 244
Sparganothis pilleriana (a grape moth) 73
Sphenoptera gossypii (cotton stem borer) 76
Sphingonotus obscuratus lameerei (a grasshopper) 78
Spilococcus andersoni (a mealybug) 66
Spilococcus juniperi 736
Spilonota ocellana (eye-spotted bud moth) 24, 141, 242, 270, 407, 456, 483, 509
Spissistilus festinus (three-cornered alfalfa hopper) 33, 36, 131, 181, 198, 204, 292, 306, 329, 349, 455, 481, 506, 539, 572, 599, 622, 645, 673, 701, 748, 773, 800, 815, 824, 836, 844, 863, 868, 879, 889, 897, 914, 924, 931, 949, 963, 981, 1005, 1017, 1030
Spodoptera mauritia acronyctoides (a lawn armyworm) 816
Stegasta basqueela (red-necked peanutworm) 33, 178, 198, 351, 540, 573, 623, 646, 674, 702, 728, 749, 801, 844, 924
Stegobium paniceum (drug-store beetle) 158, 226, 870
Stelidota geminata (a nitidulid) 1050
Steneotarsonemus pallidus (cyclamen mite) 66, 123, 137, 270, 514, 678, 752, 792, 828, 901, 917, 1007
Stenoma humilis (a leaf skeletonizer) 868
Stenopelmatus fuscus (Jerusalem cricket) 25, 968
Stephanitis spp. (lace bugs) 79, 737
Stephanitis globulifera 737
Stephanitis pyri 72
Stephanitis pyrioides (azalea lace bug) 90, 294, 492, 737, 904, 921
Stephanitis rhododendri (rhododendron lace bug) 157, 737
Stephanopachys rugosus (a bostrichid) 870
Sternochetus frigidus (a weevil) 1064
Sternochetus lapathi (poplar and willow borer) 25, 465, 632, 656, 831, 868, 886
Stethorus picipes (a predator) 139, 790
Stictocephala bubalus (buffalo treehopper) 381, 542
Stigmella promissa (pistachio leaf miner) 72
Stomacoccus platani (a scale insect) 336, 633
Stomoxys calcitrans (stable fly) 98, 118, 200, 268, 361, 553, 587, 610, 634, 657, 686, 738, 785, 810, 832, 869, 887, 921, 966
Strigoderma arboricola (a scarab) 243, 973
Strymon melinus (cotton square borer) 463, 607, 652, 734, 852, 996
Supella supellectilium (brown-banded roach) 78, 90, 94, 98, 124, 171, 177, 226, 288, 794, 906, 940, 999, 1009
Sylepta derogata (cotton leaf roller) 957
Sylvora acerni (maple callus borer) 518
Symmerista albifrons (red-humped oakworm) 442, 903
Synanthedon pictipes (lesser peach tree borer) 34, 37, 89, 178, 225, 292, 380, 409, 457, 484, 541, 574, 647, 845, 864, 898, 963, 981, 1022
Syntomeida epilais jucundissima (an oleander caterpillar) 417
Syringopais temperatella (cereal leaf miner, wheat leaf miner) 69, 71, 873
Systena spp. 460, 630
Systena blanda (pale-striped flea beetle) 12, 13, 23, 92, 96, 179, 281, 462, 489, 540, 543, 572, 601, 625, 777, 808, 1019
Systena frontalis (a black flea beetle) 934
Systena taeniata 621

T

Tabanus spp. (horse flies) 38, 295, 493, 553, 587, 610, 634, 657, 658, 686, 714, 738, 810, 832, 851
Tabanus abactor 832
Tabanus atratus (black horse fly) 686, 714, 738, 759, 785, 811, 832, 869, 887
Tabanus equalis 810
Tabanus lineola (striped horse fly) 686, 832, 887
Tabanus mularis 810
Tabanus reinwardtii 521
Tabanus sulcifrons 658, 738, 759, 785, 810, 832, 887
Tachypterellus quadrigibbus (apple curculio) 270
Taeniothrips inconsequens (pear thrips) 258, 283, 332, 353
Tafalisca lurida (a cricket) 635
Taniva albolineana (spruce needle miner) 358, 388, 464, 983
Targionia dearnessi See Rhizaspidiotus dearnessi
Tathorhynchus angustiorata (a noctuid) 931
Tegrodera erosa (a blister beetle) 789
Tendipes plumosus (a midge) 244
Tenebrio molitor (yellow mealworm) 295, 316, 851
Tenebrio obscurus (dark mealworm) 177, 295, 316
Tenebroides mauritanicus (cadelle) 25, 94, 121, 200, 239, 295, 759, 851, 1059
Tetanops myopaeformis (sugar-beet root maggot) 24, 123, 142, 460, 577, 626, 732
Tetraleurodes acaciae (a whitefly) 87
Tetraleurodes mori (mulberry white-fly) 157, 360
Tetralopha spp. (webworms) 886

Tetralopha asperatella 244, 903
Tetralopha melanogrammos 849
Tetralopha militella 886
Tetralopha robustella (pine webworm) 38, 293, 631, 655, 682, 849, 902, 918, 1007, 1021
Tetralopha scortealis (lespedeza webworm) 174
Tetramorium caespitum (pavement ant) 90, 94, 158, 226, 635, 793, 1010
Tetraneura hirsuta (a root aphid) 508
Tetranychus spp. (spider mites) 37, 70, 71, 72, 73, 89, 99, 107, 108, 117, 123, 174, 179, 267, 294, 307, 352, 379, 385, 412, 457, 461, 488, 510, 541, 545, 547, 553, 556, 582, 586, 601, 629, 633, 647, 674, 677, 726, 747, 752, 771, 776, 786, 804, 807, 845, 881
Tetranychus atlanticus (strawberry spider mite) 205, 311, 547, 606, 646, 654, 674, 734
Tetranychus canadensis (four-spotted spider mite) 331
Tetranychus cinnabarinus 334, 901
Tetranychus desertorum (desert spider mite) 179, 357
Tetranychus lobosus 357
Tetranychus marianae 285, 334, 1019
Tetranychus mcdanieli 379, 647, 825
Tetranychus pacificus (Pacific spider mite) 108, 606, 734, 790, 802
Tetranychus schoenei (Schoene spider mite) 331
Tetranychus telarius (two-spotted spider mite) 5, 11, 12, 13, 86, 92, 97, 108, 112, 116, 136, 138, 141, 142, 157, 179, 218, 224, 225, 226, 236, 243, 270, 311, 315, 331, 334, 352, 356, 379, 385, 408, 412, 457, 461, 488, 510, 520, 553, 574, 578, 601, 606, 620, 623, 633, 647, 654, 674, 675, 677, 699, 703, 711, 729, 734, 741, 749, 758, 771, 786, 789, 790, 792, 799, 802, 804, 815, 822, 825, 827, 836, 845, 847, 850, 852, 861, 866, 869, 881, 898, 904, 950, 1022, 1041
Tetrastichus bruchophagi (a parasite) 955
Thamnosphecia scitula (dogwood borer) 90, 158, 810
Thanasimus undulatus (a clerid beetle) 494
Thaumetopoea pityocampa (pine processionary moth) 1045
Theba pisana (white garden snail) 79, 1000, 1064
Thecabius populi-monilis (an aphid) 712
Therioaphis maculata (spotted alfalfa aphid) 3, 9, 11, 19, 33, 47, 65, 69, 71, 78, 85, 96, 99, 105, 112, 114, 120, 130, 131, 140, 149, 155, 168, 178, 181, 191, 198, 204, 214, 224, 233, 234, 257, 266, 269, 281, 292, 306, 328, 348, 375, 404, 453, 481, 505, 538, 571, 600, 621, 644, 672, 700, 727, 748, 772, 786, 789, 799, 815, 824, 836, 843, 863, 878, 889, 895, 914, 930, 940, 948, 956, 962, 980, 986, 993, 1006, 1017, 1030, 1041, 1042, 1049
Therioaphis riehmi* (sweetclover aphid) 204, 257, 269, 350, 404, 453, 538, 600
Therioaphis tiliae 492
Therioaphis trifolii (yellow clover aphid) 306, 350, 375, 453, 600, 673
Thisoicetrus annulosus (a grasshopper) 78
Thoracaphis umbellulariae (an aphid) 170, 218, 391
Thrips imaginis (apple thrips) 663
Thrips tabaci (onion thrips) 12, 20, 50, 70, 131, 151, 179, 215, 225, 267, 293, 354, 459, 486, 514, 626, 650, 678, 706, 732, 792, 1050
Thyanta pallidovirens spinosa 599
Thyridopteryx ephemeraeformis (bagworm) 35, 90, 93, 97, 113, 117, 180, 200, 226, 287, 415, 444, 458, 465, 492, 519, 552, 584, 608, 631, 655, 683, 711, 736, 757, 783, 849, 935, 952, 984
Thysanocnemis sp. (a curculionid) 868
Tinea pellionella (casemaking clothes moth) 158, 177, 295
Tineola bisselliella (webbing clothes moth) 177
Tischeria spp. (leaf miners) 793
Tischeria malifoliella (apple leaf trumpet miner) 199
Tomaspis bicincta (a spittlebug) 176, 178, 737
Tomostethus multicinctus (brown-headed ash sawfly) 464, 609, 794
Tortrix pallorana (a tortricid) 406, 549
Torymus druparum (apple seed chalcid) 749
Toumeyella spp. (scale insects) 200, 294
Toumeyella liriodendri (tuliptree scale) 90, 361, 443
Toumeyella mirabilis 336
Toumeyella numismaticum (pine tortoise scale) 246, 315
Toumeyella parvicorne 315
Toumeyella pini 246
Toxoptera aurantii (black citrus aphid) 78, 257, 307
Toxoptera graminum (greenbug) 3, 9, 19, 31, 33, 35, 47, 65, 71, 85, 91, 105, 111, 129, 149, 167, 181, 191, 197, 203, 213, 231, 255, 279, 291, 303, 325, 345, 371, 401, 452, 479, 504, 536, 569, 599, 620, 665, 893, 924, 930, 961, 977, 993, 1005, 1017, 1029, 1041, 1049
Trachyphloeus bifoveolatus (a curculionid) 939, 986, 1023
Trachyrhachis kiowa (a grasshopper) 115
Tremex columba (pigeon tremex) 904

*Carried in Vol. 9 as Myzocallidium riehmi

Trialeurodes spp. (whiteflies) 183, 846
Trialeurodes abutilonea 335, 898
Trialeurodes bellissima 132
Trialeurodes lauri 663
Trialeurodes packardi (strawberry whitefly) 385
Trialeurodes ruborum 168
Trialeurodes vaporariorum (greenhouse whitefly) 10, 847, 882
Triatoma spp. 35, 418
Triatoma protracta 467
Triatoma sanguisuga (bloodsucking conenose) 738
Tribolium spp. 121, 658
Tribolium castaneum (red flour beetle) 25, 38, 139, 144, 200, 658
Tribolium confusum (confused flour beetle) 5, 25, 35, 68, 171, 194, 238, 521, 658, 851, 922, 1032
Tribolium destructor 1051
Tribolium madens 25, 264
Trichobaris trinotata (potato stalk borer) 752
Trichogramma minutum (a parasite) 687
Trichoplusia ni (cabbage looper) 12, 34, 37, 89, 92, 96, 137, 157, 175, 178, 179, 183, 199, 225, 243, 294, 329, 355, 365, 384, 411, 413, 460, 463, 513, 548, 578, 582, 654, 677, 680, 709, 729, 734, 751, 754, 776, 780, 793, 801, 804, 807, 827, 829, 836, 843, 847, 852, 865, 867, 879, 883, 884, 889, 896, 900, 914, 916, 924, 933, 934, 949, 950, 964, 982, 995, 1007, 1043, 1050
Trichopoda pennipes (a tachinid) 888
Trigonotylus brevipes* (a plant bug) 405
Trigonotylus dohertyi (a plant bug) 620, 636
Trimerotropis spp. (grasshoppers) 47, 231, 401
Trimerotropis pallidipennis 266, 821, 861
Trioxys utilis (a braconid) 74, 133, 264, 266, 268, 362, 555, 659, 789
Trioza tripunctata (a psyllid) 99
Triphidaphis phaseoli (an aphid) 487
Trogoderma glabrum 139, 759
Trogoderma granarium (khapra beetle) 5, 22, 52, 68, 98, 139, 144, 154, 171, 200, 219, 238, 264, 295, 316, 337, 392, 467, 493, 588, 610, 714, 742, 811, 967, 1023, 1032, 1064
Trogoderma ornatum 659
Trogoderma parabile 337
Trogoderma simplex 610

*In error; species does not occur in U. S.

Tropinata squalida (a scarab) 78
Trypodendron spp. (ambrosia beetles) 464, 490
Tychius stephensi (clover head weevil) 702
Tydeus sp. (a predaceous mite) 139
Typhlodromus spp. (predaceous mites) 739, 786
Typhlodromus cucumeris 139, 144
Typhlodromus fallacis 139
Typhlodromus marinus 139
Typophorus viridicyaneus (sweet-potato leaf beetle) 827
Tyrophagus dimidiatus 235
Tyrophagus lintneri (mushroom mite) 226

U

Udea rubigalis (celery leaf tier) 285, 983
Ufeus sagittarius (a noctuid) 849
Unaspis euonymi (euonymus scale) 90, 93, 152, 194, 218, 238, 758, 886, 904, 938, 966
Urentius sentis (a brinjal lace bug) 76

V

Vanessa cardui (painted-lady) 139, 157, 270, 789, 793, 794, 889, 935
Vasates cornutus (peach silver mite) 13, 352, 790, 836
Vasates fockeui 24, 136, 750
Vasates lycopersici (tomato russet mite) 71, 77, 649, 792, 827, 899
Vasates magnolivora 173
Vasates quadripedes (maple bladder-gall mite) 143, 158, 226, 272, 360, 389, 491
Vasates schlechtendali (apple rust mite) 136
Vesiculaphis carisis (an aphid) 287
Vespa spp. (vespids) 986
Vespa crabro germana (giant hornet) 52, 98, 177, 786, 869, 881
Vespamima sequoiae (sequoia pitch moth) 32
Vespula spp. (vespids) 938
Vespula arenaria 158, 871
Vespula maculata (bald-faced hornet) 871
Vespula pensylvanica 938
Vinsonia stellifera (a stellate scale) 366
Vitacea polistiformis (grape root borer) 174, 205

W

Walshomyia juniperina (a gall midge) 21
Winthemia quadripustulata (a parasite) 242
Wohlfahrtia spp. (sarcophagids) 657, 686
Wohlfahrtia opaca 138, 634, 657, 713
Wohlfahrtia vigil 587

X

Xanthodes graellsii (a noctuid) 73
Xiphinema americanum (a dagger nematode) 202
Xylastodoris luteolus (a royal palm bug) 552
Xyleborus saxeseni (a bark beetle) 337
Xylena thoracica (a cutworm) 329
Xylocopa sp. (a carpenter bee) 871

Z

Zeadiatraea grandiosella (southwestern corn borer) 33, 36, 65, 112, 167, 181, 189, 190, 196, 202, 203, 214, 231, 304, 347, 374, 403, 449, 471, 477, 502, 535, 569, 597, 642, 670, 698, 726, 745, 770, 797, 822, 861, 879, 895, 913, 929, 947, 961, 986, 993, 1005, 1041, 1049
Zeiraphera spp. (bud moths) 435
Zeiraphera griseana (a larch bud moth) 435
Zeiraphera ratzeburgiana (spruce bud moth) 435
Zodion obliquefasciatum (an alkali bee parasite) 144, 659
Zonabris oleae (a blister beetle) 78
Zonosemata electa (pepper maggot) 90, 625, 676, 721
Zootermopsis angusticollis (a dampwood termite) 852
Zorotypus hubbardi (a zorapteron) 22, 201

UNITED STATES DEPARTMENT OF AGRICULTURE
WASHINGTON 25, D. C.

Official Business

POSTAGE AND FEES PAID
U. S. DEPARTMENT OF AGRICULTURE

0 5 36

U.S. DEPARTMENT OF AGRICULTURE
NATIONAL AGRICULTURAL LIBRARY

U.S. DEPARTMENT OF AGRICULTURE
NATIONAL AGRICULTURAL LIBRARY
UNITED STATES DEPARTMENT OF AGRICULTURE